CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

DX

LENGTH OF STAY BY DIAGNOSIS

UNITED STATES

WESTERN REGION

1984

Length of Stay by Diagnosis, Western Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific*
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
* Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

  a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

  b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

342 Hospitals, Western Region, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168603	2.3	8	<1	1	2	3	4	5	10
20-34	94655	2.7	13	<1	1	2	3	4	7	19
35-49	28104	3.9	22	<1	1	2	4	8	11	25
50-64	19000	4.2	22	1	1	3	5	9	12	24
65+	17807	4.5	22	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	55643	2.4	7	<1	<1	2	3	5	6	12
20-34	121719	2.7	6	<1	1	2	3	5	6	11
35-49	53155	3.4	10	<1	1	2	5	7	9	15
50-64	42868	3.9	15	<1	1	3	5	8	11	17
65+	39615	4.4	19	<1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138624	4.0	40	1	1	3	4	6	10	39
20-34	75488	5.0	47	1	1	3	5	11	19	33
35-49	64035	5.5	43	1	1	3	6	11	19	32
50-64	99454	5.7	36	1	1	4	7	11	16	30
65+	229101	6.5	37	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	49650	5.2	78	<1	1	2	5	11	20	56
20-34	143285	4.4	27	1	1	3	5	7	11	27
35-49	91061	5.8	43	1	1	4	7	11	16	36
50-64	106170	7.2	65	1	1	5	9	15	21	44
65+	168574	8.9	82	1	2	7	11	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328169	2.8	12	<1	1	2	3	5	7	17
B. *Operated*	313000	3.2	10	<1	<1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	606752	5.5	40	1	1	4	7	11	16	32
B. *Operated*	558740	6.6	61	1	1	4	8	14	20	42
1. SINGLE DX	641169	3.0	11	<1	1	2	3	6	8	16
2. MULTIPLE DX	1165492	6.0	51	1	1	4	7	13	18	37
A. NOT OPERATED	934921	4.6	32	1	1	3	5	9	14	29
B. OPERATED	871740	5.4	46	<1	1	3	6	11	16	35
TOTAL 0-19 YRS	412520	3.2	28	<1	1	2	3	5	8	28
20-34	435147	3.6	22	<1	1	2	4	6	10	26
35-49	236405	5.0	34	1	1	3	6	10	14	30
50-64	267492	5.9	45	1	1	4	7	12	17	34
65+	455097	7.2	54	1	2	5	9	15	20	38
GRAND TOTAL	**1806661**	**4.9**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48515	2.9	22	<1	1	2	3	5	7	23
20-34	94655	2.7	13	<1	1	2	3	4	7	19
35-49	28104	3.9	22	<1	1	2	4	8	11	25
50-64	19000	4.2	22	1	1	3	5	9	12	24
65+	17807	4.5	22	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	55614	2.4	7	<1	<1	2	3	5	6	12
20-34	121719	2.7	6	<1	1	2	3	5	6	11
35-49	53155	3.4	10	<1	1	2	5	7	9	15
50-64	42868	3.9	15	<1	1	3	5	8	11	17
65+	39615	4.4	19	<1	1	3	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60542	4.8	73	1	1	3	4	9	16	53
20-34	75488	5.0	47	1	1	3	5	11	19	33
35-49	64085	5.5	43	1	1	3	6	11	19	32
50-64	99454	5.7	36	1	1	4	7	11	16	30
65+	229101	6.5	37	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	45975	4.3	47	<1	1	2	5	9	14	38
20-34	143285	4.4	27	1	1	3	5	7	11	27
35-49	91061	5.8	43	1	1	4	7	11	16	36
50-64	106170	7.2	65	1	1	5	9	15	21	44
65+	168574	8.9	82	1	2	7	11	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208081	3.2	18	<1	1	2	3	6	9	22
B. *Operated*	312971	3.2	10	<1	<1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	528670	5.8	44	1	1	4	7	12	17	34
B. *Operated*	555065	6.5	59	1	1	4	8	14	20	41
1. SINGLE DX	521052	3.2	13	<1	1	2	4	6	9	17
2. MULTIPLE DX	1083735	6.2	52	1	1	4	7	13	18	38
A. NOT OPERATED	736751	5.1	38	1	1	3	6	10	15	31
B. OPERATED	868036	5.3	44	<1	1	3	6	11	16	34
TOTAL 0-19 YRS	210646	3.6	39	<1	1	2	4	7	11	37
20-34	435147	3.6	22	<1	1	2	4	6	10	26
35-49	236405	5.0	34	1	1	3	6	10	14	30
50-64	267492	5.9	45	1	1	4	7	12	17	34
65+	455097	7.2	54	1	2	5	9	15	20	38
GRAND TOTAL	**1604787**	**5.2**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	920	2.5	7	1	1	2	3	4	6	10
20-34	556	2.5	3	<1	1	2	3	4	5	9
35-49	238	2.7	3	1	1	2	4	5	6	8
50-64	149	2.8	4	1	1	2	3	5	7	10
65+	107	3.0	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	26	4.5	30	1	1	3	4	7	18	27
20-34	52	5.0	13	2	2	4	6	10	13	18
35-49	19	3.8	3	<1	1	4	5	7	7	7
50-64	10	3.9	7	1	1	3	6	8	9	9
65+	8	5.4	17	1	2	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1943	3.0	5	1	1	2	4	5	7	12
20-34	879	2.9	5	1	1	2	4	5	7	11
35-49	521	3.5	10	1	1	3	4	7	9	15
50-64	545	3.7	12	1	1	3	4	6	8	15
65+	1096	4.5	12	1	2	4	5	8	10	22
B. *Operated*										
0-19 YRS	51	8.7	199	1	2	4	8	16	36	79
20-34	82	6.4	87	1	2	4	7	10	19	62
35-49	55	7.1	48	2	2	5	8	20	24	31
50-64	71	8.8	88	2	2	6	10	16	29	58
65+	107	10.6	115	2	3	7	12	21	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1970	2.6	5	1	1	2	3	5	6	10
B. *Operated*	115	4.6	15	1	2	4	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	4984	3.4	8	1	1	3	4	6	8	14
B. *Operated*	366	8.5	106	2	2	6	9	18	25	64
1. SINGLE DX	2085	2.7	6	1	1	2	3	5	6	10
2. MULTIPLE DX	5350	3.8	17	1	1	3	4	7	9	21
A. NOT OPERATED	6954	3.2	8	1	1	2	4	6	7	13
B. OPERATED	481	7.6	87	1	2	5	8	15	23	60
TOTAL 0-19 YRS	2940	2.9	10	1	1	2	3	5	6	12
20-34	1569	3.0	10	1	1	2	4	5	7	13
35-49	833	3.5	11	1	1	3	4	6	8	18
50-64	775	4.0	19	1	1	3	5	7	9	25
65+	1318	4.8	23	1	2	4	6	9	12	24
GRAND TOTAL	**7435**	**3.5**	**14**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	43	<1	1	5	8	17	22	23
20-34	18	8.9	54	1	2	7	11	22	27	28
35-49	11	6.5	18	<1	1	7	9	13	14	14
50-64	10	8.9	59	2	2	6	11	22	26	26
65+	10	8.3	31	<1	<1	9	14	15	15	15
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	7	5.7	12	1	1	6	7	11	12	12
50-64	9	9.1	88	1	1	6	12	25	29	29
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.1	40	1	2	9	15	18	18	18
20-34	26	12.0	242	3	4	7	13	17	42	82
35-49	24	10.4	72	2	2	8	14	20	31	36
50-64	35	10.9	59	3	4	8	14	22	27	37
65+	56	13.2	131	2	3	10	17	26	33	62
B. *Operated*										
0-19 YRS	3	17.0	259	4	4	12	29	35	35	35
20-34	10	10.3	44	3	3	9	14	21	22	22
35-49	21	11.9	155	3	3	8	14	26	46	53
50-64	23	12.2	124	4	6	9	12	19	42	54
65+	55	17.4	344	5	6	10	16	38	56	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.9	41	<1	1	7	11	15	24	28
B. *Operated*	22	6.9	43	1	1	6	7	14	24	29
2. MULTIPLE DX										
A. *Not Operated*	148	11.8	118	2	3	9	14	25	30	63
B. *Operated*	112	14.7	236	3	5	10	14	35	43	90
1. SINGLE DX	82	7.6	41	1	1	6	10	15	24	29
2. MULTIPLE DX	260	13.0	170	3	4	9	14	27	37	80
A. NOT OPERATED	208	10.7	99	2	2	8	14	23	28	51
B. OPERATED	134	13.4	212	3	3	9	14	31	42	88
TOTAL 0-19 YRS	22	8.7	70	<1	1	6	12	19	28	35
20-34	57	10.4	135	3	4	7	12	19	27	78
35-49	63	9.7	86	1	2	7	12	17	31	51
50-64	77	10.8	80	2	3	8	13	22	29	49
65+	123	14.5	223	2	3	10	16	30	42	89
GRAND TOTAL	**342**	**11.7**	**144**	**2**	**3**	**9**	**14**	**25**	**35**	**65**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*										
0-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
20-34	3	1.3		1	1	1	2	2	2	2
35-49	6	6.7	47	<1	<1	4	14	16	16	16
50-64	6	6.7	20	1	1	5	11	13	13	13
65+	4	5.5	20	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	9.8	14	7	7	9	12	15	15	15
35-49	6	8.5	23	3	3	7	12	16	16	16
50-64	3	25.0	412	3	3	29	39	43	43	43
65+	8	13.1	87	3	3	12	19	28	30	30
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	7	11.6	122	3	4	8	25	80	99+	99+
35-49	14	11.9	104	1	1	9	23	28	82	99+
50-64	14	18.8	431	1	2	10	29	38	70	79
65+	18	24.9	257	6	6	22	39	44	51	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	13	1	1	3	9	9	9	9
B. *Operated*	25	4.8	22	<1	1	3	7	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	22	12.6	106	3	3	9	16	29	35	43
B. *Operated*	56	17.3	263	1	2	11	28	43	70	99+
1. SINGLE DX	31	4.7	20	<1	1	3	7	12	14	16
2. MULTIPLE DX	78	15.9	221	1	2	11	26	40	50	99+
A. NOT OPERATED	28	10.8	97	2	2	8	14	27	31	43
B. OPERATED	81	13.4	221	1	1	7	23	39	48	99+
TOTAL 0-19 YRS	11	2.7	4	<1	<1	2	4	6	7	7
20-34	15	8.4	75	1	1	7	12	33	80	99+
35-49	27	9.6	73	1	1	7	16	24	35	99+
50-64	24	16.1	324	1	2	10	28	34	54	79
65+	32	18.3	229	1	3	12	28	41	44	56
GRAND TOTAL	**109**	**12.7**	**189**	**1**	**1**	**7**	**18**	**35**	**44**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.2	2	1	1	2	3	5	5	6
20-34	48	2.6	1	1	1	2	3	4	4	7
35-49	11	2.3	1	1	1	2	3	4	4	4
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	18	1.1		<1	<1	1	1	1	2	2
20-34	9	1.3	1	1	1	1	2	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	2.5	2	1	1	2	3	5	6	7
20-34	106	2.7	2	1	1	3	3	4	6	8
35-49	37	3.3	2	1	2	3	4	5	6	7
50-64	27	3.8	5	1	2	3	5	7	9	9
65+	16	3.9	3	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	16	1.9	3	<1	1	1	2	4	6	7
20-34	9	3.2	4	1	1	3	5	6	6	6
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64										
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.4	1	1	1	2	3	4	5	6
B. *Operated*	28	1.2		<1	1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	424	2.8	2	1	1	2	3	5	6	8
B. *Operated*	28	3.0	8	<1	1	2	4	7	9	13
1. SINGLE DX	167	2.2	1	1	1	2	3	4	5	6
2. MULTIPLE DX	452	2.8	3	1	1	2	3	5	6	8
A. NOT OPERATED	563	2.7	2	1	1	2	3	5	6	7
B. OPERATED	56	2.1	5	<1	1	1	2	5	7	13
TOTAL 0-19 YRS	347	2.3	2	1	1	2	3	4	6	7
20-34	172	2.7	2	1	1	2	3	4	5	7
35-49	51	3.2	3	1	2	3	4	5	7	9
50-64	30	3.6	4	2	2	3	4	7	9	9
65+	19	4.3	7	2	2	3	5	7	10	13
GRAND TOTAL	**619**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.6	10	1	1	4	6	10	11	13
20-34	16	3.8	7	1	1	3	5	7	10	11
35-49	9	7.8	26	1	2	7	11	15	17	17
50-64	9	4.6	9	1	1	4	7	9	9	9
65+	30	5.5	9	2	2	5	7	10	11	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	6.8	20	3	3	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	446	5.8	26	1	2	4	7	11	14	25
20-34	154	7.2	29	2	2	6	9	15	18	27
35-49	189	9.1	73	3	3	7	11	16	20	39
50-64	454	8.9	29	3	3	7	11	15	19	29
65+	2019	10.1	50	3	4	8	12	17	22	39
B. *Operated*										
0-19 YRS	53	14.8	314	2	3	9	17	33	71	99+
20-34	65	17.1	269	2	3	11	21	37	47	80
35-49	84	16.8	216	3	5	13	20	33	53	76
50-64	189	17.1	200	4	5	12	22	36	52	99+
65+	542	19.1	208	5	7	15	23	38	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	4.7	10	1	1	4	6	10	11	14
B. *Operated*	4	6.8	20	3	3	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	3262	9.1	46	2	3	8	11	16	20	37
B. *Operated*	933	18.1	218	4	5	14	22	37	52	90
1. SINGLE DX	309	4.7	10	1	1	4	6	10	11	14
2. MULTIPLE DX	4195	11.1	98	2	3	8	13	21	29	56
A. NOT OPERATED	3567	8.7	45	2	3	7	11	16	20	36
B. OPERATED	937	18.0	218	4	5	14	22	37	52	90
TOTAL 0-19 YRS	740	6.0	47	1	2	4	7	11	14	36
20-34	235	9.7	115	1	2	6	11	20	30	63
35-49	282	11.3	126	3	3	8	14	21	30	68
50-64	652	11.2	92	3	4	8	14	21	29	54
65+	2595	11.9	96	3	4	9	14	22	30	57
GRAND TOTAL	**4504**	**10.7**	**95**	**2**	**3**	**8**	**13**	**20**	**28**	**55**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	6.2	23	1	2	4	9	12	15	21
20-34	41	4.3	11	1	2	3	5	8	12	18
35-49	27	4.3	8	1	2	3	6	10	11	11
50-64	11	6.9	61	1	2	4	9	20	26	27
65+	8	4.4	6	2	2	4	5	9	10	10
B. *Operated*										
0-19 YRS	10	4.4	20	<1	<1	2	9	11	12	12
20-34	6	10.2	29	3	3	10	12	18	19	19
35-49	8	12.0	69	2	3	12	18	24	25	25
50-64	5	13.2	89	5	5	12	17	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	7.2	25	2	2	6	10	14	17	25
20-34	94	6.6	35	2	2	5	8	13	19	31
35-49	49	7.4	46	2	2	5	8	17	26	28
50-64	75	6.7	20	2	3	6	9	13	15	23
65+	166	8.1	31	3	3	6	10	17	20	28
B. *Operated*										
0-19 YRS	32	14.6	280	1	1	10	17	39	53	74
20-34	32	11.3	65	1	2	11	16	23	33	99+
35-49	29	13.6	138	1	1	11	22	31	38	42
50-64	32	16.9	181	3	5	12	17	38	48	53
65+	50	18.4	265	3	4	14	25	44	59	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	5.6	21	1	2	4	8	11	14	21
B. *Operated*	29	9.2	55	1	1	8	12	20	25	29
2. MULTIPLE DX										
A. *Not Operated*	532	7.3	30	2	3	6	10	15	18	28
B. *Operated*	175	15.3	197	1	3	11	20	35	50	71
1. SINGLE DX	246	6.0	26	1	2	4	9	12	15	27
2. MULTIPLE DX	707	9.3	83	2	3	7	11	20	26	53
A. NOT OPERATED	749	6.8	28	2	2	5	9	14	17	28
B. OPERATED	204	14.5	181	1	2	11	20	33	47	68
TOTAL 0-19 YRS	320	7.5	55	1	2	6	10	14	18	39
20-34	173	7.1	40	1	2	5	10	15	20	33
35-49	113	8.6	73	1	2	5	11	22	26	39
50-64	123	9.7	86	2	3	7	12	17	31	50
65+	224	10.3	101	3	3	7	12	22	28	60
GRAND TOTAL	**953**	**8.5**	**70**	**2**	**2**	**6**	**11**	**18**	**24**	**49**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	470	3.2	5	1	1	3	4	5	7	12
20-34	360	3.2	4	1	1	3	4	6	7	10
35-49	73	4.4	11	1	2	3	5	8	11	17
50-64	13	5.3	13	1	2	4	8	11	13	13
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.1	1	2	2	3	3	5	5	5
20-34	5	2.6	3	1	1	2	4	5	5	5
35-49	2	11.0	18	8	8	11	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	3.7	7	1	2	3	4	6	8	14
20-34	208	3.7	7	1	1	3	5	7	8	11
35-49	57	4.8	8	2	2	4	6	9	10	16
50-64	32	8.2	272	1	2	4	8	13	17	96
65+	30	9.6	55	1	2	7	14	22	25	26
B. *Operated*										
0-19 YRS	11	17.5	757	2	3	10	17	53	94	98
20-34	12	8.8	30	2	2	8	12	18	18	18
35-49	3	16.3	166	2	2	20	25	27	27	27
50-64	4	6.5	10	2	2	7	8	9	9	9
65+	4	18.8	38	10	10	21	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	3.3	5	1	1	3	4	6	7	13
B. *Operated*	14	4.1	11	1	1	3	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	552	4.4	27	1	2	3	5	8	11	22
B. *Operated*	34	13.2	277	2	2	9	18	23	26	98
1. SINGLE DX	932	3.3	5	1	1	3	4	6	7	13
2. MULTIPLE DX	586	4.9	45	1	2	3	5	9	12	24
A. NOT OPERATED	1470	3.7	14	1	1	3	4	7	9	17
B. OPERATED	48	10.5	215	2	2	7	12	22	24	98
TOTAL 0-19 YRS	713	3.5	19	1	1	3	4	6	7	17
20-34	585	3.5	6	1	1	3	4	6	8	12
35-49	135	4.9	15	1	2	4	6	9	13	21
50-64	49	7.3	181	1	2	4	8	11	14	96
65+	36	10.2	60	1	2	8	16	23	24	26
GRAND TOTAL	**1518**	**3.9**	**21**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.4	7	1	1	3	4	6	8	16
20-34	56	4.4	8	1	1	4	6	9	11	12
35-49	29	5.0	7	2	2	5	6	9	11	11
50-64	35	4.1	4	1	2	3	5	7	8	10
65+	60	5.3	21	2	2	4	7	10	12	30
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	14	2.5	4	<1	<1	1	4	6	7	7
35-49	4	2.0	2	<1	<1	1	3	4	[illegible]	4
50-64	5	4.4	9	1	1	4	6	9	[illegible]	9
65+	7	2.9	5	<1	<1	2	5	6	[illegible]	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	3.9	9	1	1	3	5	7	11	16
20-34	129	5.4	51	1	2	4	7	8	11	30
35-49	83	6.7	13	2	3	6	8	10	13	22
50-64	180	6.8	26	2	3	6	8	11	13	32
65+	628	7.3	34	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	17	6.5	19	1	2	6	10	16	67	99+
20-34	19	10.4	40	4	5	9	14	17	25	30
35-49	15	11.3	107	1	2	9	16	28	35	37
50-64	25	9.5	69	1	2	7	11	25	28	31
65+	82	11.4	96	2	3	8	16	26	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	4.3	11	1	2	3	5	8	10	15
B. *Operated*	32	2.8	5	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1343	6.2	29	1	2	5	8	11	14	24
B. *Operated*	158	10.4	79	2	2	7	14	24	30	48
1. SINGLE DX	312	4.1	10	1	1	3	5	8	10	14
2. MULTIPLE DX	1501	6.6	36	1	2	5	8	12	16	31
A. NOT OPERATED	1623	5.8	26	1	2	5	7	11	13	23
B. OPERATED	190	9.2	74	1	1	6	13	20	29	47
TOTAL 0-19 YRS	442	3.9	9	1	1	3	5	7	11	17
20-34	218	5.4	39	1	2	4	7	10	12	22
35-49	131	6.7	25	2	2	6	8	11	15	30
50-64	245	6.6	29	2	2	5	8	11	15	31
65+	777	7.5	41	2	3	6	9	14	18	36
GRAND TOTAL	**1813**	**6.2**	**32**	**1**	**2**	**5**	**8**	**11**	**15**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.9	5	1	1	4	5	6	8	11
20-34	186	4.2	7	1	2	3	6	8	10	13
35-49	59	5.6	10	1	2	5	8	9	11	17
50-64	24	4.7	7	1	2	4	6	7	10	14
65+	10	3.6	5	<1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	14	3.1	10	1	1	1	5	8	10	10
35-49	8	3.4	9	<1	<1	2	6	8	8	8
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	3	9.7	25	5	5	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.0	4	1	2	4	6	7	8	9
20-34	239	4.8	11	1	2	4	6	9	11	15
35-49	83	5.7	13	2	2	5	8	11	13	18
50-64	64	6.3	19	2	2	5	10	12	15	19
65+	70	8.4	57	2	2	6	10	20	25	39
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	7.2	18	2	2	6	11	13	14	14
35-49	16	8.8	198	1	1	5	9	15	46	59
50-64	16	7.9	93	<1	1	3	10	26	27	28
65+	12	7.8	47	1	1	7	11	19	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	4.4	7	1	2	4	6	8	10	13
B. *Operated*	32	3.5	13	<1	1	1	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	515	5.5	20	1	2	4	7	11	13	23
B. *Operated*	64	7.8	83	1	1	6	10	16	25	55
1. SINGLE DX	388	4.3	8	1	1	4	6	8	10	14
2. MULTIPLE DX	579	5.8	27	1	2	4	7	11	14	27
A. NOT OPERATED	871	5.1	15	1	2	4	6	10	12	19
B. OPERATED	96	6.4	64	1	1	4	8	14	21	45
TOTAL 0-19 YRS	139	3.9	5	1	1	4	5	7	8	10
20-34	458	4.6	10	1	2	4	6	9	11	14
35-49	166	5.9	30	1	2	5	8	10	12	18
50-64	109	6.0	28	1	1	4	8	12	16	27
65+	95	7.8	51	1	2	5	10	17	23	36
GRAND TOTAL	**967**	**5.2**	**20**	**1**	**2**	**4**	**6**	**10**	**12**	**23**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.0	3	1	1	2	4	5	6	9
20-34	49	3.6	4	1	2	3	4	6	8	11
35-49	14	3.8	5	1	1	4	5	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	11.5	5	10	10	11	13	13	13	13
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	3.3	4	1	1	3	4	6	7	10
20-34	88	3.9	4	1	2	3	5	7	8	10
35-49	11	5.1	11	3	3	4	6	10	14	14
50-64	5	4.8	7	2	2	4	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	10	4.9	10	2	2	3	7	10	10	10
20-34	8	7.1	10	3	3	7	9	12	13	13
35-49	3	16.0	337	3	3	8	30	37	37	37
50-64	3	10.0	31	4	4	11	14	15	15	15
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.2	3	1	1	3	4	5	7	10
B. *Operated*	5	5.6	31	<1	<1	3	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	411	3.5	4	1	2	3	4	6	7	11
B. *Operated*	24	7.7	52	2	3	6	9	13	22	37
1. SINGLE DX	198	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	435	3.7	8	1	2	3	4	7	8	13
A. NOT OPERATED	604	3.4	4	1	1	3	4	6	7	11
B. OPERATED	29	7.3	48	1	2	6	10	13	16	37
TOTAL 0-19 YRS	446	3.2	4	1	1	3	4	6	7	10
20-34	147	4.1	6	1	2	3	5	8	9	13
35-49	28	5.6	45	1	1	4	6	8	16	37
50-64	10	6.0	19	1	1	5	8	13	15	15
65+	2	4.5	5	3	3	4	6	6	6	6
GRAND TOTAL	**633**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	44	1.4	1	<1	<1	1	1	2	3	5
20-34	192	1.4	1	<1	<1	1	2	2	4	5
35-49	56	1.5	1	<1	<1	1	2	2	3	6
50-64	16	2.0	4	<1	<1	1	2	4	7	9
65+	5	2.0	5	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	6	<1	<1	1	4	6	6	6
20-34	6	2.0	2	<1	<1	1	2	5	5	5
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	19	2.1	4	<1	<1	1	2	5	7	8
20-34	62	2.4	4	<1	<1	1	3	6	6	11
35-49	32	2.2	3	<1	<1	2	3	4	5	9
50-64	7	3.6	22	1	1	2	3	12	14	14
65+	6	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	<1	1	3	3	3
B. *Operated*	313	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*	13	2.6	9	<1	<1	1	3	7	10	11
B. *Operated*	126	2.4	5	<1	<1	2	3	5	6	12
1. SINGLE DX	318	1.5	1	<1	<1	1	2	2	4	6
2. MULTIPLE DX	139	2.4	5	<1	<1	1	3	5	6	12
A. NOT OPERATED	18	2.3	7	<1	<1	1	2	6	9	11
B. OPERATED	439	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	68	1.6	2	<1	<1	1	2	3	5	8
20-34	261	1.7	2	<1	<1	1	2	3	4	6
35-49	92	1.7	2	<1	<1	1	2	3	4	8
50-64	25	2.8	12	<1	<1	1	3	9	12	14
65+	11	2.0	2	<1	<1	1	3	4	6	6
GRAND TOTAL	**457**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	730	2.6	3	1	1	2	3	4	5	9
20-34	211	2.8	4	1	1	2	4	5	7	11
35-49	76	2.9	3	1	1	3	4	5	7	8
50-64	44	3.5	8	1	1	3	5	6	7	17
65+	29	3.9	4	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	20	2.7	3	<1	<1	2	4	5	6	8
20-34	15	5.0	14	1	1	4	8	10	13	14
35-49	10	5.3	13	<1	1	4	9	11	12	12
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1005	2.9	8	1	1	2	3	5	6	12
20-34	531	3.3	9	1	1	2	4	6	8	13
35-49	300	3.8	13	1	1	3	5	8	9	13
50-64	313	4.3	12	1	2	3	5	9	12	20
65+	518	4.6	17	1	2	4	5	8	11	23
B. *Operated*										
0-19 YRS	48	5.4	61	1	1	3	6	10	14	51
20-34	55	7.3	93	1	1	4	9	13	27	59
35-49	37	8.1	140	1	1	4	8	17	35	61
50-64	31	9.5	127	2	3	6	9	25	41	46
65+	43	10.0	86	2	2	6	12	25	31	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1090	2.7	3	1	1	2	3	5	6	9
B. *Operated*	51	4.0	9	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2667	3.6	11	1	1	3	4	6	9	16
B. *Operated*	214	7.9	98	1	1	5	9	16	30	54
1. SINGLE DX	1141	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2881	3.9	19	1	1	3	4	7	10	23
A. NOT OPERATED	3757	3.3	9	1	1	3	4	6	8	15
B. OPERATED	265	7.1	84	1	1	4	8	14	25	50
TOTAL 0-19 YRS	1803	2.8	7	1	1	2	3	5	6	11
20-34	812	3.4	14	1	1	2	4	6	9	16
35-49	423	4.1	24	1	1	3	5	8	10	18
50-64	392	4.6	23	1	2	3	5	9	13	31
65+	592	5.0	23	1	2	4	6	9	13	28
GRAND TOTAL	**4022**	**3.6**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.3	5	1	2	3	4	7	8	9
20-34	14	4.4	3	1	2	4	6	7	7	7
35-49	6	2.8	1	1	1	3	4	4	4	4
50-64	6	4.3	9	2	2	3	5	9	10	10
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	4	1	1	3	5	7	7	7
20-34	13	4.2	6	2	2	3	5	8	10	10
35-49	7	5.9	19	2	2	4	8	13	14	14
50-64	8	6.1	22	2	2	4	10	13	13	13
65+	12	6.6	44	1	2	4	8	14	24	26
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	11.0	67	2	2	11	14	24	26	26
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	4	6.0	6	4	4	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.8	4	1	2	3	5	7	8	10
B. *Operated*	3	5.0	13	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	48	5.2	20	2	2	4	7	10	13	26
B. *Operated*	13	8.2	47	2	2	7	11	17	24	26
1. SINGLE DX	47	3.8	4	1	2	3	5	7	8	10
2. MULTIPLE DX	61	5.9	26	2	2	4	8	12	14	26
A. NOT OPERATED	92	4.5	13	1	2	3	6	8	10	21
B. OPERATED	16	7.6	41	1	2	6	10	15	23	26
TOTAL 0-19 YRS	24	3.3	4	1	2	3	4	7	8	9
20-34	36	5.8	22	2	2	4	7	11	14	26
35-49	15	4.1	12	1	1	3	4	8	13	14
50-64	14	5.4	16	2	2	4	8	13	13	13
65+	19	5.9	30	1	2	4	8	9	18	26
GRAND TOTAL	**108**	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.9	3	2	2	4	5	6	7	10
20-34	84	3.8	3	2	2	3	5	6	7	10
35-49	13	4.7	16	1	1	3	5	10	15	16
50-64	4	8.5	9	5	5	9	11	11	11	11
65+	3	7.3	30	1	1	10	11	11	11	11
B. *Operated*										
0-19 YRS	8	3.4	2	<1	1	3	4	5	6	6
20-34	32	3.8	13	<1	<1	2	5	9	12	15
35-49	17	2.8	6	<1	<1	2	4	7	8	9
50-64										
65+	4	3.3	7	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.6	52	1	2	4	5	10	14	49
20-34	131	4.3	6	2	2	4	5	7	10	15
35-49	28	6.1	14	1	2	6	8	11	14	15
50-64	10	8.3	15	3	3	9	11	12	13	13
65+	12	5.8	23	1	1	4	9	13	16	16
B. *Operated*										
0-19 YRS	9	6.3	15	2	2	5	8	13	15	15
20-34	33	5.4	15	<1	<1	5	7	11	11	17
35-49	20	5.0	30	<1	<1	3	5	13	20	22
50-64	6	16.7	249	3	3	9	29	42	43	43
65+	10	15.3	88	3	5	13	22	30	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.1	5	2	2	4	5	7	9	11
B. *Operated*	61	3.4	9	<1	<1	3	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	228	5.0	18	1	2	4	6	10	12	16
B. *Operated*	78	7.5	60	<1	1	5	9	16	26	40
1. SINGLE DX	218	3.9	6	1	1	3	5	7	9	13
2. MULTIPLE DX	306	5.7	30	1	2	4	7	11	14	30
A. NOT OPERATED	385	4.7	13	1	2	4	5	8	11	16
B. OPERATED	139	5.7	41	<1	<1	4	7	12	18	32
TOTAL 0-19 YRS	117	4.7	24	1	2	4	5	7	10	28
20-34	280	4.2	7	1	2	4	5	7	10	15
35-49	78	4.9	18	<1	1	4	7	10	15	21
50-64	20	10.9	89	3	3	9	11	21	36	43
65+	29	8.9	64	1	1	7	12	20	30	31
GRAND TOTAL	**524**	**5.0**	**21**	**1**	**2**	**4**	**6**	**10**	**12**	**24**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.2	311	<1	<1	2	6	28	58	61
20-34	14	5.5	24	<1	1	4	7	12	17	19
35-49	7	7.4	58	2	2	6	8	21	24	24
50-64	6	3.3	8	<1	<1	2	3	8	9	9
65+	8	4.3	7	<1	<1	4	5	8	9	9
B. *Operated*										
0-19 YRS	10	11.6	193	<1	<1	4	29	33	36	36
20-34	14	10.9	66	1	3	9	17	24	28	29
35-49	21	6.0	12	<1	1	6	8	11	12	13
50-64	17	6.9	27	<1	1	6	9	15	18	19
65+	15	6.1	15	<1	1	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.2	39	<1	<1	<1	3	7	10	41
20-34	37	6.2	18	1	2	5	8	12	14	20
35-49	26	7.0	41	1	2	6	9	11	19	33
50-64	32	12.5	322	2	3	7	13	20	57	91
65+	96	8.8	58	3	3	6	10	16	23	46
B. *Operated*										
0-19 YRS	7	29.4	548	3	5	22	43	67	72	72
20-34	38	12.9	219	1	2	9	16	28	47	75
35-49	36	14.3	367	1	2	8	14	34	53	98
50-64	57	12.6	145	2	3	9	17	35	41	96
65+	56	14.0	162	2	3	10	18	38	46	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	5.9	89	<1	<1	4	6	10	20	61
B. *Operated*	77	7.8	51	<1	1	6	9	17	27	34
2. MULTIPLE DX										
A. *Not Operated*	274	7.0	84	<1	<1	5	9	13	21	51
B. *Operated*	194	14.0	223	2	2	9	17	35	49	99
1. SINGLE DX	123	7.1	65	<1	1	5	8	14	23	43
2. MULTIPLE DX	468	9.9	153	<1	<1	6	11	22	36	74
A. NOT OPERATED	320	6.9	84	<1	<1	5	8	13	20	55
B. OPERATED	271	12.3	182	1	2	8	15	32	42	93
TOTAL 0-19 YRS	111	6.1	147	<1	<1	1	5	16	30	65
20-34	103	9.2	108	1	2	6	11	17	25	63
35-49	90	9.7	177	1	2	7	9	19	33	81
50-64	112	11.2	175	1	2	8	13	27	39	94
65+	175	10.0	93	2	3	7	12	22	34	53
GRAND TOTAL	**591**	**9.3**	**136**	**<1**	**<1**	**6**	**11**	**21**	**34**	**67**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	9	<1	<1	2	4	8	8	8
20-34	7	3.9	8	<1	<1	3	6	8	8	8
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	104	2	2	3	13	23	23	23
20-34	11	5.5	24	<1	<1	6	7	12	17	18
35-49	7	9.1	54	2	2	7	16	20	20	20
50-64	8	5.8	27	2	2	4	6	14	18	18
65+	5	6.6	2	5	5	6	7	9	9	9
B. *Operated*										
0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	10	6.0	33	1	2	4	7	15	21	21
35-49	8	6.6	14	1	1	8	9	10	11	11
50-64	2	15.0	162	6	6	15	24	24	24	24
65+	2	7.5	13	5	5	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.5	17	<1	<1	3	7	8	14	16
B. *Operated*	8	5.3	5	3	3	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	35	6.7	34	1	2	5	7	18	20	23
B. *Operated*	25	6.8	31	1	2	5	9	11	22	24
1. SINGLE DX	23	4.7	13	<1	1	4	7	8	11	16
2. MULTIPLE DX	60	6.8	32	1	2	5	8	18	20	24
A. NOT OPERATED	50	6.0	29	<1	1	5	7	17	19	23
B. OPERATED	33	6.5	25	1	2	5	9	10	19	24
TOTAL 0-19 YRS	15	4.7	30	<1	1	3	5	8	19	23
20-34	30	5.4	21	<1	1	4	7	9	18	21
35-49	20	7.2	26	1	2	7	9	15	19	20
50-64	10	7.6	54	2	2	5	6	21	24	24
65+	8	8.0	14	5	5	7	9	14	16	16
GRAND TOTAL	**83**	**6.2**	**27**	**1**	**1**	**5**	**8**	**12**	**19**	**24**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	13	1	1	3	6	10	12	12
20-34	10	3.9	23	<1	<1	2	3	11	17	17
35-49	8	4.0	5	<1	1	3	6	7	7	7
50-64	5	4.6	19	1	1	3	8	11	11	11
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	2.3	4	1	1	2	3	6	6	6
20-34	28	3.0	7	<1	<1	2	4	8	9	9
35-49	36	2.7	5	1	1	2	4	6	8	10
50-64	12	4.6	13	<1	1	4	5	10	13	14
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	8	<1	1	3	5	9	10	11
20-34	36	6.3	23	1	2	5	8	11	16	25
35-49	37	6.8	33	1	2	5	8	14	20	28
50-64	31	5.8	15	1	2	4	8	12	13	15
65+	35	7.7	65	1	1	6	9	15	24	43
B. *Operated*										
0-19 YRS	5	7.6	46	1	1	8	11	18	18	18
20-34	79	11.5	104	1	2	8	16	25	35	86
35-49	91	12.0	87	1	2	10	17	27	32	34
50-64	47	11.0	113	1	1	8	15	26	33	50
65+	21	14.2	64	4	7	12	17	24	34	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.1	13	<1	1	3	5	8	12	17
B. *Operated*	85	3.0	7	<1	1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	165	6.2	31	1	2	5	8	12	15	28
B. *Operated*	243	11.8	95	1	2	9	17	26	32	50
1. SINGLE DX	118	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX	408	9.5	76	1	2	7	13	23	28	44
A. NOT OPERATED	198	5.9	29	1	1	4	7	11	15	28
B. OPERATED	328	9.5	86	1	1	7	14	24	30	46
TOTAL 0-19 YRS	45	4.1	13	1	1	3	6	9	11	18
20-34	153	8.2	75	<1	1	6	11	20	25	54
35-49	172	8.6	69	1	1	6	12	23	28	33
50-64	95	8.2	71	1	1	5	11	17	26	43
65+	61	9.5	72	1	2	8	11	18	29	42
GRAND TOTAL	**526**	**8.1**	**68**	**1**	**1**	**6**	**11**	**18**	**26**	**38**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	24.5	841	4	4	24	45	45	45	45
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	7	6.0	18	2	2	5	8	13	14	14
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	3	8.3	70	3	3	4	14	18	18	18
50-64	4	9.0	46	4	4	6	13	19	19	19
65+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	12	8.7	146	1	2	4	9	23	42	45
B. *Operated*	14	6.0	30	2	2	4	6	18	19	19
1. SINGLE DX	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX	26	7.2	82	1	2	4	7	18	24	45
A. NOT OPERATED	12	8.7	146	1	2	4	9	23	42	45
B. OPERATED	16	6.1	30	1	2	4	7	17	19	19
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	4	3.8	3	2	2	3	5	6	6	6
35-49	6	14.3	260	3	3	8	18	42	45	45
50-64	6	7.8	39	1	1	6	10	18	19	19
65+	9	5.2	16	2	2	3	7	12	14	14
GRAND TOTAL	**28**	**7.2**	**78**	**1**	**2**	**4**	**8**	**17**	**22**	**45**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	3.4	14	1	1	2	4	9	14	14
50-64	22	3.7	10	1	1	3	4	6	10	16
65+	11	3.7	5	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	5	2.6	2	<1	<1	2	3	5	5	5
20-34	25	2.8	5	<1	1	2	3	6	7	11
35-49	61	3.4	12	<1	1	2	4	8	9	19
50-64	181	4.4	29	<1	1	2	5	10	16	29
65+	166	3.5	7	<1	1	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	11	7.3	186	<1	<1	3	5	23	46	48
35-49	22	5.5	17	<1	1	4	7	12	13	15
50-64	73	6.2	46	1	2	5	7	10	18	43
65+	99	6.7	33	1	2	5	8	13	18	30
B. *Operated*										
0-19 YRS	6	8.2	102	1	1	5	8	26	28	28
20-34	21	8.0	52	<1	1	5	9	22	23	23
35-49	61	5.8	40	1	1	3	9	14	17	31
50-64	297	10.2	116	1	1	7	14	24	31	55
65+	448	9.0	99	1	1	6	12	21	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.6	9	1	1	3	5	6	9	16
B. *Operated*	438	3.8	17	<1	1	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	207	6.4	43	1	1	5	7	12	16	38
B. *Operated*	833	9.2	100	1	1	6	12	21	28	60
1. SINGLE DX	482	3.8	16	<1	1	3	4	8	11	23
2. MULTIPLE DX	1040	8.6	90	1	1	6	11	20	27	54
A. NOT OPERATED	251	5.9	38	1	1	4	7	12	15	30
B. OPERATED	1271	7.3	78	1	1	4	9	17	24	46
TOTAL 0-19 YRS	13	4.9	53	<1	1	2	5	12	25	28
20-34	57	5.6	60	<1	1	3	6	13	22	46
35-49	155	4.6	25	1	1	3	6	12	15	22
50-64	573	7.6	83	1	1	4	10	18	27	47
65+	724	7.4	73	1	1	5	9	16	23	51
GRAND TOTAL	**1522**	**7.1**	**72**	**1**	**1**	**4**	**9**	**16**	**23**	**43**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	13	3.8	2	1	2	4	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	26	1	1	4	9	11	11	11
50-64	17	8.4	91	<1	1	6	11	18	32	39
65+	27	6.0	41	1	1	3	10	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	10.0	76	4	4	6	16	20	20	20
50-64	39	5.5	15	<1	1	5	8	10	11	19
65+	77	6.3	27	1	2	5	8	12	19	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	16.7	154	9	9	10	26	31	31	31
35-49	8	9.5	30	1	2	10	12	17	19	19
50-64	103	12.2	93	2	2	10	16	25	34	46
65+	192	15.7	257	2	3	11	19	35	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.6	2	1	2	4	4	5	6	6
B. *Operated*	47	6.8	57	1	1	4	11	14	20	39
2. MULTIPLE DX										
A. *Not Operated*	119	6.1	24	1	2	5	8	11	18	24
B. *Operated*	307	14.3	197	2	3	11	18	31	41	76
1. SINGLE DX	65	5.9	44	1	1	4	7	13	17	37
2. MULTIPLE DX	426	12.0	162	2	2	8	15	24	36	70
A. NOT OPERATED	137	5.8	22	1	2	4	7	10	17	22
B. OPERATED	354	13.3	185	1	2	10	17	28	40	71
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	16.7	154	9	9	10	26	31	31	31
35-49	16	8.0	34	1	1	7	11	18	20	20
50-64	162	10.0	81	1	2	8	14	21	29	41
65+	309	12.0	193	1	2	8	14	25	40	76
GRAND TOTAL	**491**	**11.2**	**151**	**1**	**2**	**8**	**14**	**24**	**34**	**67**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.7	65	1	1	1	12	15	15	15
35-49										
50-64	6	6.0	26	2	2	5	5	15	16	16
65+	7	9.9	145	4	4	6	7	31	37	37
B. *Operated*										
0-19 YRS										
20-34	3	14.7	9	12	12	14	17	18	18	18
35-49	6	12.3	31	8	8	11	13	22	23	23
50-64	33	11.0	115	1	2	9	12	15	44	50
65+	40	10.2	32	2	3	10	14	18	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	5.0	38	1	1	3	9	14	14	14
35-49	17	7.9	74	1	1	3	10	24	27	28
50-64	45	5.3	22	1	1	4	6	10	15	26
65+	159	6.3	49	1	1	5	7	12	17	34
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	10.6	14	6	6	9	14	16	16	16
35-49	57	15.1	85	5	7	13	20	25	36	50
50-64	219	14.9	107	4	6	12	18	26	35	54
65+	535	15.3	125	3	5	13	18	27	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.6	79	1	1	5	7	16	31	37
B. *Operated*	82	10.9	64	2	2	9	14	18	21	50
2. MULTIPLE DX										
A. *Not Operated*	226	6.1	45	1	1	5	7	13	17	30
B. *Operated*	821	15.1	116	4	6	13	18	26	36	60
1. SINGLE DX	98	10.3	67	1	2	9	13	18	22	50
2. MULTIPLE DX	1047	13.2	114	2	3	11	16	24	32	58
A. NOT OPERATED	242	6.2	47	1	1	5	7	13	17	35
B. OPERATED	903	14.7	112	3	5	12	18	26	36	59
TOTAL 0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	19	9.3	33	1	1	9	14	16	17	18
35-49	80	13.4	86	2	3	11	18	24	32	47
50-64	303	12.9	106	2	3	11	16	24	29	51
65+	741	13.0	117	2	3	11	16	24	34	61
GRAND TOTAL	**1145**	**12.9**	**111**	**2**	**3**	**11**	**16**	**24**	**32**	**55**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	12.5	23	8	8	12	16	18	18	18
65+	5	9.4	16	4	4	10	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	11.0	220	2	2	5	8	40	47	48
65+	11	5.3	15	2	2	4	8	11	14	14
B. *Operated*										
0-19 YRS										
20-34	6	9.8	26	6	6	8	9	19	20	20
35-49	10	14.7	126	7	7	9	15	34	42	42
50-64	39	16.6	144	6	7	12	20	34	47	55
65+	61	18.5	233	7	8	13	21	35	55	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	9	10.8	19	4	5	10	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	23	8.3	125	2	2	5	8	18	40	48
B. *Operated*	116	17.1	185	6	7	12	20	34	50	74
1. SINGLE DX	10	10.1	22	4	4	9	14	16	18	18
2. MULTIPLE DX	139	15.7	185	3	5	11	19	33	45	69
A. NOT OPERATED	24	8.1	121	2	2	5	8	16	40	48
B. OPERATED	125	16.7	175	6	7	12	19	31	45	72
TOTAL 0-19 YRS										
20-34	6	9.8	26	6	6	8	9	19	20	20
35-49	10	14.7	126	7	7	9	15	34	42	42
50-64	55	15.1	154	2	5	11	18	36	46	55
65+	78	15.9	211	3	4	12	19	31	46	83
GRAND TOTAL	**149**	**15.3**	**176**	**3**	**4**	**11**	**18**	**31**	**42**	**66**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.8	7	<1	<1	5	6	7	7	7
65+	19	3.2	5	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	8.7	12	3	4	9	11	13	13	13
35-49	44	9.0	14	3	5	9	10	15	17	18
50-64	160	9.1	11	2	6	9	11	13	15	21
65+	289	9.7	14	5	7	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	26	5.9	16	1	2	5	7	11	13	17
50-64	99	7.5	51	1	2	5	9	16	21	38
65+	343	6.8	30	1	2	5	9	14	17	28
B. *Operated*										
0-19 YRS	6	7.5	17	2	2	9	10	12	12	12
20-34	27	10.3	34	2	4	9	13	19	23	24
35-49	146	12.2	45	5	7	11	14	20	22	41
50-64	804	11.9	41	5	7	10	14	20	24	36
65+	2656	13.9	67	6	7	12	16	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.2	6	<1	<1	2	5	7	8	8
B. *Operated*	501	9.4	13	4	6	9	11	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	470	6.9	34	1	2	5	9	14	18	31
B. *Operated*	3639	13.4	61	6	7	11	16	22	28	45
1. SINGLE DX	526	9.1	15	2	5	9	11	13	16	22
2. MULTIPLE DX	4109	12.6	62	3	6	11	15	21	28	43
A. NOT OPERATED	495	6.7	33	1	2	5	8	14	18	30
B. OPERATED	4140	12.9	57	6	7	11	15	21	27	42
TOTAL 0-19 YRS	7	7.6	14	2	2	8	10	12	12	12
20-34	36	9.7	29	2	3	9	12	18	22	24
35-49	217	10.8	40	2	5	9	13	18	21	40
50-64	1068	11.0	40	3	5	9	13	18	23	36
65+	3307	12.8	[illegible]	3	6	11	15	22	28	45
GRAND TOTAL	**4635**	**12.2**	**58**	**3**	**5**	**10**	**15**	**21**	**26**	**41**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.0	8	<1	<1	2	5	7	7	7
50-64	7	4.7	14	<1	<1	4	7	10	11	11
65+	9	4.0	7	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	1	8.0		8	8	8	8	8	8	8
35-49	37	8.3	28	1	1	8	12	15	18	22
50-64	125	9.3	17	2	3	10	12	14	15	22
65+	195	9.0	32	2	3	9	12	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	15	6.1	19	<1	1	5	10	13	13	13
50-64	55	7.1	44	1	1	5	11	16	20	32
65+	169	7.5	81	1	2	5	9	15	22	80
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	16	12.2	41	5	6	11	14	22	28	30
35-49	115	11.8	52	3	5	11	14	18	24	48
50-64	455	13.0	71	3	7	11	15	22	27	41
65+	1160	12.9	66	3	4	11	15	22	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.1	9	<1	<1	3	6	8	10	11
B. *Operated*	360	9.1	26	2	3	9	12	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	241	7.3	68	1	2	5	9	15	21	42
B. *Operated*	1747	12.9	66	3	5	11	15	21	28	43
1. SINGLE DX	380	8.8	26	1	2	9	12	14	17	23
2. MULTIPLE DX	1988	12.2	70	2	3	11	15	21	27	43
A. NOT OPERATED	261	7.1	64	1	1	5	9	15	20	38
B. OPERATED	2107	12.2	61	3	4	11	15	20	26	42
TOTAL 0-19 YRS	3	9.3	25	4	4	10	13	14	14	14
20-34	19	11.5	37	5	6	10	12	20	27	30
35-49	171	10.3	48	1	3	10	13	17	20	42
50-64	642	11.7	62	2	3	11	14	20	24	38
65+	1533	11.8	67	2	3	11	15	20	27	42
GRAND TOTAL	**2368**	**11.7**	**64**	**2**	**3**	**11**	**14**	**20**	**25**	**42**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	4.0	2	2	2	4	5	5	5	5
50-64	6	4.3	5	2	2	4	5	8	8	8
65+	6	4.8	9	2	2	4	8	9	9	9
B. *Operated*										
0-19 YRS	5	7.8	12	4	4	7	10	13	13	13
20-34	3	5.3	26	<1	<1	4	9	11	11	11
35-49	13	7.9	96	<1	<1	2	10	27	29	30
50-64	30	7.0	43	<1	<1	5	10	16	19	26
65+	47	8.2	39	1	1	8	12	18	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	16	1	1	4	6	10	14	15
20-34	3	6.3	14	2	2	8	9	9	9	9
35-49	25	7.2	39	1	2	6	8	16	19	29
50-64	60	6.0	32	<1	1	5	8	14	16	32
65+	119	7.7	44	1	2	6	10	16	22	34
B. *Operated*										
0-19 YRS	14	13.9	478	1	2	8	11	26	74	88
20-34	16	10.5	53	1	2	10	14	23	25	25
35-49	56	13.9	89	2	4	11	22	26	30	43
50-64	153	13.5	115	2	3	11	18	24	36	48
65+	338	15.1	173	3	4	12	18	30	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.1	5	1	2	4	5	8	9	9
B. *Operated*	98	7.7	45	<1	1	7	11	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	220	7.0	39	1	1	5	9	15	18	33
B. *Operated*	577	14.4	153	2	3	11	18	28	36	74
1. SINGLE DX	119	7.1	39	<1	1	6	9	16	19	27
2. MULTIPLE DX	797	12.4	132	1	2	9	15	24	33	71
A. NOT OPERATED	241	6.7	36	1	2	5	8	14	17	33
B. OPERATED	675	13.4	143	1	2	11	17	26	35	73
TOTAL 0-19 YRS	35	8.7	210	1	1	6	9	15	18	88
20-34	24	8.6	47	1	1	8	13	17	24	25
35-49	98	11.0	84	1	2	8	16	25	29	39
50-64	249	10.7	96	1	1	8	15	22	30	42
65+	510	12.6	141	2	3	10	15	26	34	72
GRAND TOTAL	**916**	**11.7**	**124**	**1**	**2**	**9**	**15**	**23**	**31**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	11	6.0	17	<1	1	6	9	11	13	13
65+	16	4.3	17	<1	1	3	5	10	15	17
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	5	8.0	24	1	1	10	11	13	13	13
50-64	30	10.3	73	1	1	9	13	23	27	36
65+	33	11.0	103	1	2	9	14	21	33	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	20	4.5	14	<1	1	3	6	11	12	13
50-64	123	7.3	51	1	2	5	9	17	19	39
65+	241	7.1	41	1	2	5	9	14	18	35
B. *Operated*										
0-19 YRS	3	11.7	41	7	7	9	16	19	19	19
20-34	7	10.4	28	1	2	12	14	16	16	16
35-49	55	15.7	120	1	5	12	23	31	37	46
50-64	264	15.3	148	2	3	13	19	30	37	64
65+	587	15.6	100	3	5	13	20	28	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.0	16	<1	1	4	7	10	13	17
B. *Operated*	69	10.5	81	1	1	9	13	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	388	7.0	42	1	2	5	9	14	18	36
B. *Operated*	916	15.5	115	2	5	13	20	29	36	57
1. SINGLE DX	97	8.9	68	1	1	8	12	19	24	42
2. MULTIPLE DX	1304	13.0	108	2	3	11	17	26	33	52
A. NOT OPERATED	416	6.9	41	1	2	5	9	14	18	35
B. OPERATED	985	15.1	114	2	4	13	19	28	35	56
TOTAL 0-19 YRS	6	10.2	20	7	7	9	10	18	19	19
20-34	9	8.9	31	1	2	10	13	16	16	16
35-49	81	12.3	110	1	2	10	16	28	35	45
50-64	428	12.4	125	1	2	10	16	26	35	60
65+	877	12.9	98	2	3	11	18	25	32	48
GRAND TOTAL	**1401**	**12.7**	**106**	**2**	**2**	**10**	**17**	**25**	**33**	**50**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	11	3.3	28	<1	<1	1	3	10	18	19
50-64	51	3.8	10	1	1	2	6	8	10	14
65+	63	4.0	13	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	8.5	19	3	3	8	13	14	14	14
35-49	68	5.7	15	1	1	5	8	11	13	16
50-64	263	6.6	22	1	1	6	9	12	14	21
65+	290	6.0	26	<1	1	5	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	145	5.9	35	1	1	4	7	13	17	29
50-64	836	6.8	40	1	1	5	9	15	19	30
65+	1264	7.1	43	1	2	5	9	14	19	33
B. *Operated*										
0-19 YRS	3	7.7	44	2	2	6	13	15	15	15
20-34	20	11.3	63	2	3	10	15	21	27	33
35-49	278	10.2	103	1	2	8	12	21	27	61
50-64	1632	9.8	77	1	2	8	12	19	25	49
65+	2393	10.5	70	1	2	9	14	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	3.9	12	1	1	3	5	8	10	19
B. *Operated*	628	6.3	23	1	1	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	2248	6.9	41	1	2	5	9	14	19	33
B. *Operated*	4326	10.2	75	1	2	8	13	20	25	45
1. SINGLE DX	755	5.9	22	1	1	5	9	11	14	20
2. MULTIPLE DX	6574	9.1	66	1	2	7	12	18	23	40
A. NOT OPERATED	2375	6.7	40	1	1	5	8	14	19	32
B. OPERATED	4954	9.7	70	1	2	8	12	19	25	42
TOTAL 0-19 YRS	5	7.6	23	2	2	6	10	15	15	15
20-34	30	9.9	49	3	3	9	12	20	22	33
35-49	502	8.2	75	1	1	6	10	17	22	46
50-64	2782	8.5	62	1	2	7	11	17	22	41
65+	4010	9.0	61	1	2	7	12	18	23	37
GRAND TOTAL	**7329**	**8.8**	**62**	**1**	**2**	**7**	**11**	**18**	**23**	**38**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	4.0	22	<1	<1	2	7	11	11	11
50-64	11	2.5	4	<1	<1	1	5	6	6	6
65+	5	3.0	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	6	3.5	7	<1	<1	3	6	7	7	7
35-49	27	5.8	24	<1	<1	4	10	14	15	15
50-64	121	5.7	70	<1	<1	2	10	13	18	51
65+	107	4.5	27	<1	<1	2	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	15	1	1	4	8	9	9	9
20-34	14	3.6	4	<1	1	3	5	7	8	8
35-49	13	4.0	7	1	1	4	6	8	9	9
50-64	43	4.7	22	<1	1	4	6	10	13	26
65+	60	5.6	19	1	1	5	8	11	14	23
B. *Operated*										
0-19 YRS	8	6.0	9	3	3	5	7	11	12	12
20-34	16	7.7	39	1	1	6	10	19	21	22
35-49	52	11.1	94	1	2	8	14	22	29	48
50-64	197	11.6	134	1	1	10	15	23	33	77
65+	276	11.2	183	1	1	8	15	25	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.2	12	<1	<1	2	4	7	12	15
B. *Operated*	265	5.1	46	<1	<1	2	8	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	134	4.9	17	1	1	4	7	10	13	24
B. *Operated*	549	11.2	150	1	1	9	15	23	37	72
1. SINGLE DX	289	5.0	43	<1	<1	2	8	13	15	27
2. MULTIPLE DX	683	10.0	130	1	1	7	13	22	32	65
A. NOT OPERATED	158	4.7	17	<1	1	4	6	10	12	23
B. OPERATED	814	9.2	124	<1	1	6	13	20	29	59
TOTAL 0-19 YRS	19	4.4	10	1	1	4	6	9	11	12
20-34	37	5.7	25	<1	1	4	7	12	18	22
35-49	96	8.3	68	<1	1	7	11	17	24	45
50-64	372	8.6	107	<1	1	6	12	19	27	59
65+	448	8.8	131	<1	1	5	12	20	27	59
GRAND TOTAL	**972**	**8.5**	**109**	**<1**	**1**	**5**	**11**	**19**	**26**	**58**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	2	<1	<1	2	3	4	5	5
20-34	7	3.1	7	1	1	3	3	8	9	9
35-49	4	4.8	8	3	3	4	6	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	4	4.8	39	1	1	2	8	14	14	14
B. *Operated*										
0-19 YRS	54	5.4	18	<1	1	4	9	12	14	17
20-34	64	5.3	17	1	1	4	7	10	13	21
35-49	32	5.5	25	1	1	4	7	12	16	24
50-64	54	4.4	11	<1	1	4	7	8	11	14
65+	54	5.9	25	<1	1	5	8	14	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.4	30	1	2	4	6	11	21	25
20-34	20	4.0	11	1	1	3	5	6	11	16
35-49	6	10.0	60	1	1	8	17	21	21	21
50-64	15	9.3	169	1	1	3	13	19	43	51
65+	31	6.3	17	1	2	5	9	13	13	16
B. *Operated*										
0-19 YRS	41	8.8	50	1	2	7	10	18	23	37
20-34	28	11.6	146	1	2	6	17	32	36	44
35-49	36	8.6	53	1	2	6	10	20	26	30
50-64	65	11.1	128	2	2	8	12	25	36	61
65+	131	11.3	159	1	2	7	15	27	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.2	9	<1	1	2	3	8	9	14
B. *Operated*	258	5.3	18	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	104	6.2	45	1	1	4	7	13	18	37
B. *Operated*	301	10.6	124	1	2	7	12	25	34	49
1. SINGLE DX	288	5.1	18	1	1	4	7	11	14	20
2. MULTIPLE DX	405	9.5	107	1	2	6	11	21	30	49
A. NOT OPERATED	134	5.6	39	1	1	4	6	13	17	29
B. OPERATED	559	8.1	82	1	1	6	10	17	26	44
TOTAL 0-19 YRS	141	6.1	32	1	1	5	8	12	17	26
20-34	119	6.4	53	1	1	4	8	12	24	38
35-49	78	7.2	41	1	1	5	8	17	23	29
50-64	135	8.2	93	1	1	5	10	17	26	53
65+	220	9.1	110	1	1	6	11	18	29	49
GRAND TOTAL	**693**	**7.6**	**75**	**1**	**1**	**5**	**9**	**16**	**24**	**44**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.0	7	<1	<1	2	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	66	3.0	5	<1	<1	2	5	6	7	9
35-49	90	3.5	8	<1	1	2	5	7	10	12
50-64	103	3.4	7	<1	1	3	4	8	9	12
65+	69	4.0	11	<1	1	3	5	9	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.9	4	<1	<1	2	4	6	6	6
35-49	19	4.9	12	1	1	5	7	9	12	13
50-64	12	4.3	9	1	1	4	7	9	9	9
65+	22	4.0	7	1	1	3	5	8	9	10
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	35	6.0	32	<1	<1	5	8	12	14	29
35-49	60	4.8	17	1	1	3	7	10	12	22
50-64	85	5.4	17	<1	1	5	7	11	14	20
65+	132	6.7	66	1	2	4	8	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	6	<1	<1	2	3	7	7	7
B. *Operated*	329	3.5	8	<1	<1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	62	4.2	8	1	1	3	6	8	9	13
B. *Operated*	314	5.9	40	1	1	4	8	12	14	25
1. SINGLE DX	334	3.5	8	<1	<1	3	5	7	9	14
2. MULTIPLE DX	376	5.6	35	1	1	4	7	11	14	23
A. NOT OPERATED	67	4.0	8	1	1	3	6	8	9	13
B. OPERATED	643	4.7	25	<1	1	3	6	10	12	23
TOTAL 0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	110	3.9	15	<1	<1	3	5	8	11	20
35-49	170	4.1	12	<1	1	3	5	9	11	14
50-64	204	4.3	12	<1	1	3	6	9	11	19
65+	223	5.6	45	1	1	4	7	11	14	25
GRAND TOTAL	**710**	**4.6**	**23**	**<1**	**1**	**3**	**6**	**10**	**12**	**22**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	<1	1	4	6	6
20-34	32	2.1	9	<1	<1	1	2	4	5	17
35-49	78	1.6	1	<1	<1	1	2	3	4	7
50-64	151	1.7	4	<1	<1	1	2	3	4	10
65+	249	2.2	5	<1	<1	1	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	6.4	27	1	1	5	9	14	17	17
65+	26	5.8	45	<1	<1	4	8	12	22	31
B. *Operated*										
0-19 YRS	5	6.8	59	1	1	5	9	20	20	20
20-34	12	2.2	5	<1	<1	1	2	6	7	7
35-49	44	4.9	38	<1	<1	2	7	10	16	34
50-64	139	3.9	36	<1	<1	2	4	8	12	33
65+	406	3.7	19	<1	1	2	4	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	520	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	38	5.8	38	<1	1	4	8	12	19	31
B. *Operated*	606	3.8	24	<1	<1	2	4	8	12	29
1. SINGLE DX	522	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	644	3.9	25	<1	1	2	4	8	13	30
A. NOT OPERATED	40	5.6	37	<1	1	4	7	12	18	31
B. OPERATED	1126	3.0	16	<1	<1	2	3	6	9	20
TOTAL 0-19 YRS	15	3.3	25	<1	<1	1	4	6	17	20
20-34	45	2.1	7	<1	<1	1	2	4	6	17
35-49	123	2.8	17	<1	<1	1	2	7	9	24
50-64	300	2.9	21	<1	<1	1	3	6	9	24
65+	683	3.2	16	<1	<1	2	3	7	10	21
GRAND TOTAL	**1166**	**3.1**	**17**	**<1**	**<1**	**2**	**3**	**7**	**10**	**20**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	11	3.9	33	1	1	2	3	11	20	21
50-64	11	2.9	6	<1	<1	2	4	6	9	9
65+	12	3.2	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	93	3.6	4	<1	1	3	5	6	7	11
35-49	620	4.1	5	<1	1	4	5	7	8	12
50-64	951	4.3	5	<1	1	4	6	7	8	11
65+	873	4.6	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	3.1	5	<1	<1	2	4	6	8	9
35-49	73	7.1	87	1	1	4	8	14	24	54
50-64	162	6.4	39	1	1	4	8	14	19	34
65+	175	6.5	63	1	1	5	7	13	19	52
B. *Operated*										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	151	5.2	19	1	1	4	6	9	12	24
35-49	838	5.6	31	1	2	5	6	8	11	31
50-64	1478	5.7	15	2	2	5	7	9	12	22
65+	2161	6.4	22	2	3	6	8	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.3	13	1	1	2	4	6	8	21
B. *Operated*	2539	4.3	5	<1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	425	6.4	56	1	1	4	8	13	19	44
B. *Operated*	4633	6.0	22	2	2	5	7	10	13	24
1. SINGLE DX	2575	4.3	5	<1	1	4	6	7	8	11
2. MULTIPLE DX	5058	6.0	24	1	2	5	7	10	13	25
A. NOT OPERATED	461	6.2	54	1	1	4	7	13	19	42
B. OPERATED	7172	5.4	16	1	2	5	6	9	11	21
TOTAL 0-19 YRS	7	3.3	1	2	2	3	4	5	5	5
20-34	261	4.5	13	1	1	4	5	8	10	21
35-49	1542	5.0	24	1	2	4	6	8	10	23
50-64	2602	5.2	14	1	2	5	6	9	11	20
65+	3221	5.9	20	1	2	5	7	10	12	23
GRAND TOTAL	**7633**	**5.4**	**19**	**1**	**2**	**5**	**7**	**9**	**11**	**22**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49	16	3.5	5	1	2	3	4	4	9	11
50-64	25	2.9	2	1	2	3	3	4	6	8
65+	19	3.3	1	<1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	57	3.9	10	<1	1	3	5	9	10	14
35-49	79	4.6	15	1	1	3	8	11	13	14
50-64	37	4.3	12	<1	1	3	7	8	12	16
65+	37	3.1	5	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	4.9	10	1	2	4	6	10	12	13
35-49	39	6.4	124	1	1	3	6	11	17	70
50-64	51	4.9	67	1	1	3	5	6	13	58
65+	43	4.4	7	1	2	4	5	8	11	13
B. *Operated*										
0-19 YRS										
20-34	74	6.4	19	<1	1	5	9	11	14	21
35-49	108	9.2	140	1	2	6	10	13	28	68
50-64	100	8.1	62	1	2	6	10	16	27	41
65+	98	8.0	103	1	1	6	9	15	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	3.2	2	1	2	3	4	5	5	10
B. *Operated*	210	4.1	11	<1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	152	5.1	57	1	1	4	5	9	13	58
B. *Operated*	380	8.1	87	1	2	6	9	13	22	54
1. SINGLE DX	277	3.9	9	<1	1	3	5	9	11	14
2. MULTIPLE DX	532	7.2	80	1	2	5	8	13	18	56
A. NOT OPERATED	219	4.5	41	1	1	3	5	8	11	30
B. OPERATED	590	6.6	64	1	1	5	8	12	16	45
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	155	5.2	15	<1	1	4	7	10	12	21
35-49	242	6.9	92	1	1	4	9	12	15	59
50-64	213	6.1	51	1	1	4	7	12	17	40
65+	197	5.8	59	1	1	4	7	11	15	45
GRAND TOTAL	**809**	**6.1**	**58**	**1**	**1**	**4**	**7**	**12**	**14**	**44**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	19	3.1	3	1	1	3	4	5	7	8
65+	21	3.3	2	1	2	3	4	5	6	7
B. *Operated*										
0-19 YRS										
20-34	6	5.2	1	4	4	5	6	6	6	6
35-49	37	5.4	5	<1	1	5	7	8	8	10
50-64	171	5.3	6	<1	1	5	7	8	10	11
65+	209	5.3	8	<1	1	6	7	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	4.0	4	2	2	4	6	6	6	6
50-64	27	4.7	22	<1	<1	3	6	11	16	20
65+	75	4.9	20	1	1	3	5	13	17	20
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	13	7.5	9	4	5	7	9	12	14	14
35-49	118	6.3	19	1	2	6	7	9	14	27
50-64	496	7.1	33	2	4	6	8	10	13	27
65+	764	7.2	26	1	2	7	9	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.2	2	1	2	3	4	5	6	8
B. *Operated*	423	5.3	7	<1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	108	4.8	20	<1	1	3	6	11	16	20
B. *Operated*	1392	7.1	28	1	2	6	8	11	14	25
1. SINGLE DX	466	5.1	7	<1	1	5	7	8	9	12
2. MULTIPLE DX	1500	6.9	27	1	2	6	8	11	14	24
A. NOT OPERATED	151	4.3	15	1	1	3	5	8	15	20
B. OPERATED	1815	6.7	23	1	2	6	8	10	13	23
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	21	6.3	9	2	3	6	7	11	12	14
35-49	162	6.0	15	1	2	6	7	9	11	23
50-64	713	6.4	26	1	3	6	7	10	12	23
65+	1069	6.6	22	1	2	6	8	11	14	22
GRAND TOTAL	**1966**	**6.5**	**23**	**1**	**2**	**6**	**8**	**10**	**13**	**23**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.2		1	1	1	1	2	2	2
35-49	11	1.7	1	1	1	1	2	3	4	4
50-64	23	2.0	3	<1	1	2	2	4	7	8
65+	15	2.0	1	1	1	2	2	3	5	5
B. *Operated*										
0-19 YRS	7	5.1	7	1	1	5	7	9	9	9
20-34	26	5.5	4	2	3	5	7	8	9	9
35-49	32	6.2	6	1	4	6	7	10	11	11
50-64	46	6.2	15	<1	1	6	8	11	14	17
65+	24	7.5	28	1	2	7	10	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	7.0	76	1	2	5	6	18	31	34
35-49	40	3.1	9	1	1	2	4	7	9	16
50-64	124	3.9	20	1	1	2	5	7	14	22
65+	151	5.4	35	1	1	3	7	14	18	29
B. *Operated*										
0-19 YRS	7	6.3	3	4	4	6	7	9	9	9
20-34	66	8.1	26	3	4	7	9	16	17	27
35-49	143	9.7	56	4	5	8	11	16	20	50
50-64	330	11.0	80	3	5	9	13	19	25	51
65+	350	13.6	98	5	6	11	16	24	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.9	2	1	1	2	2	3	5	8
B. *Operated*	135	6.2	12	1	2	6	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	328	4.6	28	1	1	3	5	11	16	30
B. *Operated*	896	11.6	82	4	5	9	14	20	27	52
1. SINGLE DX	190	5.0	13	1	1	5	7	9	11	18
2. MULTIPLE DX	1224	9.7	77	1	2	8	12	19	25	47
A. NOT OPERATED	383	4.2	26	1	1	2	5	10	15	27
B. OPERATED	1031	10.9	76	3	4	8	13	19	26	51
TOTAL 0-19 YRS	14	5.7	5	1	3	6	7	9	9	9
20-34	111	7.0	27	1	2	6	8	14	16	30
35-49	226	7.7	46	1	1	6	9	14	17	38
50-64	523	8.5	68	1	1	7	10	17	21	40
65+	540	10.7	90	1	2	9	14	21	28	51
GRAND TOTAL	**1414**	**9.1**	**71**	**1**	**2**	**7**	**11**	**18**	**24**	**41**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	6.2	22	<1	<1	5	10	12	12	12
50-64	11	4.4	6	<1	<1	5	7	8	8	8
65+	21	7.0	183	<1	1	3	7	11	38	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	11	5.6	25	<1	1	2	10	13	15	15
65+	16	7.0	81	1	2	4	6	15	31	38
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	2	19.0	18	16	16	19	22	22	22	22
35-49	9	13.1	189	3	3	8	14	35	48	48
50-64	31	8.9	33	3	3	7	11	14	22	30
65+	87	10.8	140	2	3	8	14	19	26	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	1	1	1	2	3	4	4	4
B. *Operated*	39	6.3	102	<1	<1	4	7	10	14	64
2. MULTIPLE DX										
A. *Not Operated*	31	6.1	50	1	1	4	6	13	15	38
B. *Operated*	131	10.6	115	2	3	8	13	19	25	58
1. SINGLE DX	48	5.5	85	<1	1	3	7	10	12	64
2. MULTIPLE DX	162	9.7	105	2	3	7	12	18	24	51
A. NOT OPERATED	40	5.3	41	1	1	3	6	11	15	38
B. OPERATED	170	9.6	114	1	2	7	12	18	24	61
TOTAL 0-19 YRS	4	7.5	4	5	5	7	9	10	10	10
20-34	8	7.8	56	2	2	4	12	20	22	22
35-49	17	9.2	120	<1	1	6	12	15	37	48
50-64	54	7.2	29	<1	2	7	10	13	15	30
65+	127	9.5	139	1	2	6	11	18	26	70
GRAND TOTAL	**210**	**8.8**	**103**	**1**	**2**	**6**	**10**	**17**	**22**	**56**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	9.2	35	3	3	9	14	17	17	17
65+	10	5.1	12	1	1	5	7	10	11	11
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	16	7.5	32	1	2	6	11	15	19	20
50-64	285	5.0	16	<1	1	4	7	10	14	19
65+	716	4.7	11	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	7	2.7	6	1	1	2	3	7	8	8
50-64	69	6.4	31	1	1	5	9	12	14	32
65+	507	6.2	25	1	2	5	8	12	18	23
B. *Operated*										
0-19 YRS	5	3.8	5	1	1	4	5	7	7	7
20-34	3	11.3	136	1	1	9	20	24	24	24
35-49	23	7.7	17	1	2	7	10	13	15	18
50-64	640	6.8	44	1	2	5	8	13	16	40
65+	3377	6.7	35	1	2	5	8	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.4	20	1	1	5	9	13	16	17
B. *Operated*	1018	4.9	12	<1	1	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	584	6.1	26	1	2	5	8	12	17	24
B. *Operated*	4048	6.7	36	1	2	5	8	13	16	30
1. SINGLE DX	1034	4.9	13	<1	1	4	6	9	12	17
2. MULTIPLE DX	4632	6.6	35	1	2	5	8	13	17	29
A. NOT OPERATED	600	6.2	26	1	1	5	8	12	17	24
B. OPERATED	5066	6.4	32	1	2	5	8	12	15	28
TOTAL 0-19 YRS	6	3.5	4	1	1	3	4	7	7	7
20-34	4	11.8	92	1	1	11	18	24	24	24
35-49	47	6.9	23	1	1	6	9	14	16	20
50-64	999	6.3	36	1	1	5	8	12	15	34
65+	4610	6.3	30	1	2	5	8	12	16	27
GRAND TOTAL	**5666**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.8	2	<1	<1	2	4	5	5	5
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	2.9	7	1	1	2	3	7	9	10
20-34	103	2.5	5	1	1	2	3	4	7	12
35-49	52	2.9	9	<1	1	2	3	6	8	20
50-64	22	2.1	2	<1	1	2	3	4	5	6
65+	13	4.1	6	1	2	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	31	4.6	10	1	1	5	6	8	9	16
35-49	17	3.9	1	2	3	4	5	5	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	6.7	32	2	2	5	11	13	13	13
B. *Operated*										
0-19 YRS	9	3.2	7	1	1	2	5	7	7	7
20-34	68	7.0	40	1	1	6	9	14	21	32
35-49	27	5.8	50	<1	1	3	7	12	25	31
50-64	19	6.8	83	<1	1	4	6	22	31	35
65+	26	4.2	8	1	1	4	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.6	2	<1	1	2	4	5	5	5
B. *Operated*	206	2.7	6	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	58	4.4	7	1	1	4	5	7	9	16
B. *Operated*	149	6.0	40	1	1	4	8	12	21	34
1. SINGLE DX	221	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	207	5.6	32	1	1	4	7	11	15	32
A. NOT OPERATED	73	4.1	7	1	1	4	5	6	8	15
B. OPERATED	355	4.1	23	1	1	2	5	8	12	26
TOTAL 0-19 YRS	31	3.2	6	1	1	3	4	7	7	10
20-34	212	4.3	20	1	1	3	5	9	12	25
35-49	100	3.9	20	<1	1	3	4	7	10	27
50-64	43	4.3	42	<1	1	2	5	6	19	35
65+	42	4.4	8	1	1	4	6	8	10	13
GRAND TOTAL	**428**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.2	1	1	1	2	3	3	3	3
65+	21	2.3	3	<1	<1	2	4	5	5	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	6.0	62	<1	<1	2	9	19	23	23
35-49	80	3.4	10	1	1	2	4	8	12	14
50-64	376	3.2	10	1	1	2	4	6	10	17
65+	752	3.1	10	<1	1	2	4	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34										
35-49	10	6.7	50	<1	<1	4	12	18	20	20
50-64	41	5.7	37	1	1	3	8	13	17	31
65+	150	5.9	35	1	1	4	7	12	17	27
B. *Operated*										
0-19 YRS	6	6.8	24	2	2	6	9	14	15	15
20-34	14	4.1	14	1	1	3	4	11	13	13
35-49	72	5.2	95	<1	1	2	5	12	16	65
50-64	536	5.9	56	1	1	3	7	13	19	37
65+	2167	6.1	46	1	2	4	7	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.2	2	<1	1	2	3	4	5	6
B. *Operated*	1217	3.2	10	<1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	203	5.9	36	1	1	4	8	12	18	29
B. *Operated*	2795	6.1	49	1	1	4	7	13	18	36
1. SINGLE DX	1244	3.1	10	<1	1	2	4	6	9	15
2. MULTIPLE DX	2998	6.0	48	1	1	4	7	13	18	35
A. NOT OPERATED	230	5.5	33	1	1	4	7	12	17	28
B. OPERATED	4012	5.2	39	1	1	3	6	11	16	32
TOTAL 0-19 YRS	9	7.6	30	1	1	8	11	16	16	16
20-34	22	4.8	30	<1	1	3	7	12	17	23
35-49	163	4.3	51	<1	1	2	5	11	14	20
50-64	958	4.8	38	1	1	3	5	11	16	31
65+	3090	5.4	38	1	1	4	6	11	16	33
GRAND TOTAL	**4242**	**5.2**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**31**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	3	2.3		2	2	2	3	3	3	3
65+	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	12	8.0	10	2	5	8	9	11	15	16
20-34	6	5.2	16	<1	<1	5	8	11	11	11
35-49	30	7.2	6	2	4	7	9	10	11	12
50-64	66	7.1	10	1	3	7	9	12	13	15
65+	63	6.4	12	1	1	7	9	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	31	<1	2	5	7	16	21	21
20-34	4	5.5	9	2	2	6	8	8	8	8
35-49	10	6.7	33	2	2	5	10	16	17	17
50-64	49	7.1	38	<1	1	5	11	16	23	24
65+	92	7.2	34	1	1	6	9	15	21	26
B. *Operated*										
0-19 YRS	20	9.0	10	5	6	9	10	14	16	17
20-34	11	14.9	225	1	2	10	21	39	50	51
35-49	66	9.6	35	1	1	9	13	19	20	28
50-64	243	11.1	62	3	5	9	13	20	25	34
65+	440	12.6	99	2	3	10	15	24	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.5	5	<1	<1	2	3	5	8	10
B. *Operated*	177	6.8	11	1	2	7	9	11	12	15
2. MULTIPLE DX										
A. *Not Operated*	165	7.1	34	1	1	5	9	15	21	24
B. *Operated*	780	11.8	83	2	3	10	14	22	29	52
1. SINGLE DX	193	6.5	12	1	1	7	9	10	12	15
2. MULTIPLE DX	945	11.0	77	1	2	9	13	21	27	44
A. NOT OPERATED	181	6.7	33	1	1	5	9	15	20	24
B. OPERATED	957	10.9	73	2	3	9	13	20	27	44
TOTAL 0-19 YRS	47	7.5	18	<1	1	8	9	13	16	21
20-34	21	10.3	142	<1	1	8	10	27	40	51
35-49	109	8.5	28	1	2	8	11	15	19	25
50-64	361	9.8	53	2	3	8	12	18	23	32
65+	600	11.0	86	1	2	9	13	22	29	52
GRAND TOTAL	**1138**	**10.2**	**69**	**1**	**2**	**9**	**12**	**20**	**25**	**42**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3		<1	<1	<1	1	2	2	2
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.0	1	<1	<1	2	3	4	4	4
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	6	2.3	1	1	1	3	3	3	3	3
50-64	8	3.5	4	<1	1	3	5	6	6	6
65+	14	2.9	2	1	2	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	13	3.0	3	1	1	3	4	6	7	7
65+	24	3.3	10	1	1	2	3	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.9	5	<1	<1	<1	2	5	8	8
B. *Operated*	44	2.6	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	10	<1	<1	<1	3	8	8	8
B. *Operated*	46	3.0	6	<1	1	2	3	5	10	12
1. SINGLE DX	54	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	51	3.0	6	<1	<1	2	3	6	10	12
A. NOT OPERATED	15	2.1	6	<1	<1	<1	2	8	8	8
B. OPERATED	90	2.8	4	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	30	1.7	1	<1	<1	<1	2	3	4	4
20-34	5	2.2	3	1	1	1	4	4	4	4
35-49	9	2.8	5	1	1	3	3	6	8	8
50-64	21	3.2	3	<1	1	3	5	6	7	7
65+	40	3.3	7	1	1	2	4	7	10	12
GRAND TOTAL	**105**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	9	<1	<1	2	3	7	11	11
20-34	7	4.1	20	1	1	2	4	12	14	14
35-49	14	4.4	19	<1	1	3	5	8	16	18
50-64	23	6.0	22	<1	1	4	9	15	16	17
65+	19	8.4	135	1	2	3	10	22	39	49
B. *Operated*										
0-19 YRS	38	8.5	19	1	2	8	11	13	17	22
20-34	55	7.8	23	2	3	7	9	12	17	29
35-49	61	8.5	25	1	3	8	11	14	18	26
50-64	64	10.4	45	3	4	9	13	21	23	33
65+	59	12.4	121	2	4	10	15	23	27	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	34	1	1	3	5	11	14	35
20-34	37	5.7	28	1	2	4	8	11	14	30
35-49	67	6.6	36	1	1	5	8	13	19	32
50-64	118	9.6	121	2	2	6	11	19	31	61
65+	110	8.3	48	2	2	6	10	16	20	38
B. *Operated*										
0-19 YRS	69	14.5	170	2	2	12	20	29	34	67
20-34	69	10.8	70	2	3	9	13	22	35	88
35-49	85	13.4	207	3	4	10	14	24	52	81
50-64	139	14.9	182	3	4	11	17	29	45	68
65+	132	18.0	175	4	7	14	22	33	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.7	50	<1	1	3	7	14	17	44
B. *Operated*	277	9.6	51	2	3	8	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	381	7.7	67	1	2	5	9	15	22	42
B. *Operated*	494	14.8	171	3	4	11	18	29	42	70
1. SINGLE DX	350	8.8	53	1	2	8	11	16	22	34
2. MULTIPLE DX	875	11.7	139	2	2	9	14	24	34	65
A. NOT OPERATED	454	7.3	65	1	1	5	9	15	21	44
B. OPERATED	771	13.0	134	2	4	10	16	24	34	65
TOTAL 0-19 YRS	166	9.4	105	1	1	6	12	21	29	61
20-34	168	8.4	48	2	2	7	11	18	22	41
35-49	227	9.5	105	1	2	7	11	18	24	55
50-64	344	11.6	132	2	3	9	14	22	33	65
65+	320	13.1	137	2	3	10	16	26	36	67
GRAND TOTAL	**1225**	**10.9**	**116**	**1**	**2**	**8**	**13**	**22**	**30**	**63**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	8.0	72	2	2	8	14	14	14	14
B. *Operated*										
0-19 YRS	5	8.4	53	1	1	7	12	20	20	20
20-34	5	10.2	85	1	1	7	19	21	21	21
35-49	9	6.3	34	1	1	5	9	16	19	19
50-64	3	17.7	322	4	4	11	31	38	38	38
65+	4	10.3	122	1	1	9	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.8	306	1	1	6	15	44	52	52
20-34										
35-49	3	16.7	280	7	7	7	29	36	36	36
50-64	7	6.9	27	<1	1	5	12	14	14	14
65+	7	3.9	2	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	10	16.7	340	2	3	7	32	47	55	55
20-34	8	16.4	157	1	3	12	25	36	39	39
35-49	7	9.4	36	1	1	10	15	17	17	17
50-64	15	17.4	233	2	3	14	21	35	56	63
65+	12	22.3	158	5	6	23	31	38	45	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	18	1	1	2	4	11	14	14
B. *Operated*	26	9.4	86	1	1	7	16	21	26	38
2. MULTIPLE DX										
A. *Not Operated*	26	9.2	148	1	2	5	7	30	39	52
B. *Operated*	52	17.2	199	2	3	12	24	36	45	63
1. SINGLE DX	34	8.1	74	1	1	4	11	20	23	38
2. MULTIPLE DX	78	14.5	194	1	2	9	22	35	43	61
A. NOT OPERATED	34	8.0	121	1	1	4	7	16	35	52
B. OPERATED	78	14.6	173	1	2	10	21	34	39	61
TOTAL 0-19 YRS	28	11.9	238	1	1	6	10	37	52	55
20-34	14	13.1	130	1	1	9	21	29	37	39
35-49	19	9.1	72	1	1	7	11	18	28	36
50-64	26	14.1	189	2	3	11	17	34	43	63
65+	25	14.1	161	1	2	9	23	33	37	46
GRAND TOTAL	**112**	**12.6**	**165**	**1**	**1**	**8**	**18**	**32**	**39**	**58**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64	9	1.6		1	1	2	2	2	2	2
65+	7	3.6	12	1	1	2	4	10	11	11
B. *Operated*										
0-19 YRS	13	4.8	16	2	2	4	5	13	15	15
20-34	93	3.1	3	1	1	3	4	5	7	10
35-49	74	2.9	2	1	1	3	4	5	5	7
50-64	37	3.6	2	2	2	3	4	5	6	8
65+	27	4.6	5	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.3	186	1	1	3	6	29	45	48
20-34	22	3.6	11	<1	1	3	4	6	11	16
35-49	21	2.9	14	<1	1	2	3	5	12	18
50-64	22	4.9	28	1	1	3	6	12	20	20
65+	41	5.4	23	1	1	3	7	12	18	19
B. *Operated*										
0-19 YRS	28	7.3	26	1	2	6	10	15	17	20
20-34	100	4.3	5	1	2	4	5	7	8	11
35-49	110	5.0	17	2	2	4	6	8	12	25
50-64	109	6.2	39	2	2	4	6	12	18	41
65+	111	7.5	83	2	3	5	7	15	23	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.4	4	1	1	2	3	4	7	11
B. *Operated*	244	3.4	4	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	118	4.8	37	1	1	3	6	11	18	30
B. *Operated*	458	5.9	37	2	2	4	6	11	16	30
1. SINGLE DX	278	3.3	4	1	1	3	4	6	7	12
2. MULTIPLE DX	576	5.7	37	1	2	4	6	11	17	30
A. NOT OPERATED	152	4.3	31	1	1	3	4	9	17	21
B. OPERATED	702	5.0	27	1	2	4	5	8	13	24
TOTAL 0-19 YRS	57	6.6	56	1	1	4	8	15	19	46
20-34	221	3.7	5	1	1	3	5	6	8	11
35-49	213	4.0	12	1	1	3	5	7	9	20
50-64	177	5.3	30	2	2	4	5	10	16	35
65+	186	6.5	57	2	2	4	7	13	18	50
GRAND TOTAL	**854**	**4.9**	**28**	**1**	**2**	**4**	**5**	**8**	**13**	**24**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	5	<1	<1	1	3	6	7	7
20-34	8	2.1	1	<1	<1	2	3	4	4	4
35-49	10	3.0	4	1	1	3	4	6	7	7
50-64	35	5.3	25	1	1	4	7	8	15	27
65+	50	6.1	40	1	1	4	9	14	20	30
B. *Operated*										
0-19 YRS	12	5.8	48	<1	1	4	7	14	24	26
20-34	13	5.5	21	<1	1	5	7	11	16	17
35-49	49	4.2	11	1	1	3	7	9	10	13
50-64	104	4.3	23	<1	1	2	6	11	14	22
65+	85	4.8	18	<1	<1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.2	35	<1	1	2	5	9	12	38
20-34	164	5.5	34	1	1	4	6	13	17	28
35-49	568	6.6	45	1	1	5	8	14	19	30
50-64	1621	7.2	60	1	2	5	9	16	21	41
65+	2897	7.7	48	1	2	6	10	15	21	35
B. *Operated*										
0-19 YRS	75	8.8	43	1	2	7	12	20	22	29
20-34	249	7.3	49	1	1	6	9	14	18	31
35-49	778	8.7	66	1	1	6	11	19	25	43
50-64	2036	10.0	90	1	2	8	13	22	28	50
65+	2989	10.4	102	1	2	8	13	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	5.1	28	1	1	4	6	10	14	29
B. *Operated*	263	4.6	20	<1	1	3	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	5317	7.3	51	1	2	5	9	15	21	36
B. *Operated*	6127	9.9	91	1	2	8	13	21	28	50
1. SINGLE DX	373	4.7	22	<1	1	3	6	10	14	26
2. MULTIPLE DX	11444	8.7	74	1	2	6	11	18	25	44
A. NOT OPERATED	5427	7.3	51	1	2	5	9	15	21	36
B. OPERATED	6390	9.7	89	1	2	7	12	21	28	49
TOTAL 0-19 YRS	161	6.4	43	<1	1	4	8	16	21	30
20-34	434	6.5	43	1	1	5	8	13	17	28
35-49	1405	7.6	57	1	1	6	10	16	23	38
50-64	3796	8.6	77	1	1	6	11	19	26	45
65+	6021	9.0	76	1	2	7	11	19	25	45
GRAND TOTAL	**11817**	**8.6**	**73**	**1**	**2**	**6**	**11**	**18**	**25**	**44**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	32	1	1	3	8	13	13	13
20-34	8	1.5		1	1	1	2	2	2	2
35-49	5	3.2	5	<1	<1	3	5	6	6	6
50-64	5	1.6	2	1	1	1	2	4	4	4
65+	5	4.2	14	1	1	4	6	10	10	10
B. *Operated*										
0-19 YRS	55	4.8	32	<1	1	5	7	8	8	38
20-34	109	4.8	11	<1	1	4	7	9	11	14
35-49	40	4.7	11	<1	<1	5	7	9	11	13
50-64	14	4.2	11	1	1	3	6	10	11	11
65+	17	5.5	16	1	1	5	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	16	<1	<1	1	2	10	11	11
20-34	38	4.1	13	<1	1	4	5	7	8	22
35-49	18	7.7	226	1	1	4	7	9	44	67
50-64	25	5.4	20	1	1	4	7	11	16	19
65+	25	8.4	43	1	2	8	12	18	22	25
B. *Operated*										
0-19 YRS	24	6.2	12	2	2	6	8	9	12	17
20-34	80	6.6	20	1	2	6	8	12	16	22
35-49	47	7.0	43	1	1	6	8	17	24	30
50-64	45	9.4	53	2	2	7	14	23	24	29
65+	36	17.9	307	1	2	14	25	37	55	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.8	9	<1	1	1	4	6	10	13
B. *Operated*	235	4.8	16	<1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	112	5.9	57	1	1	4	7	12	18	41
B. *Operated*	232	8.9	89	1	2	7	10	20	25	42
1. SINGLE DX	262	4.6	16	<1	1	4	7	9	11	16
2. MULTIPLE DX	344	7.9	81	1	1	6	9	17	24	39
A. NOT OPERATED	139	5.3	49	1	1	4	6	11	16	30
B. OPERATED	467	6.9	57	1	1	5	8	14	20	37
TOTAL 0-19 YRS	89	5.1	25	<1	1	5	7	9	11	30
20-34	235	5.2	15	1	1	5	7	10	12	19
35-49	110	6.1	60	<1	1	5	7	10	17	45
50-64	89	7.0	40	1	1	5	10	15	23	27
65+	83	11.7	179	1	1	8	15	26	36	76
GRAND TOTAL	**606**	**6.5**	**55**	**1**	**1**	**5**	**8**	**13**	**19**	**36**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.2	8	1	1	4	6	8	10	12
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	7	1.7	1	<1	<1	1	3	3	3	3
50-64	8	5.9	34	<1	<1	4	9	15	17	17
65+	10	8.5	55	1	1	6	16	19	20	20
B. *Operated*										
0-19 YRS	55	5.6	32	<1	<1	5	7	11	20	26
20-34	9	20.3	706	1	1	5	30	62	82	82
35-49	8	10.0	106	<1	<1	8	12	27	33	33
50-64	4	14.5	286	<1	<1	10	28	36	36	36
65+	7	4.7	23	1	1	3	5	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	5.4	31	<1	1	4	7	10	11	35
20-34	11	6.4	46	<1	1	5	7	15	24	25
35-49	18	9.1	86	1	1	6	10	23	32	37
50-64	56	5.0	22	1	1	4	6	12	16	22
65+	129	6.0	43	1	1	4	8	13	18	32
B. *Operated*										
0-19 YRS	83	12.6	161	2	3	8	16	27	40	66
20-34	14	16.9	254	1	1	10	27	41	53	56
35-49	16	20.3	391	2	3	19	36	69	92	99+
50-64	54	18.8	312	2	3	12	29	43	50	86
65+	78	12.0	143	1	2	9	13	27	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.5	18	<1	1	3	6	10	14	20
B. *Operated*	83	8.0	135	<1	<1	5	9	22	31	67
2. MULTIPLE DX										
A. *Not Operated*	332	5.8	38	1	1	4	7	11	17	34
B. *Operated*	245	14.5	215	2	3	9	18	38	46	76
1. SINGLE DX	164	6.3	80	<1	1	4	7	14	22	36
2. MULTIPLE DX	577	9.5	131	1	1	6	11	23	36	60
A. NOT OPERATED	413	5.5	34	1	1	4	7	11	17	33
B. OPERATED	328	12.9	202	1	1	8	16	34	44	77
TOTAL 0-19 YRS	309	7.2	73	<1	1	5	8	16	23	46
20-34	37	13.3	306	<1	1	7	22	32	50	82
35-49	49	11.8	211	1	1	7	17	36	40	99+
50-64	122	11.5	202	1	1	6	15	37	42	62
65+	224	8.2	85	1	1	5	10	18	29	48
GRAND TOTAL	**741**	**8.8**	**122**	**1**	**1**	**5**	**10**	**20**	**34**	**56**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	7	<1	<1	3	6	8	8	8
20-34	10	4.3	31	<1	<1	2	4	14	17	17
35-49	17	6.2	50	<1	1	4	8	18	23	25
50-64	23	3.1	7	<1	<1	2	4	6	9	11
65+	20	5.0	50	<1	1	3	4	12	24	30
B. *Operated*										
0-19 YRS	16	12.8	178	<1	1	8	12	34	44	48
20-34	13	13.1	274	<1	1	6	24	35	53	57
35-49	20	10.1	180	<1	1	4	11	33	42	48
50-64	24	9.2	147	1	2	4	8	29	41	42
65+	17	8.6	39	3	4	7	10	15	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.0	14	<1	<1	5	7	11	11	14
20-34	35	9.5	108	1	1	6	16	24	27	45
35-49	38	6.0	71	<1	1	3	6	14	29	38
50-64	97	6.3	76	1	1	3	7	18	26	47
65+	253	5.5	47	1	1	3	7	12	19	42
B. *Operated*										
0-19 YRS	36	19.4	255	4	5	13	32	45	89	99+
20-34	53	26.1	442	2	3	25	33	54	74	90
35-49	67	24.8	318	3	4	24	35	56	61	99+
50-64	113	22.0	381	2	3	15	33	47	60	83
65+	232	20.3	340	2	3	13	31	50	58	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.4	27	<1	<1	3	5	9	17	28
B. *Operated*	90	10.5	153	1	1	6	11	30	41	53
2. MULTIPLE DX										
A. *Not Operated*	452	6.0	58	1	1	3	7	14	22	45
B. *Operated*	501	21.9	353	2	3	16	32	51	60	96
1. SINGLE DX	179	7.4	100	<1	1	4	8	21	30	48
2. MULTIPLE DX	953	14.3	276	1	1	7	23	40	52	78
A. NOT OPERATED	541	5.7	54	<1	1	3	7	13	21	42
B. OPERATED	591	20.1	339	2	3	13	32	48	58	92
TOTAL 0-19 YRS	100	11.2	170	<1	1	7	12	35	45	99+
20-34	111	17.4	349	1	1	9	28	43	56	83
35-49	142	15.5	278	1	1	7	27	44	55	99+
50-64	257	13.2	272	1	1	5	20	39	47	74
65+	522	12.2	230	1	1	6	14	33	48	72
GRAND TOTAL	**1132**	**13.3**	**254**	**1**	**1**	**6**	**20**	**37**	**50**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.2	2	<1	<1	2	4	4	4	4
20-34	24	2.5	5	<1	1	1	4	7	7	8
35-49	44	3.1	16	<1	<1	2	3	5	11	22
50-64	49	4.3	33	<1	<1	3	4	11	15	34
65+	59	4.7	16	1	1	3	7	11	13	15
B. *Operated*										
0-19 YRS	25	6.0	49	<1	1	4	8	11	18	35
20-34	37	5.8	39	<1	<1	3	8	16	22	24
35-49	84	4.5	26	<1	<1	3	5	12	15	25
50-64	134	4.4	16	<1	<1	3	6	10	11	20
65+	192	4.8	19	<1	1	3	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.9	13	<1	1	4	6	10	13	14
20-34	52	8.8	124	1	1	5	10	22	40	47
35-49	120	5.3	39	<1	1	4	6	10	21	37
50-64	290	7.1	63	1	1	5	8	16	22	39
65+	636	7.8	58	1	1	6	10	17	23	39
B. *Operated*										
0-19 YRS	18	11.8	125	1	2	8	19	24	36	44
20-34	66	11.3	63	1	2	10	16	22	26	36
35-49	128	11.1	128	1	2	8	14	23	33	56
50-64	337	11.6	152	1	2	8	14	25	37	69
65+	745	11.3	109	1	2	9	14	23	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.8	19	<1	1	2	5	9	12	20
B. *Operated*	472	4.8	23	<1	<1	3	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1121	7.3	60	1	1	5	9	16	22	40
B. *Operated*	1294	11.4	119	1	2	8	14	24	33	62
1. SINGLE DX	658	4.5	22	<1	<1	3	6	10	14	23
2. MULTIPLE DX	2415	9.5	96	1	2	7	12	21	28	52
A. NOT OPERATED	1307	6.8	55	1	1	5	8	15	21	39
B. OPERATED	1766	9.6	102	1	1	7	12	21	28	54
TOTAL 0-19 YRS	76	6.6	58	<1	1	4	8	14	22	42
20-34	179	8.3	76	1	1	5	11	20	25	45
35-49	376	6.8	73	<1	1	4	8	16	23	37
50-64	810	8.3	99	1	1	5	10	19	26	55
65+	1632	8.9	80	1	1	7	11	19	26	48
GRAND TOTAL	3073	8.4	84	1	1	6	11	19	25	49

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	33	2.5	5	<1	<1	2	3	5	9	11
20-34	97	2.3	1	1	1	2	3	4	4	6
35-49	140	2.3	2	1	1	2	3	4	5	6
50-64	150	2.4	2	<1	1	2	3	4	5	7
65+	105	2.6	2	<1	1	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	32	3.3	4	<1	1	3	4	6	6	11
35-49	50	2.7	2	<1	1	3	3	5	6	6
50-64	86	2.8	3	1	1	2	3	4	5	11
65+	109	3.6	11	1	1	3	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	525	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*	282	3.2	6	1	1	3	4	5	6	11
1. SINGLE DX	529	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	284	3.2	6	1	1	3	4	5	6	11
A. NOT OPERATED	6	3.3	7	<1	<1	3	4	8	8	8
B. OPERATED	807	2.7	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	38	2.6	5	<1	<1	2	3	6	8	11
20-34	132	2.6	2	1	1	2	3	4	5	9
35-49	191	2.4	2	1	1	2	3	4	5	6
50-64	237	2.5	3	<1	1	2	3	4	5	10
65+	215	3.1	7	1	1	3	4	5	7	11
GRAND TOTAL	813	2.7	4	1	1	2	3	4	5	10

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.2	2	<1	<1	2	4	4	4	4
20-34	24	2.5	5	<1	1	1	4	7	7	8
35-49	44	3.1	16	<1	<1	2	3	5	11	22
50-64	49	4.3	33	<1	<1	3	4	11	15	34
65+	59	4.7	16	1	1	3	7	11	13	15
B. *Operated*										
0-19 YRS	25	6.0	49	<1	1	4	8	11	18	35
20-34	37	5.8	39	<1	<1	3	8	16	22	24
35-49	84	4.5	26	<1	<1	3	5	12	15	25
50-64	134	4.4	16	<1	<1	3	6	10	11	20
65+	192	4.8	19	<1	1	3	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.9	13	<1	1	4	6	10	13	14
20-34	52	8.8	124	1	1	5	10	22	40	47
35-49	120	5.3	39	<1	1	4	6	10	21	37
50-64	290	7.1	63	1	1	5	8	16	22	39
65+	636	7.8	58	1	1	6	10	17	23	39
B. *Operated*										
0-19 YRS	18	11.8	125	1	2	8	19	24	36	44
20-34	66	11.3	63	1	2	10	16	22	26	36
35-49	128	11.1	128	1	2	8	14	23	33	56
50-64	337	11.6	152	1	2	8	14	25	37	69
65+	745	11.3	109	1	2	9	14	23	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.8	19	<1	1	2	5	9	12	20
B. *Operated*	472	4.8	23	<1	<1	3	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1121	7.3	60	1	1	5	9	16	22	40
B. *Operated*	1294	11.4	119	1	2	8	14	24	33	62
1. SINGLE DX	658	4.5	22	<1	<1	3	6	10	14	23
2. MULTIPLE DX	2415	9.5	96	1	2	7	12	21	28	52
A. NOT OPERATED	1307	6.8	55	1	1	5	8	15	21	39
B. OPERATED	1766	9.6	102	1	1	7	12	21	28	54
TOTAL 0-19 YRS	76	6.6	58	<1	1	4	8	14	22	42
20-34	179	8.3	76	1	1	5	11	20	25	45
35-49	376	6.8	73	<1	1	4	8	16	23	37
50-64	810	8.3	99	1	1	5	10	19	26	55
65+	1632	8.9	80	1	1	7	11	19	26	48
GRAND TOTAL	**3073**	**8.4**	**84**	**1**	**1**	**6**	**11**	**19**	**25**	**49**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	33	2.5	5	<1	<1	2	3	5	9	11
20-34	97	2.3	1	1	1	2	3	4	4	6
35-49	140	2.3	2	1	1	2	3	4	5	6
50-64	150	2.4	2	<1	1	2	3	4	5	7
65+	105	2.6	2	<1	1	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	32	3.3	4	<1	1	3	4	6	6	11
35-49	50	2.7	2	<1	1	3	3	5	6	6
50-64	86	2.8	3	1	1	2	3	4	5	11
65+	109	3.6	11	1	1	3	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	525	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*	282	3.2	6	1	1	3	4	5	6	11
1. SINGLE DX	529	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	284	3.2	6	1	1	3	4	5	6	11
A. NOT OPERATED	6	3.3	7	<1	<1	3	4	8	8	8
B. OPERATED	807	2.7	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	38	2.6	5	<1	<1	2	3	6	8	11
20-34	132	2.6	2	1	1	2	3	4	5	9
35-49	191	2.4	2	1	1	2	3	4	5	6
50-64	237	2.5	3	<1	1	2	3	4	5	10
65+	215	3.1	7	1	1	3	4	5	7	11
GRAND TOTAL	**813**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	8	1.4	1	<1	<1	1	2	3	3	3
65+	13	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	19	5.6	20	<1	1	5	9	12	14	16
20-34	27	6.8	19	1	1	7	9	12	15	18
35-49	65	3.4	10	<1	<1	2	6	9	10	12
50-64	133	3.7	11	<1	<1	2	6	8	10	13
65+	159	3.5	15	<1	<1	2	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	5	2.8	2	2	2	2	3	5	5	5
35-49	6	5.0	18	1	1	4	6	12	13	13
50-64	20	3.7	9	<1	<1	3	5	8	10	11
65+	79	3.8	16	<1	1	2	4	7	15	20
B. *Operated*										
0-19 YRS	23	10.5	141	<1	1	7	14	25	35	52
20-34	47	8.1	34	1	2	8	10	13	18	37
35-49	104	6.3	27	<1	<1	6	9	11	15	28
50-64	297	5.6	31	<1	1	4	8	12	14	21
65+	663	6.6	47	<1	1	5	9	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	403	3.9	14	<1	<1	2	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	113	3.7	14	<1	1	3	5	7	13	20
B. *Operated*	1134	6.5	42	<1	1	5	9	13	17	39
1. SINGLE DX	430	3.7	13	<1	<1	2	6	9	11	15
2. MULTIPLE DX	1247	6.2	40	<1	1	5	9	13	16	38
A. NOT OPERATED	140	3.3	12	<1	<1	2	4	6	11	19
B. OPERATED	1537	5.8	36	<1	<1	4	8	12	15	33
TOTAL 0-19 YRS	47	7.6	85	<1	1	5	10	18	25	52
20-34	81	7.2	28	1	1	7	9	12	16	31
35-49	177	5.2	22	<1	<1	4	8	10	13	25
50-64	458	4.9	24	<1	<1	3	8	10	12	17
65+	914	5.8	40	<1	1	3	8	13	16	38
GRAND TOTAL	**1677**	**5.6**	**35**	**<1**	**<1**	**4**	**8**	**12**	**15**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	81	1.3	2	<1	<1	1	1	2	3	9
20-34	34	2.0	4	<1	<1	1	2	5	7	8
35-49	40	3.3	11	<1	<1	2	5	9	11	13
50-64	52	3.9	10	<1	<1	2	6	8	9	14
65+	35	2.9	8	<1	<1	2	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	16	<1	<1	<1	6	8	8	8
20-34										
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	5	3.2	5	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	22	2.7	5	1	1	2	4	6	8	9
20-34	18	4.5	21	<1	1	3	6	9	15	19
35-49	24	5.0	8	<1	1	6	7	8	9	9
50-64	52	4.7	17	<1	1	3	7	12	14	97
65+	73	6.5	23	1	1	6	9	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	242	2.5	7	<1	<1	1	3	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	13	2.8	5	<1	<1	2	4	6	8	8
B. *Operated*	189	5.1	18	1	1	4	8	11	15	19
1. SINGLE DX	259	2.4	7	<1	<1	1	2	7	8	12
2. MULTIPLE DX	202	5.0	18	<1	1	4	7	11	14	19
A. NOT OPERATED	30	2.0	3	<1	<1	1	2	4	6	8
B. OPERATED	431	3.7	14	<1	<1	2	6	9	11	17
TOTAL 0-19 YRS	116	1.6	3	<1	<1	1	1	4	5	10
20-34	54	2.8	11	<1	<1	1	4	7	8	19
35-49	68	3.8	10	<1	<1	2	6	8	10	13
50-64	108	4.2	13	<1	<1	3	7	10	13	50
65+	115	5.1	20	<1	1	3	8	12	15	18
GRAND TOTAL	**461**	**3.6**	**13**	**<1**	**<1**	**2**	**6**	**8**	**11**	**17**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	408	1.9	2	<1	<1	1	2	4	5	7
20-34	356	1.9	2	<1	<1	1	2	4	5	8
35-49	394	2.2	5	<1	<1	1	2	5	6	11
50-64	330	2.0	3	<1	<1	1	2	4	6	9
65+	151	2.1	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	4	3.8	4	1	1	4	5	6	6	6
35-49	6	4.2	16	<1	<1	3	6	10	11	11
50-64	4	5.5	27	1	1	5	10	10	10	10
65+	10	4.0	5	<1	1	3	4	8	8	8
B. *Operated*										
0-19 YRS	79	3.2	7	<1	1	2	4	7	9	13
20-34	140	3.1	8	<1	<1	2	3	7	9	13
35-49	190	3.3	13	<1	<1	2	4	7	10	22
50-64	238	3.3	14	<1	1	2	4	7	11	20
65+	193	4.0	30	<1	1	2	4	9	11	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	1639	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	26	4.2	10	<1	1	4	6	10	10	11
B. *Operated*	840	3.4	16	<1	1	2	4	7	10	20
1. SINGLE DX	1646	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	866	3.4	16	<1	1	2	4	8	10	20
A. NOT OPERATED	33	3.6	9	<1	<1	3	5	9	10	11
B. OPERATED	2479	2.5	8	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	490	2.1	3	<1	<1	1	3	4	6	10
20-34	501	2.3	4	<1	<1	2	3	5	7	10
35-49	592	2.6	8	<1	<1	2	3	5	7	17
50-64	573	2.6	8	<1	<1	2	3	5	8	17
65+	356	3.2	19	<1	<1	2	3	6	9	13
GRAND TOTAL	**2512**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.8	1	<1	<1	1	2	4	4	4
20-34										
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	367	1.9	4	<1	<1	1	2	4	5	11
20-34	126	2.0	3	<1	<1	1	2	5	7	9
35-49	111	2.6	6	<1	<1	1	3	6	8	12
50-64	68	2.4	3	<1	<1	2	3	4	7	9
65+	40	2.3	8	<1	<1	1	3	4	6	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	12	<1	<1	2	5	9	12	12
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	7	2.6	4	<1	<1	1	4	6	6	6
65+	12	4.1	8	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	102	3.5	26	<1	<1	2	4	8	9	31
20-34	54	2.9	8	<1	<1	1	4	7	9	15
35-49	67	4.0	16	<1	<1	3	6	9	11	21
50-64	66	3.5	14	<1	<1	2	4	9	12	20
65+	72	6.4	53	<1	1	3	9	17	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	712	2.1	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	36	3.4	8	<1	<1	3	4	7	9	12
B. *Operated*	361	4.1	26	<1	<1	2	5	9	14	28
1. SINGLE DX	729	2.1	4	<1	<1	1	2	4	7	11
2. MULTIPLE DX	397	4.0	24	<1	<1	2	5	9	13	26
A. NOT OPERATED	53	2.8	6	<1	<1	2	4	7	9	12
B. OPERATED	1073	2.8	12	<1	<1	1	3	6	9	18
TOTAL 0-19 YRS	495	2.3	9	<1	<1	1	2	5	7	12
20-34	183	2.3	5	<1	<1	1	3	5	7	10
35-49	183	3.1	10	<1	<1	2	4	7	9	15
50-64	141	2.9	8	<1	<1	2	4	6	9	13
65+	124	4.9	38	<1	<1	3	5	14	19	30
GRAND TOTAL	**1126**	**2.8**	**12**	**<1**	**<1**	**1**	**3**	**7**	**9**	**17**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	1.3		<1	<1	1	1	2	3	4
20-34	111	1.2		<1	<1	<1	1	2	2	3
35-49	107	1.4	1	<1	<1	1	2	2	3	7
50-64	56	1.3		<1	<1	1	2	2	3	3
65+	25	1.7	2	<1	<1	1	2	3	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	1.6	1	1	1	1	2	3	4	4
20-34	52	2.1	15	<1	<1	1	2	3	7	27
35-49	111	1.9	3	<1	<1	1	2	3	5	10
50-64	93	1.8	2	<1	<1	1	2	3	5	7
65+	74	2.2	2	<1	<1	2	2	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	350	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	339	1.9	4	<1	<1	1	2	3	5	9
1. SINGLE DX	350	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	341	1.9	4	<1	<1	1	2	3	5	9
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	689	1.6	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	60	1.3		<1	<1	1	1	2	3	4
20-34	163	1.5	5	<1	<1	<1	1	2	3	10
35-49	218	1.7	2	<1	<1	1	2	3	4	9
50-64	150	1.6	1	<1	<1	1	2	3	3	7
65+	100	2.1	2	<1	<1	2	2	4	5	8
GRAND TOTAL	**691**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	5	2	2	5	6	8	8	8
35-49	8	3.3	4	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	233	4.6	3	<1	2	5	6	6	7	8
35-49	762	4.8	3	<1	3	5	6	7	7	9
50-64	117	4.7	4	<1	1	5	6	7	7	9
65+	13	3.2	5	<1	<1	2	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	2.6	5	<1	<1	2	3	5	8	11
35-49	74	1.9	2	<1	<1	1	2	5	6	6
50-64	11	1.9	4	<1	<1	1	2	5	8	8
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	3	6.7	1	6	6	6	8	8	8	8
20-34	1004	5.1	4	1	3	5	6	7	8	11
35-49	6109	5.5	6	2	4	5	6	7	8	12
50-64	1224	5.6	5	2	4	6	6	7	9	13
65+	149	7.3	31	2	4	6	8	10	14	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.9	5	1	1	4	6	7	8	8
B. *Operated*	1125	4.7	3	<1	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	110	2.1	3	<1	<1	1	2	5	6	9
B. *Operated*	8489	5.5	6	2	4	5	6	7	8	12
1. SINGLE DX	1138	4.7	3	<1	2	5	6	7	7	9
2. MULTIPLE DX	8599	5.4	6	2	3	5	6	7	8	12
A. NOT OPERATED	123	2.3	4	<1	<1	1	3	5	6	9
B. OPERATED	9614	5.4	6	2	3	5	6	7	8	12
TOTAL 0-19 YRS	4	5.3	9	1	1	6	7	8	8	8
20-34	1264	4.9	4	1	3	5	6	7	8	10
35-49	6953	5.4	6	2	3	5	6	7	8	12
50-64	1352	5.5	5	1	3	6	6	7	8	12
65+	164	7.0	30	1	2	6	8	10	13	35
GRAND TOTAL	**9737**	**5.4**	**6**	**1**	**3**	**5**	**6**	**7**	**8**	**12**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	8	3.4	3	<1	<1	3	5	6	6	6
50-64	3	2.3	5	<1	<1	1	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	26	4.4	4	<1	1	5	6	7	7	7
35-49	69	5.3	5	2	2	5	6	8	9	12
50-64	29	5.2	5	<1	1	5	6	8	9	9
65+	9	5.0	16	<1	<1	5	9	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	16	2.7	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	133	5.1	5	<1	2	5	6	8	9	11
1. SINGLE DX	17	2.6	3	<1	<1	2	4	5	6	6
2. MULTIPLE DX	133	5.1	5	<1	2	5	6	8	9	11
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	149	4.8	6	<1	1	5	6	8	9	11
TOTAL 0-19 YRS										
20-34	31	4.0	5	<1	<1	5	6	7	7	7
35-49	78	5.0	5	1	2	5	6	8	9	12
50-64	32	4.9	5	<1	<1	5	6	8	9	9
65+	9	5.0	16	<1	<1	5	9	10	11	11
GRAND TOTAL	**150**	**4.8**	**6**	**<1**	**1**	**5**	**6**	**8**	**9**	**11**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	81	4.2	2	2	3	4	5	6	6	8
20-34	310	4.3	2	3	3	4	5	6	6	8
35-49	101	4.7	2	2	3	5	5	6	7	8
50-64	58	5.9	7	4	4	5	7	9	11	18
65+	35	6.5	2	5	5	6	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	69	4.6	2	3	3	5	5	6	7	8
20-34	440	4.7	2	3	3	5	5	6	7	9
35-49	356	5.5	3	3	4	5	6	8	9	13
50-64	223	6.9	29	4	4	6	7	9	12	25
65+	192	8.6	33	5	5	7	9	13	17	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	585	4.6	3	3	3	5	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	6	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1280	5.9	14	3	4	5	6	8	10	19
1. SINGLE DX	588	4.6	3	3	3	5	5	6	7	10
2. MULTIPLE DX	1286	5.9	14	3	4	5	6	8	10	19
A. NOT OPERATED	9	2.2	1	<1	<1	2	3	4	4	4
B. OPERATED	1865	5.5	10	3	3	5	6	8	9	16
TOTAL 0-19 YRS	153	4.4	2	2	3	4	5	6	7	8
20-34	753	4.5	2	3	3	4	5	6	7	8
35-49	459	5.3	3	3	4	5	6	7	8	12
50-64	282	6.7	25	4	4	6	7	9	12	24
65+	227	8.2	29	5	5	7	8	13	15	36
GRAND TOTAL	**1874**	**5.5**	**10**	**3**	**3**	**5**	**6**	**8**	**9**	**16**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	14	3.6	4	<1	<1	3	5	7	7	7
35-49	13	2.2	2	<1	<1	2	3	4	5	5
50-64	6	3.7	9	<1	<1	3	6	8	8	8
65+	4	2.8	8	<1	<1	1	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	4.7	10	<1	1	4	6	10	11	11
35-49	17	4.9	6	<1	<1	5	7	8	8	8
50-64	11	5.1	3	3	3	5	6	8	9	9
65+	10	5.0	18	1	1	4	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	40	3.0	4	<1	<1	2	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	45	4.9	8	<1	1	5	6	9	11	11
1. SINGLE DX	42	3.1	4	<1	<1	3	5	6	7	8
2. MULTIPLE DX	45	4.9	8	<1	1	5	6	9	11	11
A. NOT OPERATED	2	4.0	2	3	3	4	5	5	5	5
B. OPERATED	85	4.0	7	<1	<1	4	6	7	9	11
TOTAL 0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	22	4.0	6	<1	<1	4	5	7	9	11
35-49	31	3.7	6	<1	<1	4	6	7	8	8
50-64	17	4.6	5	<1	<1	5	6	8	9	9
65+	14	4.4	16	<1	1	2	7	11	11	11
GRAND TOTAL	**87**	**4.0**	**7**	**<1**	**<1**	**4**	**6**	**7**	**9**	**11**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	1.8	2	<1	<1	1	2	3	6	7
35-49	7	1.9	1	<1	<1	2	3	3	3	3
50-64	6	1.5	1	1	1	1	2	3	3	3
65+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	2.0	2	<1	<1	2	3	4	4	4
35-49	6	2.2	4	1	1	2	2	6	6	6
50-64	7	1.7	1	1	1	2	2	3	3	3
65+	13	4.3	7	<1	1	5	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	34	2.8	5	<1	1	2	5	6	7	9
1. SINGLE DX	33	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	34	2.8	5	<1	1	2	5	6	7	9
A. NOT OPERATED										
B. OPERATED	67	2.3	4	<1	<1	2	3	5	7	9
TOTAL 0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	20	1.9	2	<1	<1	1	2	3	5	7
35-49	13	2.0	2	<1	<1	2	2	4	6	6
50-64	13	1.6	1	1	1	1	2	3	3	3
65+	17	3.6	7	<1	1	2	6	7	8	9
GRAND TOTAL	**67**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**9**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	4	5.8	14	2	2	5	8	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	9	7.9	30	2	2	7	8	16	21	21
20-34	31	7.5	20	1	1	8	10	13	14	19
35-49	95	7.7	16	1	2	8	10	12	15	21
50-64	90	7.8	30	1	1	7	10	16	20	23
65+	42	9.9	57	1	2	8	13	17	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.9	34	1	1	1	3	14	17	17
35-49	4	4.3	34	1	1	2	7	13	13	13
50-64	18	3.6	10	1	1	3	4	7	11	14
65+	69	6.1	36	1	2	4	7	12	20	33
B. *Operated*										
0-19 YRS	14	9.2	50	2	2	6	15	20	22	23
20-34	47	11.3	43	2	5	10	13	16	26	38
35-49	95	12.6	130	2	3	10	14	24	36	66
50-64	178	12.3	83	2	3	10	14	24	33	89
65+	163	16.6	137	2	5	14	21	32	44	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	9	<1	<1	3	5	8	11	11
B. *Operated*	267	8.0	28	1	2	8	10	14	19	23
2. MULTIPLE DX										
A. *Not Operated*	98	5.4	31	1	1	3	6	12	17	30
B. *Operated*	497	13.6	109	2	3	11	16	27	37	56
1. SINGLE DX	277	7.9	28	1	2	8	10	14	18	23
2. MULTIPLE DX	595	12.2	105	1	2	10	15	25	34	53
A. NOT OPERATED	108	5.3	29	1	1	3	6	11	16	29
B. OPERATED	764	11.6	88	1	2	9	14	22	30	52
TOTAL 0-19 YRS	24	8.4	42	1	2	7	10	20	22	23
20-34	85	9.3	39	1	1	9	11	16	20	35
35-49	198	9.9	77	1	2	8	11	17	24	48
50-64	287	10.3	69	1	2	9	13	20	28	57
65+	278	12.8	119	2	2	10	17	27	36	52
GRAND TOTAL	**872**	**10.8**	**85**	**1**	**2**	**9**	**13**	**21**	**29**	**50**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.5	1	<1	<1	3	3	4	5	5
20-34	179	2.7	1	1	1	3	3	4	5	6
35-49	226	2.7	1	1	1	3	3	4	4	5
50-64	111	2.8	2	1	1	3	3	4	5	7
65+	42	3.2	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	3.7	1	3	3	3	4	6	6	6
20-34	92	3.0	1	1	2	3	4	4	5	7
35-49	116	3.4	3	1	2	3	4	5	5	11
50-64	116	3.4	6	1	2	3	4	5	7	16
65+	77	4.0	4	2	2	4	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	576	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	408	3.4	4	1	2	3	4	5	6	11
1. SINGLE DX	576	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX	411	3.4	4	1	2	3	4	5	6	11
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	984	3.0	2	1	1	3	4	4	5	9
TOTAL 0-19 YRS	25	2.8	2	<1	<1	3	3	4	5	6
20-34	271	2.8	1	1	1	3	3	4	5	6
35-49	344	2.9	2	1	2	3	4	4	5	7
50-64	227	3.1	4	1	1	3	4	4	6	11
65+	120	3.7	3	2	2	3	4	6	7	11
GRAND TOTAL	**987**	**3.0**	**2**	**1**	**1**	**3**	**4**	**4**	**5**	**9**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.3	20	2	2	4	7	13	14	14
20-34	37	6.7	7	3	3	6	8	10	11	13
35-49	43	5.6	11	1	2	5	8	10	13	99+
50-64	51	5.4	6	2	3	5	7	9	10	13
65+	25	5.6	10	1	2	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.8	8	1	1	4	6	7	7	7
35-49	4	5.8	24	3	3	4	8	13	13	13
50-64	8	4.9	29	<1	<1	3	6	14	17	17
65+	9	7.8	23	<1	1	7	12	14	14	14
B. *Operated*										
0-19 YRS	5	19.8	511	4	4	15	27	59	59	59
20-34	37	9.5	126	2	2	6	11	17	19	69
35-49	71	8.1	80	2	3	6	9	15	17	60
50-64	100	7.2	56	2	3	5	8	13	18	74
65+	105	8.1	56	2	3	6	9	20	23	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	163	5.7	9	2	2	5	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	26	5.8	22	<1	1	4	8	14	15	17
B. *Operated*	318	8.2	76	2	3	6	9	16	22	68
1. SINGLE DX	166	5.7	9	2	2	5	8	10	11	16
2. MULTIPLE DX	344	8.0	73	2	3	6	9	16	21	68
A. NOT OPERATED	29	5.3	22	<1	1	4	7	13	14	17
B. OPERATED	481	7.3	55	2	3	6	9	14	18	65
TOTAL 0-19 YRS	13	10.5	239	1	2	5	14	25	53	59
20-34	80	7.7	64	1	2	6	9	13	17	54
35-49	119	7.1	53	2	2	6	9	12	17	78
50-64	159	6.5	39	2	3	5	8	11	16	49
65+	139	7.6	46	2	3	6	9	15	22	54
GRAND TOTAL	**510**	**7.2**	**53**	**2**	**2**	**5**	**8**	**14**	**17**	**62**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	335	3.1	4	<1	1	3	5	5	6	8
35-49	131	3.6	4	1	1	4	5	6	6	10
50-64	30	4.2	5	<1	1	5	6	7	7	7
65+	10	3.9	7	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	360	3.9	5	<1	1	4	5	6	7	9
35-49	316	4.7	5	1	1	5	6	7	8	11
50-64	65	5.3	8	1	1	6	6	8	10	15
65+	63	5.1	14	1	1	5	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	512	3.2	4	<1	1	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	8	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	810	4.4	6	1	1	5	6	7	8	12
1. SINGLE DX	514	3.3	4	<1	1	3	5	6	6	8
2. MULTIPLE DX	818	4.4	6	1	1	5	6	7	8	12
A. NOT OPERATED	10	2.4	1	<1	<1	2	3	4	4	4
B. OPERATED	1322	3.9	6	<1	1	4	5	7	8	10
TOTAL 0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	699	3.5	5	<1	1	4	5	6	7	9
35-49	448	4.3	5	1	1	5	6	7	8	10
50-64	99	4.9	7	1	1	5	6	7	9	14
65+	74	4.9	13	1	1	5	7	8	10	19
GRAND TOTAL	**1332**	**3.9**	**6**	**<1**	**1**	**4**	**5**	**7**	**8**	**10**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	16	2.9	4	<1	<1	2	4	5	6	7
35-49	56	3.3	7	<1	<1	2	4	7	8	12
50-64	80	3.7	11	<1	1	3	5	7	11	16
65+	100	3.1	8	<1	<1	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	8.4	82	1	1	5	15	22	22	22
65+	8	3.0	7	<1	<1	2	3	7	9	9
B. *Operated*										
0-19 YRS										
20-34	16	6.9	114	1	1	5	6	7	34	46
35-49	65	4.3	5	1	2	4	5	8	9	10
50-64	144	5.6	25	1	1	5	7	11	14	30
65+	269	6.7	37	1	1	4	10	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*	255	3.3	8	<1	<1	2	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	14	5.0	36	<1	1	3	5	14	20	22
B. *Operated*	494	6.1	32	1	1	4	8	13	17	28
1. SINGLE DX	260	3.3	8	<1	<1	2	4	7	8	16
2. MULTIPLE DX	508	6.1	32	1	1	4	8	13	17	28
A. NOT OPERATED	19	4.3	28	<1	<1	2	4	11	18	22
B. OPERATED	749	5.2	26	<1	1	4	7	11	16	27
TOTAL 0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	32	4.9	61	<1	<1	4	6	7	7	46
35-49	122	3.9	6	<1	1	4	5	7	9	11
50-64	232	5.0	22	<1	1	4	6	10	14	24
65+	379	5.7	31	1	1	4	7	14	17	27
GRAND TOTAL	**768**	**5.1**	**26**	**<1**	**1**	**4**	**7**	**11**	**16**	**27**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	9	<1	<1	2	3	9	11	11
20-34	21	2.1	3	<1	<1	1	3	4	6	7
35-49	17	2.1	1	1	1	2	3	4	5	5
50-64	29	2.7	5	<1	1	2	4	5	7	11
65+	16	4.0	26	1	1	2	4	10	17	20
B. *Operated*										
0-19 YRS	96	4.7	29	<1	1	3	6	11	17	28
20-34	125	3.3	8	<1	1	2	4	7	9	13
35-49	121	3.1	7	<1	1	2	4	7	8	11
50-64	174	3.3	11	<1	<1	2	5	8	10	17
65+	180	3.5	9	<1	1	2	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	22	1	1	2	5	11	17	18
20-34	32	3.1	15	<1	1	2	4	6	7	22
35-49	30	3.8	11	1	1	3	6	8	9	16
50-64	110	4.6	20	<1	1	3	6	11	14	22
65+	270	4.9	23	1	1	3	7	11	14	23
B. *Operated*										
0-19 YRS	70	6.9	66	1	1	5	8	15	18	51
20-34	139	5.9	53	1	1	4	7	10	20	64
35-49	160	6.9	114	<1	1	5	8	12	16	58
50-64	285	7.2	98	1	1	5	9	14	19	59
65+	541	7.4	61	1	1	5	9	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.8	8	<1	1	2	3	5	9	16
B. *Operated*	696	3.5	12	<1	1	2	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	476	4.6	21	1	1	3	6	11	14	23
B. *Operated*	1195	7.1	76	1	1	5	8	14	20	54
1. SINGLE DX	793	3.4	11	<1	1	2	4	8	10	17
2. MULTIPLE DX	1671	6.4	62	1	1	4	8	13	18	49
A. NOT OPERATED	573	4.3	20	1	1	3	5	10	13	23
B. OPERATED	1891	5.8	55	1	1	4	7	12	17	44
TOTAL 0-19 YRS	214	5.2	40	<1	1	3	6	12	17	28
20-34	317	4.4	30	1	1	3	5	8	11	33
35-49	328	5.0	62	<1	1	3	6	10	12	50
50-64	598	5.4	57	<1	1	3	7	11	15	51
65+	1007	6.0	43	1	1	4	8	13	18	34
GRAND TOTAL	**2464**	**5.4**	**47**	**1**	**1**	**3**	**7**	**11**	**16**	**35**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	132	2.7	1	1	1	3	3	4	4	5
35-49	192	2.9	2	1	1	3	3	4	5	7
50-64	159	3.0	2	1	2	3	4	4	5	10
65+	47	3.6	3	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.0	1	<1	<1	2	2	3	3	3
35-49	8	3.9	10	1	1	3	5	9	10	10
50-64	10	3.2	16	1	1	2	4	9	14	14
65+	8	5.1	10	1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	56	2.8	1	1	1	3	4	4	4	6
35-49	107	3.5	3	1	2	3	4	6	6	9
50-64	143	4.0	7	2	2	3	4	6	8	17
65+	107	5.5	20	2	3	4	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	2	1	1	2	3	4	5	5
B. *Operated*	540	2.9	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	31	3.7	11	1	1	2	5	9	10	14
B. *Operated*	416	4.1	9	1	2	3	5	6	9	18
1. SINGLE DX	548	2.9	2	1	1	3	4	4	5	7
2. MULTIPLE DX	447	4.0	9	1	2	3	5	6	9	17
A. NOT OPERATED	39	3.4	9	1	1	2	5	8	10	14
B. OPERATED	956	3.4	5	1	2	3	4	5	6	13
TOTAL 0-19 YRS	13	1.8	2	<1	<1	1	2	4	5	5
20-34	195	2.7	1	1	1	3	3	4	4	5
35-49	310	3.1	2	1	1	3	4	5	6	9
50-64	313	3.5	5	1	2	3	4	5	7	14
65+	164	4.9	15	2	2	4	5	9	12	20
GRAND TOTAL	**995**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	4	1	1	3	5	6	6	6
20-34	32	3.0	3	1	1	3	4	5	6	9
35-49	21	3.7	3	1	1	4	5	6	7	8
50-64	14	3.9	5	1	2	3	6	7	8	8
65+	11	4.9	10	2	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	21	3.7	4	1	1	3	4	6	8	9
20-34	125	3.4	4	2	2	3	4	5	6	13
35-49	111	3.1	2	1	2	3	4	5	5	8
50-64	80	3.2	1	1	2	3	4	4	5	7
65+	31	3.1	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	1	<1	1	2	3	4	4	4
20-34	69	4.5	11	1	1	4	6	8	11	17
35-49	73	4.4	7	1	2	4	5	8	10	13
50-64	108	5.1	9	2	2	4	7	10	11	14
65+	197	7.7	29	2	3	6	10	16	19	25
B. *Operated*										
0-19 YRS	10	5.3	12	1	2	4	8	11	12	12
20-34	61	4.1	3	1	2	4	6	7	7	9
35-49	74	5.2	23	2	2	4	5	8	14	29
50-64	95	5.2	14	2	2	4	7	10	12	21
65+	84	9.2	90	2	3	5	11	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.6	5	1	1	3	5	7	8	10
B. *Operated*	368	3.3	2	1	2	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	459	5.9	20	1	2	5	8	12	15	24
B. *Operated*	324	6.0	37	2	2	4	6	12	18	30
1. SINGLE DX	452	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	783	6.0	27	2	2	4	7	12	16	25
A. NOT OPERATED	543	5.6	18	1	2	4	7	11	14	21
B. OPERATED	692	4.6	20	1	2	4	5	7	11	25
TOTAL 0-19 YRS	49	3.7	5	1	1	3	4	7	9	12
20-34	287	3.8	6	1	2	3	4	6	7	13
35-49	279	4.0	10	1	2	4	4	7	9	18
50-64	297	4.6	9	1	2	4	5	9	11	15
65+	323	7.6	44	2	2	5	9	16	20	30
GRAND TOTAL	**1235**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	4.3	4	1	2	4	5	7	8	12
20-34	52	3.6	3	1	2	4	5	6	7	7
35-49	29	4.0	5	1	2	4	5	7	8	10
50-64	33	3.5	3	1	1	3	5	6	7	8
65+	20	5.2	7	1	2	4	7	9	10	12
B. *Operated*										
0-19 YRS	5	4.8	5	2	2	6	6	7	7	7
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	6	5.2	3	3	3	5	6	8	8	8
65+	4	4.0	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.2	8	1	1	4	5	8	10	14
20-34	79	3.9	7	1	1	3	5	7	9	13
35-49	152	4.5	9	1	2	4	5	8	9	18
50-64	228	5.2	11	2	2	5	6	9	11	21
65+	269	6.4	35	2	2	5	7	11	16	37
B. *Operated*										
0-19 YRS										
20-34	13	6.0	12	2	3	5	7	12	14	14
35-49	16	8.3	68	2	2	6	8	18	30	35
50-64	31	12.0	226	2	2	7	10	40	47	63
65+	31	7.4	14	2	3	7	8	12	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	4.1	4	1	2	4	5	7	8	12
B. *Operated*	20	4.8	3	2	2	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	825	5.2	18	1	2	4	6	9	11	22
B. *Operated*	91	8.9	98	2	2	7	9	15	34	56
1. SINGLE DX	288	4.2	4	1	2	4	5	7	8	11
2. MULTIPLE DX	916	5.6	28	1	2	5	7	9	13	31
A. NOT OPERATED	1093	4.9	15	1	2	4	6	8	11	21
B. OPERATED	111	8.2	84	2	2	6	8	14	21	53
TOTAL 0-19 YRS	236	4.3	6	1	2	4	6	7	9	12
20-34	147	4.0	6	1	1	4	5	7	8	14
35-49	199	4.8	14	1	2	4	6	8	10	21
50-64	298	5.7	36	1	2	5	6	9	12	41
65+	324	6.4	31	2	2	5	8	11	15	34
GRAND TOTAL	**1204**	**5.2**	**22**	**1**	**2**	**4**	**6**	**9**	**11**	**23**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	3.2	4	1	1	3	4	6	7	10
20-34	351	3.0	3	1	1	3	4	5	6	10
35-49	118	3.6	5	1	1	3	4	6	8	12
50-64	58	3.6	8	1	1	3	4	6	7	19
65+	54	4.8	8	2	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	3.2	1	2	2	3	4	4	4	4
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	3.6	6	1	1	3	5	7	8	11
20-34	802	4.0	7	1	1	3	5	7	9	15
35-49	431	5.0	11	1	2	4	6	9	11	17
50-64	452	6.0	17	2	2	5	8	11	14	21
65+	576	8.5	64	2	3	7	10	15	20	48
B. *Operated*										
0-19 YRS	21	10.8	216	1	2	7	9	30	53	57
20-34	80	9.5	140	2	2	6	10	19	26	73
35-49	76	12.2	161	2	3	7	16	28	42	92
50-64	75	15.0	153	3	4	11	18	37	48	90
65+	82	16.3	160	4	5	13	19	36	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	3.3	4	1	1	3	4	6	7	11
B. *Operated*	12	3.6	2	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2915	5.3	24	1	2	4	6	10	13	22
B. *Operated*	334	13.1	163	2	3	9	16	30	44	84
1. SINGLE DX	1114	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	3249	6.1	43	1	2	4	7	11	16	40
A. NOT OPERATED	4017	4.7	19	1	1	4	6	9	11	20
B. OPERATED	346	12.8	160	2	3	9	15	29	44	82
TOTAL 0-19 YRS	1198	3.6	9	1	1	3	5	7	8	11
20-34	1239	4.1	17	1	1	3	5	7	9	19
35-49	627	5.6	34	1	2	4	7	10	15	35
50-64	586	6.9	44	2	2	5	8	13	19	42
65+	713	9.1	78	2	3	7	11	17	22	57
GRAND TOTAL	**4363**	**5.4**	**35**	**1**	**2**	**4**	**6**	**10**	**14**	**33**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	4.1	5	1	2	4	5	7	8	12
20-34	144	3.6	8	1	2	3	4	5	6	15
35-49	162	4.0	8	1	2	4	5	7	8	16
50-64	182	4.2	6	1	2	4	5	7	8	14
65+	191	4.6	6	2	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	19	5.6	51	1	1	3	5	16	23	28
35-49	25	3.6	11	1	1	2	4	10	11	14
50-64	34	3.5	9	<1	1	2	5	7	11	14
65+	39	3.4	15	1	1	2	4	6	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	3.8	8	1	1	3	5	7	8	15
20-34	632	5.1	30	1	1	4	6	10	13	24
35-49	901	5.6	27	1	2	5	7	10	12	26
50-64	1685	5.7	18	2	2	5	7	10	13	24
65+	2742	6.3	23	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	8	6.8	32	2	2	5	8	16	19	19
20-34	266	9.3	99	1	2	6	12	21	30	53
35-49	450	11.2	149	2	2	7	14	24	39	94
50-64	901	12.2	160	1	2	8	15	28	39	62
65+	1144	13.9	163	2	3	10	17	29	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	867	4.1	7	1	2	4	5	7	8	14
B. *Operated*	121	3.8	18	1	1	2	4	7	13	24
2. MULTIPLE DX										
A. *Not Operated*	6196	5.8	23	2	2	5	7	10	14	24
B. *Operated*	2769	12.4	155	2	2	9	16	27	40	64
1. SINGLE DX	988	4.1	8	1	2	3	5	7	8	15
2. MULTIPLE DX	8965	7.9	73	2	2	5	9	16	23	48
A. NOT OPERATED	7063	5.6	21	2	2	5	7	10	13	24
B. OPERATED	2890	12.1	152	1	2	8	15	27	39	63
TOTAL 0-19 YRS	436	4.0	7	1	1	3	5	7	8	14
20-34	1061	6.0	49	1	2	4	7	12	17	36
35-49	1538	7.1	68	1	2	5	8	14	21	46
50-64	2802	7.7	73	2	2	5	8	15	23	50
65+	4116	8.3	73	2	2	6	9	16	24	47
GRAND TOTAL	**9953**	**7.5**	**68**	**2**	**2**	**5**	**8**	**15**	**22**	**46**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	6	2.7		2	2	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.6	3	<1	<1	2	4	5	5	5
20-34	53	4.0	3	<1	1	4	5	6	7	7
35-49	9	3.4	4	<1	<1	4	5	6	6	6
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	2.6	5	<1	<1	2	3	7	8	8
35-49										
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	20	4.6	8	<1	1	4	6	7	10	14
20-34	176	4.3	4	1	1	4	6	6	8	9
35-49	42	4.9	2	3	3	5	6	7	8	10
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.4	30	2	2	3	3	13	19	19
B. *Operated*	77	3.6	3	<1	<1	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.7	5	<1	<1	2	3	7	7	8
B. *Operated*	241	4.5	4	1	2	4	6	6	8	10
1. SINGLE DX	86	3.7	6	<1	1	4	5	6	6	15
2. MULTIPLE DX	261	4.3	4	<1	1	4	6	6	8	10
A. NOT OPERATED	29	3.2	13	<1	<1	2	3	7	9	19
B. OPERATED	318	4.3	4	<1	1	4	5	6	7	10
TOTAL 0-19 YRS	36	4.1	13	<1	<1	4	5	6	12	19
20-34	252	4.1	4	<1	1	4	5	6	7	9
35-49	52	4.6	3	1	3	5	6	6	8	10
50-64	4	3.3	5	1	1	3	5	6	6	6
65+	3	3.0	7	1	1	2	5	6	6	6
GRAND TOTAL	**347**	**4.2**	**5**	**<1**	**1**	**4**	**5**	**6**	**7**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.9	23	<1	<1	1	3	6	8	31
20-34	59	2.4	2	<1	<1	2	3	5	6	7
35-49	42	2.7	2	<1	1	3	4	4	6	6
50-64	34	3.2	8	1	1	3	4	6	8	15
65+	41	3.3	8	<1	1	3	4	6	8	17
B. *Operated*										
0-19 YRS	9	4.6	14	<1	<1	4	7	11	11	11
20-34	14	4.3	5	2	2	4	5	8	9	9
35-49	15	3.6	2	2	2	4	4	5	6	7
50-64	17	4.5	9	<1	1	4	6	9	11	12
65+	11	5.0	16	1	1	4	6	10	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	3.2	22	<1	<1	1	3	8	12	24
20-34	195	3.6	23	<1	1	3	4	7	10	23
35-49	210	3.6	12	1	1	3	4	7	9	20
50-64	379	4.8	21	1	1	3	6	9	13	25
65+	972	5.3	24	1	1	4	7	10	13	23
B. *Operated*										
0-19 YRS	24	4.7	16	<1	1	4	6	10	13	16
20-34	53	8.7	57	1	2	8	10	14	27	40
35-49	63	5.9	14	1	2	5	8	10	15	17
50-64	115	6.8	26	2	2	5	9	14	16	26
65+	155	10.0	69	2	2	8	14	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	2.9	9	<1	<1	2	3	5	7	16
B. *Operated*	66	4.3	8	1	2	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1922	4.7	22	1	1	3	6	9	12	23
B. *Operated*	410	8.0	47	1	2	6	10	16	19	35
1. SINGLE DX	296	3.2	9	<1	1	3	4	6	8	16
2. MULTIPLE DX	2332	5.3	28	1	1	4	7	11	15	26
A. NOT OPERATED	2152	4.5	21	1	1	3	6	9	12	23
B. OPERATED	476	7.5	43	1	2	6	10	15	18	34
TOTAL 0-19 YRS	253	3.3	21	<1	<1	2	4	8	12	25
20-34	321	4.3	28	<1	1	3	5	9	13	29
35-49	330	3.9	11	1	1	3	5	8	10	17
50-64	545	5.1	21	1	1	4	7	10	14	24
65+	1179	5.9	32	1	1	4	7	11	15	26
GRAND TOTAL	**2628**	**5.0**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	22.0	433	9	9	11	37	46	46	46
B. *Operated*										
0-19 YRS										
20-34	3	6.7	4	5	5	6	8	9	9	9
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	8.0	52	2	2	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	15.4	313	1	2	8	23	47	58	61
20-34	26	7.3	68	1	1	4	9	17	23	40
35-49	28	12.5	202	3	3	8	14	30	39	71
50-64	67	7.5	32	2	3	6	10	14	17	31
65+	304	8.2	39	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	9	29.2	859	5	6	14	52	77	83	83
20-34	24	9.1	36	4	4	6	12	18	23	24
35-49	64	7.9	55	4	4	5	7	16	23	44
50-64	34	11.7	62	3	4	10	15	23	28	37
65+	86	11.4	80	3	3	10	14	19	22	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.5	167	<1	1	3	9	25	44	46
B. *Operated*	11	5.8	16	2	2	5	6	12	16	16
2. MULTIPLE DX										
A. *Not Operated*	465	8.9	77	2	3	7	10	16	25	50
B. *Operated*	217	10.9	110	3	4	7	13	20	25	70
1. SINGLE DX	22	7.1	89	1	1	5	8	12	28	46
2. MULTIPLE DX	682	9.5	88	2	3	7	11	18	25	55
A. NOT OPERATED	476	8.9	79	2	3	7	10	16	26	50
B. OPERATED	228	10.6	106	3	4	7	13	20	24	70
TOTAL 0-19 YRS	52	17.1	413	1	2	8	23	52	61	83
20-34	54	8.0	50	1	2	6	9	17	22	39
35-49	96	9.1	99	3	4	6	9	20	31	59
50-64	106	8.6	45	2	3	7	11	15	24	34
65+	396	9.0	52	2	3	7	11	16	21	39
GRAND TOTAL	**704**	**9.5**	**88**	**2**	**3**	**7**	**11**	**18**	**25**	**53**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	8.7	19	<1	2	9	12	14	17	19
20-34	23	9.7	14	2	5	9	13	14	15	16
35-49	2	15.5	145	7	7	15	24	24	24	24
50-64										
65+										
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	9.6	37	1	2	10	14	17	21	27
20-34	150	11.8	25	5	6	11	14	18	22	27
35-49	25	14.3	22	7	10	14	17	21	22	23
50-64										
65+										
B. *Operated*										
0-19 YRS	30	11.1	45	1	2	11	16	19	22	29
20-34	14	13.9	83	3	6	10	19	27	34	36
35-49	2	14.0	128	6	6	14	22	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	9.1	20	1	2	9	12	14	17	22
B. *Operated*	3	11.0	300	1	1	1	24	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	354	10.9	33	2	3	11	14	18	21	27
B. *Operated*	46	12.1	58	1	3	10	17	22	27	36
1. SINGLE DX	91	9.2	26	1	2	9	12	14	17	28
2. MULTIPLE DX	400	11.0	36	2	3	11	14	19	22	28
A. NOT OPERATED	442	10.5	31	2	3	10	14	17	21	26
B. OPERATED	49	12.0	67	1	2	10	17	22	29	36
TOTAL 0-19 YRS	273	9.6	36	1	2	9	13	17	20	29
20-34	187	11.7	28	5	6	11	14	19	22	31
35-49	31	13.5	38	1	4	14	17	22	23	24
50-64										
65+										
GRAND TOTAL	**491**	**10.7**	**34**	**1**	**3**	**10**	**14**	**18**	**21**	**29**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	10	1	1	3	5	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	7	4.6	5	2	2	4	5	8	9	9
20-34	84	5.6	3	3	4	5	7	8	9	10
35-49	97	5.5	3	3	4	5	7	8	8	10
50-64	16	6.3	5	3	3	6	8	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	16	2	2	4	6	12	14	14
20-34	11	9.5	184	<1	1	4	11	35	39	39
35-49	15	4.0	10	<1	<1	4	6	9	10	10
50-64	16	6.1	58	<1	1	4	7	16	26	30
65+	7	5.4	24	2	2	4	6	14	16	16
B. *Operated*										
0-19 YRS	8	6.4	1	5	5	6	7	8	8	8
20-34	169	7.7	15	4	5	7	8	11	13	24
35-49	326	8.1	42	4	5	7	8	11	14	27
50-64	87	9.7	82	4	4	8	10	13	21	61
65+	8	8.0	15	3	4	7	9	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	7	1	1	3	4	8	9	9
B. *Operated*	204	5.6	3	3	4	5	7	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	58	5.9	58	<1	<1	4	6	14	25	39
B. *Operated*	598	8.2	40	4	5	7	9	11	15	34
1. SINGLE DX	213	5.5	4	3	3	5	7	8	9	10
2. MULTIPLE DX	656	8.0	42	3	4	7	9	11	16	35
A. NOT OPERATED	67	5.6	52	<1	1	3	6	12	19	38
B. OPERATED	802	7.6	32	4	4	7	8	10	13	26
TOTAL 0-19 YRS	29	5.0	8	2	2	5	7	9	10	14
20-34	265	7.1	19	3	4	7	8	10	13	32
35-49	440	7.4	34	3	4	7	8	10	12	23
50-64	120	8.7	70	2	3	7	9	12	19	58
65+	15	6.8	20	2	2	6	9	16	16	16
GRAND TOTAL	**869**	**7.4**	**34**	**3**	**4**	**7**	**8**	**10**	**13**	**32**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.3	7	<1	<1	2	3	4	5	18
20-34	94	1.6	3	<1	<1	<1	1	3	4	10
35-49	54	3.3	28	<1	<1	<1	2	12	19	21
50-64	62	1.7	6	<1	<1	<1	1	3	6	16
65+	24	3.0	5	<1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	24	2.7	2	<1	1	2	4	5	6	6
20-34	53	2.2	3	<1	<1	1	3	5	7	7
35-49	58	2.2	4	<1	<1	1	3	4	6	11
50-64	31	2.1	2	<1	<1	1	3	5	5	6
65+	18	4.9	19	<1	1	3	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.2	25	<1	1	3	5	8	11	32
20-34	117	5.2	68	<1	<1	2	6	12	19	47
35-49	161	4.6	27	<1	<1	3	7	12	14	25
50-64	196	4.3	16	<1	<1	3	6	9	12	19
65+	267	7.0	33	1	2	5	9	13	16	31
B. *Operated*										
0-19 YRS	38	7.3	58	1	1	4	10	17	20	37
20-34	87	8.6	100	1	1	5	11	22	30	49
35-49	110	10.3	198	1	1	6	11	22	26	80
50-64	120	9.6	102	1	1	6	13	20	29	51
65+	106	8.6	47	1	2	7	12	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	2.2	9	<1	<1	<1	2	4	7	19
B. *Operated*	184	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	878	5.3	33	<1	<1	4	7	12	15	30
B. *Operated*	461	9.2	108	1	1	6	12	20	27	53
1. SINGLE DX	490	2.3	8	<1	<1	1	3	5	7	18
2. MULTIPLE DX	1339	6.6	62	<1	1	4	8	14	20	37
A. NOT OPERATED	1184	4.5	28	<1	<1	3	6	11	14	27
B. OPERATED	645	7.3	88	<1	1	4	9	18	23	50
TOTAL 0-19 YRS	271	4.0	25	<1	<1	2	5	8	13	31
20-34	351	4.6	55	<1	<1	2	5	11	19	38
35-49	383	5.7	82	<1	<1	3	7	14	20	46
50-64	409	5.3	47	<1	<1	3	6	13	17	41
65+	415	7.1	36	1	2	5	10	14	19	30
GRAND TOTAL	**1829**	**5.5**	**51**	**<1**	**<1**	**3**	**7**	**13**	**18**	**35**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.5	1	1	1	2	3	4	4	4
35-49	15	3.7	8	1	1	2	5	9	10	10
50-64	14	3.6	15	1	1	2	4	7	14	16
65+	18	3.7	7	<1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	6	4.7	28	<1	<1	3	5	14	15	15
65+	9	3.3	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.6	7	1	1	3	5	8	9	9
35-49	22	4.5	8	1	2	4	5	8	10	13
50-64	62	4.1	4	1	2	4	5	7	8	11
65+	208	5.3	19	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	8	4.1	6	<1	<1	4	6	7	7	7
50-64	19	5.2	11	1	1	4	8	10	11	12
65+	36	6.5	47	1	1	5	9	13	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.5	9	1	1	3	4	8	9	16
B. *Operated*	20	4.1	10	<1	1	4	5	7	11	15
2. MULTIPLE DX										
A. *Not Operated*	302	4.9	15	1	2	4	6	9	12	19
B. *Operated*	64	5.8	31	1	1	4	7	11	14	35
1. SINGLE DX	73	3.7	9	1	1	3	4	8	9	16
2. MULTIPLE DX	366	5.1	18	1	2	4	6	10	12	20
A. NOT OPERATED	355	4.7	14	1	2	4	6	9	11	19
B. OPERATED	84	5.4	26	1	1	4	7	10	14	31
TOTAL 0-19 YRS										
20-34	18	3.5	5	1	1	3	5	7	8	9
35-49	49	4.2	7	1	1	4	5	7	9	13
50-64	101	4.3	8	1	1	4	5	8	10	15
65+	271	5.3	22	1	2	4	6	10	14	21
GRAND TOTAL	**439**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	3	<1	1	2	3	5	6	9
20-34	28	2.4	2	<1	1	2	3	4	5	8
35-49	18	2.6	5	<1	1	2	3	5	8	10
50-64	28	2.4	2	<1	<1	2	3	4	5	7
65+	80	4.3	6	1	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1370	3.0	7	1	1	2	4	5	7	13
20-34	579	3.1	8	1	1	2	4	6	7	15
35-49	585	3.8	13	1	1	3	4	7	9	19
50-64	1203	4.7	18	1	1	4	6	9	12	19
65+	5692	5.9	26	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	37	8.5	77	1	2	5	12	17	25	45
20-34	53	5.5	26	1	1	4	8	14	18	21
35-49	67	6.7	104	1	1	4	7	14	19	69
50-64	133	10.1	125	1	2	7	12	22	30	61
65+	423	11.9	118	2	3	9	15	23	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.0	5	<1	1	2	4	6	8	11
B. *Operated*	8	4.0	7	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	9429	5.0	22	1	1	4	6	10	13	23
B. *Operated*	713	10.4	113	1	2	7	13	21	29	62
1. SINGLE DX	225	3.1	5	<1	1	2	4	6	8	10
2. MULTIPLE DX	10142	5.4	30	1	1	4	7	10	14	26
A. NOT OPERATED	9646	5.0	21	1	1	4	6	9	13	22
B. OPERATED	721	10.4	112	1	2	7	13	21	28	61
TOTAL 0-19 YRS	1471	3.1	9	1	1	2	4	5	7	15
20-34	662	3.2	10	1	1	2	4	6	8	16
35-49	671	4.0	23	1	1	3	5	7	10	21
50-64	1366	5.2	31	1	1	4	6	10	13	26
65+	6197	6.3	34	2	2	5	8	12	16	29
GRAND TOTAL	**10367**	**5.3**	**30**	**1**	**1**	**4**	**7**	**10**	**14**	**26**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6	1	1	1	1	2	4	4	4
20-34	9	2.7	7	<1	<1	1	3	7	9	9
35-49	31	2.3	3	1	1	2	3	5	6	7
50-64	14	3.0	6	<1	<1	3	4	7	9	9
65+	44	2.9	7	<1	<1	2	4	6	8	14
B. *Operated*										
0-19 YRS	3	8.0	49	1	1	8	13	15	15	15
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	8	5.5	17	2	2	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.3	3	1	1	3	4	7	7	7
20-34	58	4.0	42	<1	1	2	4	7	8	42
35-49	115	3.7	13	1	1	3	5	7	8	20
50-64	170	4.2	19	1	1	3	5	8	11	27
65+	757	4.8	19	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	7	4.4	4	2	2	4	6	7	7	7
20-34	22	4.5	16	1	1	3	5	11	14	16
35-49	47	5.2	11	2	2	5	6	10	11	18
50-64	59	5.9	14	2	2	5	7	11	13	20
65+	242	8.3	56	2	3	6	9	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	2.5	5	<1	<1	2	4	5	7	11
B. *Operated*	25	4.2	14	1	1	3	5	9	14	15
2. MULTIPLE DX										
A. *Not Operated*	1146	4.5	19	1	1	3	6	8	11	21
B. *Operated*	377	7.2	42	2	2	6	9	13	17	41
1. SINGLE DX	140	2.9	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	1523	5.2	26	1	1	4	6	10	13	27
A. NOT OPERATED	1261	4.3	18	1	1	3	6	8	11	19
B. OPERATED	402	7.1	41	2	2	6	8	13	17	41
TOTAL 0-19 YRS	73	3.2	6	1	1	3	4	7	7	13
20-34	94	3.9	30	<1	1	2	4	7	10	36
35-49	198	3.8	11	1	1	3	5	7	9	16
50-64	247	4.6	17	1	1	3	6	9	12	21
65+	1051	5.5	29	1	1	4	7	10	14	27
GRAND TOTAL	**1663**	**5.0**	**25**	**1**	**1**	**4**	**6**	**9**	**13**	**27**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.9	6	1	1	3	5	7	9	12
20-34	109	4.3	8	1	1	4	6	8	9	14
35-49	20	5.3	6	1	2	5	7	9	9	10
50-64	5	3.2	8	1	1	3	4	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.3	42	1	2	5	7	12	17	39
20-34	205	6.3	22	1	2	5	8	12	14	21
35-49	68	5.8	23	1	2	5	7	11	15	28
50-64	23	7.8	14	3	4	7	9	13	15	18
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	5	10.6	26	3	3	10	14	17	17	17
20-34	23	13.1	207	1	2	9	17	28	49	64
35-49	14	9.7	37	4	6	8	10	15	26	29
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	4.2	7	1	1	4	6	8	9	13
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	419	6.3	28	1	2	5	8	12	15	29
B. *Operated*	43	11.6	125	2	3	9	13	20	33	64
1. SINGLE DX	223	4.2	7	1	1	4	6	8	9	13
2. MULTIPLE DX	462	6.8	39	1	2	5	8	13	17	34
A. NOT OPERATED	640	5.6	22	1	2	5	7	10	13	21
B. OPERATED	45	11.3	122	2	3	9	13	19	32	64
TOTAL 0-19 YRS	213	5.5	29	1	2	4	7	10	14	31
20-34	339	6.1	34	1	2	5	8	11	15	27
35-49	102	6.3	23	1	2	5	8	10	14	29
50-64	29	7.0	15	1	3	7	8	13	14	18
65+	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**685**	**6.0**	**30**	**1**	**2**	**5**	**7**	**11**	**14**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.3	7	<1	<1	1	3	5	7	16
20-34	28	2.1	2	<1	<1	2	3	4	5	7
35-49	18	2.1	3	<1	<1	1	2	4	7	8
50-64	66	2.4	8	<1	<1	1	2	7	8	16
65+	172	1.7	3	<1	<1	1	2	3	6	9
B. *Operated*										
0-19 YRS	26	6.5	83	<1	1	5	6	8	26	47
20-34	13	4.7	5	1	2	5	6	7	9	9
35-49	11	4.8	16	<1	1	3	6	10	15	15
50-64	14	5.0	10	<1	1	4	7	9	12	13
65+	25	4.5	30	1	1	3	5	7	13	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	2.7	8	<1	<1	1	3	6	8	15
20-34	117	2.9	7	<1	1	2	4	6	8	12
35-49	202	3.6	17	<1	<1	2	5	8	11	23
50-64	438	3.8	17	<1	1	2	5	9	13	20
65+	1508	4.0	17	1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	72	8.8	125	1	1	5	10	26	36	89
20-34	56	5.6	24	1	1	4	8	13	15	23
35-49	60	8.8	158	1	1	5	9	21	34	72
50-64	151	7.0	47	1	1	5	8	15	20	36
65+	491	8.6	77	1	2	7	11	17	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	2.1	5	<1	<1	1	2	4	7	10
B. *Operated*	89	5.2	36	1	1	4	6	8	13	40
2. MULTIPLE DX										
A. *Not Operated*	2493	3.8	16	<1	1	2	5	8	12	20
B. *Operated*	830	8.2	79	1	2	6	10	17	25	49
1. SINGLE DX	490	2.6	12	<1	<1	1	3	6	7	16
2. MULTIPLE DX	3323	4.9	35	<1	1	3	6	11	15	29
A. NOT OPERATED	2894	3.5	15	<1	1	2	4	8	11	20
B. OPERATED	919	7.9	75	1	2	5	9	17	24	48
TOTAL 0-19 YRS	443	3.8	36	<1	<1	2	4	8	15	37
20-34	214	3.6	12	<1	1	2	5	8	10	17
35-49	231	4.6	49	<1	1	3	6	9	13	35
50-64	669	4.4	25	<1	1	3	6	10	14	24
65+	2196	4.9	34	1	1	3	6	11	14	28
GRAND TOTAL	**3813**	**4.6**	**33**	**<1**	**1**	**3**	**6**	**10**	**14**	**28**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	1	<1	<1	3	4	4	4	4
20-34	11	3.5	3	<1	1	4	5	6	7	7
35-49	4	3.8	5	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.3	19	1	1	3	8	11	15	17
20-34	27	4.6	20	1	1	4	6	9	13	23
35-49	11	3.6	9	1	1	3	4	8	12	12
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	12.3	16	8	8	13	15	16	16	16
B. *Operated*										
0-19 YRS	4	14.0	153	2	2	11	22	31	31	31
20-34	4	17.0	390	4	4	9	29	46	46	46
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.3	3	<1	1	3	4	5	6	7
B. *Operated*	4	5.8	9	2	2	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	62	4.9	19	1	1	3	7	11	14	22
B. *Operated*	9	14.3	218	2	3	9	18	40	46	46
1. SINGLE DX	27	3.7	4	<1	1	4	5	7	8	9
2. MULTIPLE DX	71	6.1	52	1	1	4	8	13	17	43
A. NOT OPERATED	85	4.5	15	1	1	3	5	9	12	21
B. OPERATED	13	11.7	165	2	2	7	13	34	44	46
TOTAL 0-19 YRS	31	5.9	38	1	1	3	8	12	17	31
20-34	45	5.5	53	1	1	4	5	9	15	46
35-49	16	3.8	7	1	1	3	5	6	10	12
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	12.3	16	8	8	13	15	16	16	16
GRAND TOTAL	**98**	**5.4**	**40**	**1**	**1**	**4**	**6**	**11**	**15**	**39**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.6	3	1	1	2	3	5	6	8
20-34	18	3.6	7	<1	1	3	5	6	10	12
35-49	9	3.0	3	1	1	3	4	5	5	5
50-64	23	5.5	81	1	1	2	6	10	23	44
65+	34	3.7	11	<1	1	3	6	8	9	17
B. *Operated*										
0-19 YRS	73	4.7	18	1	1	4	6	8	10	26
20-34	47	5.1	9	1	2	5	7	8	9	18
35-49	33	5.2	7	1	2	5	6	9	11	12
50-64	33	7.6	58	<1	1	7	8	15	24	40
65+	25	5.5	23	<1	<1	4	7	11	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	3.6	8	1	1	3	5	7	9	16
20-34	101	4.6	10	<1	1	4	6	8	10	18
35-49	145	5.1	16	1	1	4	6	10	12	22
50-64	281	5.1	20	1	1	4	7	9	12	21
65+	598	5.8	32	1	1	4	8	12	16	29
B. *Operated*										
0-19 YRS	87	7.4	79	1	2	5	8	14	22	54
20-34	97	7.1	37	2	2	5	8	13	18	39
35-49	105	8.9	69	2	2	7	11	15	29	43
50-64	159	9.7	70	2	3	7	12	19	29	47
65+	327	10.6	134	1	2	7	12	21	31	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.2	14	1	1	2	4	6	8	14
B. *Operated*	211	5.4	21	1	1	5	7	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	1309	5.2	23	1	1	4	7	10	14	26
B. *Operated*	775	9.4	95	1	2	7	11	18	29	55
1. SINGLE DX	413	4.3	19	1	1	3	6	8	10	22
2. MULTIPLE DX	2084	6.7	54	1	1	5	8	13	19	41
A. NOT OPERATED	1511	4.9	22	1	1	4	6	10	13	26
B. OPERATED	986	8.5	82	1	2	6	10	17	26	52
TOTAL 0-19 YRS	462	4.2	24	1	1	3	5	7	10	26
20-34	263	5.5	21	1	1	5	7	9	13	21
35-49	292	6.4	37	1	2	5	8	11	15	36
50-64	496	6.8	45	1	1	5	8	14	19	42
65+	984	7.3	70	1	1	5	9	15	21	51
GRAND TOTAL	**2497**	**6.3**	**49**	**1**	**1**	**5**	**8**	**12**	**18**	**40**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	262	1.5	1	<1	1	1	2	2	3	4
20-34	84	1.7	1	<1	1	1	2	3	4	6
35-49	12	2.6	6	<1	<1	2	3	6	9	9
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	297	3.0	1	1	2	3	4	4	5	6
20-34	114	3.2	1	2	2	3	4	4	6	7
35-49	15	3.5	1	2	2	3	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	4.3	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	2.1	2	1	1	2	3	4	5	7
20-34	44	2.1	2	1	1	2	3	4	5	7
35-49	5	2.2		2	2	2	3	3	3	3
50-64	6	3.2	10	1	1	2	4	8	9	9
65+	5	3.8	3	3	3	3	4	7	7	7
B. *Operated*										
0-19 YRS	160	3.6	4	2	2	3	4	6	7	14
20-34	98	4.2	4	2	2	4	5	7	9	12
35-49	11	4.2	1	2	2	4	5	6	6	6
50-64	5	7.0	11	3	3	7	8	12	12	12
65+	4	10.3	36	6	6	8	14	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	1.6	1	<1	1	1	2	3	3	5
B. *Operated*	430	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	203	2.2	2	1	1	2	3	4	5	7
B. *Operated*	278	4.0	5	2	2	3	5	6	7	14
1. SINGLE DX	791	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	481	3.2	5	1	1	3	4	6	7	12
A. NOT OPERATED	564	1.8	1	1	1	1	2	3	4	7
B. OPERATED	708	3.4	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	862	2.5	2	1	1	2	3	4	5	7
20-34	340	3.0	3	1	1	3	4	5	6	10
35-49	43	3.3	3	1	1	3	4	5	6	9
50-64	14	4.2	12	<1	1	3	7	9	11	12
65+	13	5.8	21	2	2	4	7	11	17	19
GRAND TOTAL	**1272**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.9	4	1	2	3	5	7	8	9
20-34	7	2.7	1	2	2	2	4	4	4	4
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.5	7	<1	<1	1	3	6	9	13
20-34	25	2.1	2	<1	<1	2	3	5	5	5
35-49	19	1.5	1	<1	<1	1	1	3	5	6
50-64	12	2.3	4	<1	<1	2	3	6	7	7
65+	11	2.2	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.1	5	1	2	4	5	8	9	10
20-34	13	2.7	2	1	1	2	4	5	5	5
35-49	6	4.0	7	2	2	3	5	9	9	9
50-64	5	5.0	7	1	1	5	6	8	8	8
65+	3	6.7	4	5	5	6	8	9	9	9
B. *Operated*										
0-19 YRS	32	4.9	10	<1	1	5	7	8	9	15
20-34	19	4.7	10	1	1	4	7	9	11	13
35-49	16	3.2	4	<1	<1	3	4	6	7	8
50-64	10	2.9	5	<1	<1	2	3	7	8	8
65+	13	4.3	34	<1	<1	2	5	11	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	3.9	4	1	2	3	5	7	8	9
B. *Operated*	120	2.2	4	<1	<1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	87	4.0	5	1	2	4	5	8	9	10
B. *Operated*	90	4.3	12	<1	<1	4	6	8	9	19
1. SINGLE DX	203	2.9	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	177	4.1	8	<1	1	4	5	8	9	14
A. NOT OPERATED	170	3.9	5	1	2	3	5	7	8	9
B. OPERATED	210	3.1	9	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	218	3.8	6	<1	1	3	5	7	9	11
20-34	64	3.1	6	<1	1	2	4	5	8	12
35-49	44	2.6	5	<1	<1	2	4	6	8	9
50-64	27	3.0	5	<1	<1	2	5	7	8	8
65+	27	3.7	19	<1	<1	2	5	8	11	22
GRAND TOTAL	**380**	**3.5**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	338	<1	<1	2	14	43	43	43
20-34	24	9.7	58	1	1	7	16	19	23	31
35-49	10	9.0	45	3	3	8	10	19	26	26
50-64	10	3.6	8	1	1	3	4	8	10	10
65+	21	6.5	41	<1	<1	3	14	16	18	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.3	39	<1	1	3	11	17	18	19
20-34	102	10.2	113	1	2	6	13	24	33	56
35-49	53	7.6	55	1	1	6	11	20	26	27
50-64	93	8.9	150	1	1	5	10	21	26	75
65+	261	7.6	61	1	2	5	9	16	22	42
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	8.5	61	3	3	14	78	99+	99+	99+
35-49	6	14.7	174	2	2	12	23	34	35	35
50-64	12	8.4	56	2	2	6	10	20	27	28
65+	17	13.7	214	2	3	10	15	20	51	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.8	63	1	1	5	11	18	19	41
B. *Operated*	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	524	8.3	86	1	2	5	10	18	25	43
B. *Operated*	38	11.7	142	2	2	9	15	26	53	99+
1. SINGLE DX	72	8.0	62	1	1	5	12	18	19	40
2. MULTIPLE DX	562	8.5	90	1	2	6	11	19	26	54
A. NOT OPERATED	594	8.2	83	1	1	5	11	18	25	43
B. OPERATED	40	11.8	135	2	3	10	15	25	49	99+
TOTAL 0-19 YRS	21	7.2	98	<1	<1	3	10	18	30	43
20-34	128	10.1	101	1	2	6	14	24	33	66
35-49	69	8.4	64	1	1	6	11	23	26	33
50-64	115	8.4	129	1	1	5	10	20	26	63
65+	301	7.9	69	1	2	5	10	16	21	42
GRAND TOTAL	**634**	**8.5**	**87**	**1**	**2**	**5**	**11**	**19**	**26**	**46**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.1	30	<1	1	1	1	2	4	38
20-34	75	3.0	13	<1	<1	2	4	6	9	22
35-49	25	7.2	107	1	2	3	7	21	34	45
50-64	24	5.5	18	1	1	4	9	11	14	15
65+	212	7.7	78	1	2	6	9	15	19	75
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	2.5	2	<1	<1	2	3	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	14.0	288	2	2	14	26	26	26	26
65+	9	4.5	9	1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	4.7	141	1	1	1	3	8	24	68
20-34	180	7.5	85	1	1	4	9	20	28	43
35-49	110	9.8	223	1	1	4	9	24	54	71
50-64	189	8.5	94	1	2	5	11	17	22	55
65+	1701	8.6	8[illegible]	2	2	6	10	18	25	64
B. *Operated*										
0-19 YRS	9	10.4	224	2	2	5	10	34	49	49
20-34	19	16.1	542	<1	1	4	24	59	71	74
35-49	11	18.9	570	2	3	8	23	61	77	78
50-64	20	12.2	125	1	2	9	20	35	67	99+
65+	142	13.7	185	2	3	10	17	29	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	5.4	59	1	1	3	7	13	16	40
B. *Operated*	19	4.6	33	<1	1	3	6	8	18	26
2. MULTIPLE DX										
A. *Not Operated*	2307	8.4	99	1	2	5	10	18	26	62
B. *Operated*	201	13.9	231	1	2	9	17	37	49	94
1. SINGLE DX	464	5.3	58	1	1	3	7	13	16	40
2. MULTIPLE DX	2508	8.8	112	1	2	6	10	19	28	69
A. NOT OPERATED	2752	7.9	94	1	1	5	9	17	25	60
B. OPERATED	220	13.1	221	1	2	8	16	31	48	92
TOTAL 0-19 YRS	247	3.7	96	1	1	1	2	5	13	49
20-34	280	6.8	104	<1	1	3	7	17	28	54
35-49	147	10.0	231	1	1	4	9	25	50	72
50-64	235	8.6	91	1	2	6	10	18	27	64
65+	2063	8.9	96	2	2	6	11	18	26	67
GRAND TOTAL	**2972**	**8.3**	**105**	**1**	**1**	**5**	**10**	**18**	**26**	**66**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+	10	5.8	14	1	1	5	9	11	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	20.5	61	15	15	20	26	26	26	26
50-64	8	10.6	53	3	4	9	13	23	26	26
65+	119	7.9	71	2	2	6	9	15	21	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	54.0		54	54	54	54	54	54	54
50-64	1	49.0		49	49	49	49	49	49	49
65+	10	13.7	475	3	3	6	11	44	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.6	20	1	2	6	9	14	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	129	8.2	72	2	2	6	10	16	23	37
B. *Operated*	12	20.0	607	3	4	7	31	60	73	75
1. SINGLE DX	11	6.6	20	1	2	6	9	14	15	15
2. MULTIPLE DX	141	9.2	124	2	3	6	10	17	24	75
A. NOT OPERATED	140	8.1	68	2	2	6	10	15	22	32
B. OPERATED	12	20.0	607	3	4	7	31	60	73	75
TOTAL 0-19 YRS										
20-34										
35-49	3	31.7	404	15	15	26	47	54	54	54
50-64	10	14.9	187	3	4	11	15	37	49	49
65+	139	8.1	96	2	2	6	9	15	21	76
GRAND TOTAL	**152**	**9.0**	**117**	**2**	**3**	**6**	**10**	**16**	**24**	**75**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	39	2.6	3	<1	<1	2	3	5	6	7
35-49	68	3.1	8	1	1	2	4	6	7	18
50-64	37	3.8	14	1	1	3	4	8	14	18
65+	10	4.5	8	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	48	<1	1	3	6	16	22	29
20-34	422	7.1	64	1	1	4	6	25	28	31
35-49	748	6.3	47	1	2	4	6	15	25	31
50-64	585	6.5	41	1	2	4	7	15	22	32
65+	301	8.5	60	1	2	6	12	20	22	37
B. *Operated*										
0-19 YRS	7	26.3	551	2	2	16	50	54	55	55
20-34	24	15.0	133	1	2	10	27	30	30	31
35-49	30	17.8	176	3	3	16	29	34	37	53
50-64	25	17.5	159	2	3	17	27	31	40	47
65+	23	16.6	50	5	8	17	21	26	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.2	8	<1	1	2	4	6	8	18
B. *Operated*	2	12.5	145	4	4	12	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	2078	6.9	51	1	2	5	7	19	25	31
B. *Operated*	109	17.4	158	2	3	17	26	31	38	54
1. SINGLE DX	161	3.3	10	<1	1	2	4	6	8	20
2. MULTIPLE DX	2187	7.4	62	1	2	5	7	21	27	34
A. NOT OPERATED	2237	6.6	49	1	2	4	7	17	25	31
B. OPERATED	111	17.3	157	2	3	17	26	31	38	54
TOTAL 0-19 YRS	34	9.3	210	<1	<1	3	11	31	51	55
20-34	485	7.2	67	1	1	4	6	25	28	31
35-49	847	6.5	54	1	2	4	6	17	26	31
50-64	648	6.8	49	1	2	4	7	17	23	33
65+	334	8.9	63	1	2	6	13	21	22	37
GRAND TOTAL	**2348**	**7.1**	**59**	**1**	**2**	**4**	**7**	**20**	**26**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.7	17	1	1	2	9	11	11	11
20-34	30	4.1	35	<1	<1	2	4	10	16	29
35-49	12	3.3	6	<1	<1	3	5	7	8	8
50-64	8	10.9	124	1	1	8	14	30	35	35
65+	9	5.4	22	2	2	4	6	13	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	25.0		25	25	25	25	25	25	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	12.9	305	1	2	6	12	45	57	95
20-34	338	6.9	45	1	2	5	7	14	25	31
35-49	130	6.0	32	1	2	5	6	10	17	33
50-64	102	7.8	56	1	2	5	10	17	28	34
65+	197	6.6	41	1	2	5	8	14	17	35
B. *Operated*										
0-19 YRS	11	37.3	667	4	6	36	61	70	75	76
20-34	15	18.1	190	3	3	13	31	34	37	38
35-49	4	18.5	286	4	4	17	33	36	36	36
50-64	8	14.5	76	5	6	12	19	29	31	31
65+	15	8.4	53	1	1	5	16	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	5.0	39	<1	1	3	5	12	17	34
B. *Operated*	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	833	7.3	66	1	2	5	7	15	27	44
B. *Operated*	53	18.8	327	2	3	12	30	39	62	76
1. SINGLE DX	69	5.3	44	<1	1	3	5	14	18	34
2. MULTIPLE DX	886	8.0	89	1	2	5	8	17	30	53
A. NOT OPERATED	901	7.1	65	1	2	5	7	15	27	44
B. OPERATED	54	18.9	321	2	3	13	30	39	62	76
TOTAL 0-19 YRS	86	15.1	392	1	2	6	20	53	66	91
20-34	383	7.1	55	1	2	5	7	16	29	34
35-49	146	6.1	40	1	2	5	6	11	20	34
50-64	119	8.6	65	1	2	6	11	19	30	36
65+	221	6.7	41	1	2	5	8	14	17	35
GRAND TOTAL	**955**	**7.8**	**86**	**1**	**2**	**5**	**8**	**17**	**30**	**52**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	12.8	125	1	2	10	17	31	37	54
20-34	919	10.2	90	1	2	7	14	21	27	53
35-49	489	9.9	75	1	2	7	14	20	24	45
50-64	138	11.9	122	2	3	9	15	22	30	48
65+	54	13.1	93	1	2	11	16	30	34	38
B. *Operated*										
0-19 YRS										
20-34	10	5.5	19	1	1	4	7	13	14	14
35-49	4	9.3	95	<1	<1	6	16	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	17.6	287	2	2	12	27	45	62	99
20-34	761	11.6	106	2	3	8	16	26	30	48
35-49	461	10.2	72	2	3	8	14	20	26	45
50-64	218	12.9	107	3	3	10	16	26	33	52
65+	84	14.3	105	3	4	13	20	24	28	60
B. *Operated*										
0-19 YRS	4	32.5	382	11	11	30	46	58	58	58
20-34	17	25.9	606	3	4	19	35	65	82	89
35-49	10	18.4	58	7	7	18	24	28	29	29
50-64	11	23.2	376	5	5	15	43	52	57	57
65+	5	21.2	78	10	10	22	26	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	10.5	90	1	2	8	14	21	28	52
B. *Operated*	14	6.6	38	<1	1	4	9	15	21	23
2. MULTIPLE DX										
A. *Not Operated*	1577	11.7	104	2	3	9	15	25	30	53
B. *Operated*	47	23.7	351	4	5	20	31	48	60	89
1. SINGLE DX	1689	10.4	90	1	2	8	14	21	27	52
2. MULTIPLE DX	1624	12.1	115	2	3	9	16	26	32	57
A. NOT OPERATED	3252	11.1	97	1	2	8	15	23	30	52
B. OPERATED	61	19.8	330	2	3	15	28	47	57	87
TOTAL 0-19 YRS	132	15.3	208	2	2	11	20	36	52	77
20-34	1707	11.0	104	1	2	8	15	23	30	54
35-49	964	10.2	74	2	2	8	14	20	25	45
50-64	367	12.8	123	3	3	10	15	26	33	54
65+	143	14.1	101	2	4	12	20	27	33	48
GRAND TOTAL	**3313**	**11.2**	**103**	**1**	**2**	**8**	**15**	**23**	**30**	**54**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	11.2	93	2	2	10	14	18	29	49
20-34	60	8.0	32	1	2	7	11	16	20	25
35-49	18	5.7	19	<1	1	5	7	13	15	15
50-64	10	8.2	107	2	2	4	9	25	35	35
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	15.4	180	3	4	13	18	33	48	59
20-34	66	11.0	165	1	2	8	12	19	29	76
35-49	21	8.8	36	2	2	8	12	17	21	25
50-64	5	11.2	58	4	4	9	16	23	23	23
65+	4	5.8	8	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	2	17.5	1	17	17	17	18	18	18	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	8.4	50	1	2	7	12	16	20	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	118	11.3	138	2	3	8	14	21	29	70
B. *Operated*	2	17.5	1	17	17	17	18	18	18	18
1. SINGLE DX	113	8.4	50	1	2	7	12	16	20	40
2. MULTIPLE DX	120	11.4	136	2	3	8	15	21	28	70
A. NOT OPERATED	231	9.9	97	2	2	7	13	18	23	60
B. OPERATED	2	17.5	1	17	17	17	18	18	18	18
TOTAL 0-19 YRS	46	13.2	136	2	3	11	15	22	43	59
20-34	128	9.7	102	1	2	7	12	18	21	69
35-49	39	7.4	30	1	2	6	11	15	17	25
50-64	15	9.2	88	2	2	5	13	23	32	35
65+	5	7.0	14	3	3	7	10	12	12	12
GRAND TOTAL	**233**	**9.9**	**96**	**2**	**2**	**8**	**13**	**18**	**23**	**60**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	15.6	235	1	2	10	21	38	48	69
20-34	1093	11.3	98	1	2	8	16	24	29	44
35-49	497	10.2	75	1	2	8	14	21	27	45
50-64	221	12.8	124	2	3	10	16	26	33	60
65+	44	12.9	119	2	3	9	16	33	37	44
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	12.8	191	4	4	7	14	37	40	40
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	19.3	297	2	2	15	30	45	58	99+
20-34	1073	12.9	146	2	2	9	16	28	37	67
35-49	597	12.1	125	2	2	9	17	25	34	62
50-64	249	13.6	136	2	3	10	18	27	35	54
65+	101	13.7	145	2	4	11	17	27	32	71
B. *Operated*										
0-19 YRS	6	36.8	337	10	12	36	46	63	65	65
20-34	36	18.8	182	3	4	17	28	36	88	99+
35-49	16	15.9	127	3	4	11	21	34	40	42
50-64	14	21.0	267	3	4	15	34	59	90	99+
65+	9	27.4	523	6	7	16	46	60	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1991	11.5	106	1	2	8	16	24	31	50
B. *Operated*	10	10.9	121	3	3	7	13	27	40	40
2. MULTIPLE DX										
A. *Not Operated*	2169	13.2	152	2	3	10	17	29	39	68
B. *Operated*	81	20.9	251	3	5	16	32	46	70	99+
1. SINGLE DX	2001	11.5	106	1	2	8	15	24	31	49
2. MULTIPLE DX	2250	13.5	157	2	3	10	18	29	39	72
A. NOT OPERATED	4160	12.4	131	2	2	9	16	27	35	60
B. OPERATED	91	19.8	245	3	4	15	31	46	69	99+
TOTAL 0-19 YRS	292	17.9	277	2	2	13	26	44	55	92
20-34	2208	12.2	124	1	2	9	16	26	34	60
35-49	1112	11.3	103	2	2	9	15	23	30	55
50-64	485	13.4	135	2	3	10	17	28	35	58
65+	154	14.3	166	2	3	10	18	32	38	69
GRAND TOTAL	**4251**	**12.6**	**134**	**2**	**2**	**9**	**17**	**27**	**36**	**64**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	25.8	326	2	3	32	44	90	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	30.8	561	1	2	48	66	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	25.8	326	2	3	32	44	90	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	30.8	561	1	2	48	66	99+	99+	99+
B. *Operated*	1	52.0		52	52	52	52	52	52	52
1. SINGLE DX	15	25.8	326	2	3	32	44	90	99+	99+
2. MULTIPLE DX	13	32.5	549	1	2	48	64	99+	99+	99+
A. NOT OPERATED	27	28.0	420	2	3	35	51	99+	99+	99+
B. OPERATED	1	52.0		52	52	52	52	52	52	52
TOTAL 0-19 YRS	28	28.9	424	2	3	39	52	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**28**	**28.9**	**424**	**2**	**3**	**39**	**52**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	16.4	390	1	2	9	25	50	80	99+
20-34	657	10.9	142	1	2	7	15	25	33	71
35-49	549	10.0	97	1	1	7	14	22	29	48
50-64	371	12.5	108	1	3	9	16	26	32	48
65+	368	13.9	142	2	3	11	18	28	35	59
B. *Operated*										
0-19 YRS										
20-34	2	21.0	392	7	7	21	35	35	35	35
35-49	4	15.8	138	4	4	13	23	32	32	32
50-64	3	11.3	82	1	1	15	17	18	18	18
65+	8	21.0	210	3	4	18	29	43	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	450	24.0	501	2	3	18	42	78	99+	99+
20-34	1474	12.3	155	1	2	8	16	28	39	66
35-49	1328	12.6	143	2	2	9	16	28	37	69
50-64	967	14.8	172	2	3	11	20	33	42	69
65+	1234	17.0	207	3	4	13	22	34	46	81
B. *Operated*										
0-19 YRS	10	23.1	518	2	3	25	41	84	99	99+
20-34	60	24.1	495	1	2	18	33	68	76	99+
35-49	60	22.2	352	2	3	19	39	60	99+	99+
50-64	61	25.8	496	3	5	21	36	59	86	99+
65+	77	27.2	412	4	6	21	38	57	67	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2147	12.0	152	1	2	8	16	27	36	72
B. *Operated*	17	18.1	168	2	3	15	28	34	43	48
2. MULTIPLE DX										
A. *Not Operated*	5453	14.9	206	2	3	11	20	34	47	91
B. *Operated*	268	24.9	437	2	4	20	37	62	81	99+
1. SINGLE DX	2164	12.0	152	1	2	8	16	27	36	72
2. MULTIPLE DX	5721	15.3	221	2	3	11	21	36	49	98
A. NOT OPERATED	7600	14.0	192	1	2	10	19	32	44	88
B. OPERATED	285	24.5	423	2	4	19	36	60	78	99+
TOTAL 0-19 YRS	662	21.7	478	1	2	14	37	70	99+	99+
20-34	2193	12.2	165	1	2	8	16	28	39	70
35-49	1941	12.2	141	1	2	9	16	27	37	70
50-64	1402	14.7	175	2	3	11	20	32	42	75
65+	1687	16.8	208	2	4	13	22	34	47	79
GRAND TOTAL	**7885**	**14.4**	**204**	**1**	**2**	**10**	**19**	**33**	**46**	**89**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	18.6	359	2	3	14	23	39	54	99
20-34	811	11.5	91	2	2	9	15	24	30	43
35-49	608	10.9	93	1	2	8	14	23	28	53
50-64	298	11.3	80	1	2	9	15	22	27	49
65+	99	15.1	205	1	2	11	18	31	45	71
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	18.0		18	18	18	18	18	18	18
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	23.5	841	3	3	23	44	44	44	44
65+	1	37.0		37	37	37	37	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	22.9	521	1	2	14	32	66	83	99+
20-34	846	13.6	141	2	3	11	18	28	36	57
35-49	724	12.1	98	2	3	10	16	25	32	46
50-64	544	13.6	134	2	3	10	18	27	37	57
65+	392	16.0	124	3	5	13	22	30	35	54
B. *Operated*										
0-19 YRS	4	38.5	1286	11	11	27	64	89	89	89
20-34	26	19.5	359	2	4	12	25	49	86	99+
35-49	32	25.9	274	4	9	23	31	46	64	78
50-64	27	22.0	223	6	7	20	27	36	54	74
65+	28	27.3	463	6	7	20	32	64	71	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1915	11.8	113	1	2	9	15	24	31	54
B. *Operated*	7	15.1	340	1	1	3	32	43	44	44
2. MULTIPLE DX										
A. *Not Operated*	2633	14.0	149	2	3	11	18	29	38	64
B. *Operated*	117	24.4	358	5	7	20	31	49	72	97
1. SINGLE DX	1922	11.8	113	1	2	9	15	24	31	54
2. MULTIPLE DX	2750	14.4	162	2	3	11	19	29	39	68
A. NOT OPERATED	4548	13.1	135	2	3	10	17	27	35	61
B. OPERATED	124	23.8	359	3	6	20	31	48	69	96
TOTAL 0-19 YRS	231	21.3	466	2	3	14	28	58	75	99+
20-34	1684	12.7	122	2	3	10	17	27	33	53
35-49	1366	11.9	105	1	2	9	15	24	31	51
50-64	871	13.1	123	2	3	10	17	25	35	53
65+	520	16.5	164	3	4	13	22	31	39	66
GRAND TOTAL	**4672**	**13.3**	**144**	**2**	**3**	**10**	**17**	**28**	**36**	**64**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	7.5	53	<1	1	5	10	18	22	34
20-34	249	7.3	67	1	1	5	9	16	21	46
35-49	148	7.4	59	1	1	5	10	17	23	35
50-64	74	9.1	62	1	1	7	13	19	26	36
65+	87	8.1	68	1	1	6	10	18	22	46
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	2	22.0	722	3	3	22	41	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	13.5	182	1	2	9	19	35	50	75
20-34	399	9.2	85	1	1	7	12	20	26	45
35-49	225	8.8	109	1	2	6	11	18	25	56
50-64	231	9.0	81	1	2	7	11	19	28	45
65+	651	9.2	90	1	2	6	12	21	27	50
B. *Operated*										
0-19 YRS										
20-34	13	11.1	67	2	3	9	16	22	29	31
35-49	7	18.4	281	1	2	14	26	46	50	50
50-64	24	11.9	122	2	3	9	13	22	42	48
65+	60	15.2	177	2	3	10	20	37	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	620	7.7	63	1	1	5	10	17	22	36
B. *Operated*	8	8.1	179	<1	1	4	5	30	41	41
2. MULTIPLE DX										
A. *Not Operated*	1614	9.4	97	1	2	6	12	21	28	51
B. *Operated*	104	14.1	157	2	3	10	18	32	42	56
1. SINGLE DX	628	7.7	64	1	1	5	10	18	23	38
2. MULTIPLE DX	1718	9.7	102	1	2	7	12	21	29	51
A. NOT OPERATED	2234	8.9	88	1	1	6	12	20	27	50
B. OPERATED	112	13.7	159	2	3	9	18	33	42	55
TOTAL 0-19 YRS	172	11.2	142	1	1	7	16	27	41	57
20-34	664	8.5	79	1	1	6	11	18	24	45
35-49	381	8.4	94	1	1	6	10	18	26	48
50-64	329	9.2	80	1	2	7	12	19	28	45
65+	800	9.6	97	1	2	6	12	21	28	50
GRAND TOTAL	**2346**	**9.2**	**93**	**1**	**2**	**6**	**12**	**20**	**27**	**50**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	225	<1	<1	2	3	14	48	58
20-34	88	4.0	21	<1	1	2	4	11	15	22
35-49	72	4.5	27	1	1	3	6	10	12	31
50-64	44	4.4	26	<1	1	2	5	11	15	25
65+	22	3.5	9	1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	12.7	426	1	1	3	7	49	59	79
20-34	231	6.6	83	<1	1	3	8	17	30	51
35-49	283	6.1	69	<1	1	3	7	14	21	45
50-64	195	5.3	34	1	1	3	7	11	17	29
65+	208	5.0	39	1	1	3	5	11	17	38
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	4.6	20	<1	<1	4	7	12	12	12
35-49	10	5.0	33	1	1	3	6	14	20	20
50-64	8	7.0	52	3	3	4	8	19	24	24
65+	8	5.8	15	1	1	5	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.3	34	<1	1	2	5	10	15	26
B. *Operated*	9	5.7	56	<1	<1	2	6	19	23	23
2. MULTIPLE DX										
A. *Not Operated*	953	6.1	74	1	1	3	7	14	23	47
B. *Operated*	32	5.7	28	1	1	4	8	11	19	24
1. SINGLE DX	249	4.4	34	<1	1	2	5	10	15	25
2. MULTIPLE DX	985	6.0	72	1	1	3	7	14	22	46
A. NOT OPERATED	1193	5.7	66	1	1	3	6	13	21	45
B. OPERATED	41	5.7	33	<1	1	4	8	12	21	24
TOTAL 0-19 YRS	52	10.8	359	<1	1	3	7	46	58	79
20-34	328	5.8	66	<1	1	3	6	15	25	41
35-49	367	5.8	59	1	1	3	7	13	19	41
50-64	248	5.2	33	1	1	3	6	11	17	27
65+	239	4.9	37	1	1	3	5	11	17	34
GRAND TOTAL	**1234**	**5.7**	**65**	**1**	**1**	**3**	**6**	**13**	**21**	**44**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	15.7	296	1	2	8	23	45	59	99+
20-34	234	6.5	42	1	1	4	9	15	19	29
35-49	164	6.8	63	1	1	4	8	19	22	43
50-64	74	8.6	171	1	1	4	10	17	31	78
65+	40	7.7	48	<1	1	6	11	17	25	26
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	24.3	104	17	17	20	32	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	22.1	479	2	3	15	39	64	89	99+
20-34	663	8.8	107	1	1	5	11	21	28	55
35-49	514	8.5	80	1	1	5	11	20	28	45
50-64	315	9.3	84	1	2	6	13	20	27	46
65+	277	9.2	90	2	2	7	11	21	27	48
B. *Operated*										
0-19 YRS	5	40.6	469	3	3	49	54	56	56	56
20-34	23	13.6	198	1	1	13	20	22	40	67
35-49	20	21.2	247	3	6	16	29	46	54	57
50-64	22	13.2	166	2	2	10	16	31	45	54
65+	23	16.0	187	4	5	10	24	31	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	8.2	108	1	1	5	10	20	28	59
B. *Operated*	7	14.7	124	2	3	11	19	33	36	36
2. MULTIPLE DX										
A. *Not Operated*	2048	10.7	165	1	2	6	13	26	40	87
B. *Operated*	93	17.2	242	2	2	13	21	41	54	65
1. SINGLE DX	601	8.3	108	1	1	5	10	20	28	59
2. MULTIPLE DX	2141	11.0	170	1	2	7	13	27	41	84
A. NOT OPERATED	2642	10.1	153	1	1	6	12	25	38	81
B. OPERATED	100	17.0	233	2	2	12	21	40	53	64
TOTAL 0-19 YRS	366	20.9	448	2	3	13	35	56	86	99+
20-34	921	8.4	94	1	1	5	11	20	26	51
35-49	700	8.5	85	1	1	5	11	21	28	47
50-64	412	9.3	104	1	2	6	13	20	29	52
65+	343	9.6	96	1	2	7	12	21	29	51
GRAND TOTAL	**2742**	**10.4**	**158**	**1**	**1**	**6**	**13**	**26**	**39**	**79**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	7.9	196	<1	<1	3	7	27	53	88
20-34	208	5.6	72	<1	1	3	6	13	21	63
35-49	105	5.0	32	<1	<1	3	7	13	17	27
50-64	36	7.0	92	<1	1	3	8	17	23	52
65+	25	5.4	48	<1	1	4	5	10	23	32
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	56	7.5	8	2	3	9	9	9	9	16
35-49	29	6.3	12	1	2	9	9	9	10	11
50-64	26	4.3	11	1	1	3	9	9	10	11
65+	6	3.3	7	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	15.6	412	<1	1	7	22	53	69	99+
20-34	754	7.6	115	1	1	4	8	17	29	64
35-49	366	8.3	120	1	1	4	10	21	31	64
50-64	162	5.7	33	1	1	4	7	13	17	30
65+	139	7.4	54	1	2	5	9	18	23	34
B. *Operated*										
0-19 YRS	15	9.8	100	<1	<1	5	18	28	29	29
20-34	53	10.8	160	1	2	7	11	24	39	67
35-49	47	11.3	119	1	2	9	13	24	36	53
50-64	27	9.3	367	1	1	4	6	9	71	81
65+	16	6.3	17	1	2	5	10	12	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	6.0	88	<1	1	3	7	14	22	64
B. *Operated*	119	6.3	11	1	2	9	9	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	1625	8.6	147	1	1	4	9	21	34	71
B. *Operated*	158	10.1	161	1	1	7	10	22	32	69
1. SINGLE DX	583	6.1	72	<1	1	3	9	12	20	60
2. MULTIPLE DX	1783	8.7	148	1	1	4	10	21	34	71
A. NOT OPERATED	2089	8.0	135	<1	1	4	9	20	32	70
B. OPERATED	277	8.5	100	1	2	7	9	14	25	64
TOTAL 0-19 YRS	311	13.0	344	<1	1	5	18	43	64	99+
20-34	1071	7.4	104	1	1	4	9	16	25	64
35-49	547	7.8	100	<1	1	4	9	18	27	60
50-64	251	6.1	75	1	1	4	7	12	18	52
65+	186	6.9	49	1	1	4	8	16	23	34
GRAND TOTAL	**2366**	**8.0**	**131**	**1**	**1**	**4**	**9**	**19**	**31**	**69**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	13.8	401	<1	<1	2	36	46	58	99+
20-34	360	10.3	114	<1	1	4	21	28	30	35
35-49	419	10.5	110	1	1	4	21	28	30	31
50-64	216	8.1	84	1	1	4	9	24	29	31
65+	49	7.6	62	1	1	4	9	21	22	35
B. *Operated*										
0-19 YRS	5	36.6	401	1	1	45	46	49	49	49
20-34	25	18.1	129	1	1	21	26	31	34	36
35-49	23	18.3	96	3	4	21	24	29	33	38
50-64	10	22.7	74	6	11	21	31	34	35	35
65+	5	10.4	111	1	1	7	17	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	30.7	403	1	3	30	45	56	68	95
20-34	2366	16.0	133	1	2	20	27	30	31	40
35-49	2703	14.5	131	1	2	13	24	30	31	40
50-64	2000	13.4	123	1	2	8	23	29	31	40
65+	1193	12.2	90	2	2	8	21	24	28	35
B. *Operated*										
0-19 YRS	27	39.3	209	6	22	45	47	55	60	61
20-34	111	19.8	126	1	2	22	29	31	33	44
35-49	114	18.3	192	1	2	21	28	31	36	80
50-64	108	20.8	154	3	4	22	28	33	43	59
65+	66	17.6	115	1	3	20	23	29	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1094	10.0	118	<1	1	4	21	28	30	37
B. *Operated*	68	19.7	149	1	3	21	27	35	43	48
2. MULTIPLE DX										
A. *Not Operated*	8629	15.0	148	1	2	13	24	30	32	48
B. *Operated*	426	20.6	178	2	3	21	29	34	45	60
1. SINGLE DX	1162	10.5	125	1	1	4	21	28	30	40
2. MULTIPLE DX	9055	15.3	150	1	2	14	25	30	33	49
A. NOT OPERATED	9723	14.5	147	1	2	11	24	30	32	47
B. OPERATED	494	20.4	174	1	3	21	28	34	45	60
TOTAL 0-19 YRS	449	29.4	424	<1	1	30	45	55	65	95
20-34	2862	15.5	134	1	2	17	26	30	31	40
35-49	3259	14.2	132	1	2	11	24	30	31	40
50-64	2334	13.3	126	1	2	8	23	29	31	41
65+	1313	12.3	92	2	2	8	21	25	28	36
GRAND TOTAL	**10217**	**14.8**	**150**	**1**	**2**	**13**	**24**	**30**	**32**	**48**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	54	11.5	113	1	2	6	20	30	30	31
35-49	14	16.2	179	1	2	15	28	35	39	40
50-64	4	5.8	1	5	5	6	6	7	7	7
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	19.1	103	3	3	21	27	28	28	28
20-34	233	15.1	121	1	3	12	26	30	32	37
35-49	103	16.2	141	2	3	12	27	32	35	45
50-64	26	15.7	107	1	2	15	27	29	30	30
65+	24	14.1	85	3	4	12	22	28	31	32
B. *Operated*										
0-19 YRS										
20-34	6	17.2	51	8	9	16	20	28	29	29
35-49	3	14.0	364	2	2	4	28	36	36	36
50-64	2	18.5	113	11	11	18	26	26	26	26
65+	3	10.7	46	3	3	13	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	12.1	123	1	2	6	21	30	30	39
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	395	15.5	122	2	3	13	26	30	33	40
B. *Operated*	14	15.3	100	2	3	14	20	30	35	36
1. SINGLE DX	72	12.1	123	1	2	6	21	30	30	39
2. MULTIPLE DX	409	15.5	121	2	3	13	26	30	33	40
A. NOT OPERATED	467	15.0	124	2	2	11	26	30	32	40
B. OPERATED	14	15.3	100	2	3	14	20	30	35	36
TOTAL 0-19 YRS	9	19.1	103	3	3	21	27	28	28	28
20-34	293	14.5	119	1	2	11	25	30	32	36
35-49	120	16.1	147	2	3	12	27	33	36	44
50-64	32	14.6	102	2	3	12	25	29	30	30
65+	27	13.7	80	3	3	12	21	27	31	32
GRAND TOTAL	**481**	**15.0**	**123**	**2**	**2**	**12**	**26**	**30**	**32**	**40**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	24.7	625	1	2	20	44	70	94	99+
20-34	108	12.8	147	1	2	6	24	30	32	44
35-49	25	13.2	188	1	1	5	22	36	39	42
50-64	3	18.3	108	10	10	15	26	30	30	30
65+	3	12.3	89	5	5	9	19	23	23	23
B. *Operated*										
0-19 YRS										
20-34	3	15.0	148	1	1	21	22	23	23	23
35-49	1	27.0		27	27	27	27	27	27	27
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	32.3	392	3	6	30	46	60	72	99+
20-34	566	19.2	139	2	3	22	28	31	36	46
35-49	176	17.7	145	1	2	21	28	31	35	45
50-64	59	15.9	145	1	2	13	25	33	40	45
65+	30	19.1	80	3	4	21	27	29	30	32
B. *Operated*										
0-19 YRS	14	44.3	370	7	15	46	55	68	73	74
20-34	24	22.3	63	7	10	22	29	31	33	34
35-49	9	23.2	163	3	7	[illegible]	30	42	45	45
50-64	3	23.0	211	8	8	[illegible]	34	37	37	37
65+	2	17.0	338	4	4	[illegible]	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	15.0	248	1	2	7	28	36	44	93
B. *Operated*	5	15.4	135	1	1	21	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	1091	21.9	233	2	3	22	30	41	50	76
B. *Operated*	52	28.2	262	4	9	26	35	50	62	74
1. SINGLE DX	173	15.0	244	1	2	7	27	35	44	93
2. MULTIPLE DX	1143	22.2	236	2	3	22	30	42	51	75
A. NOT OPERATED	1259	21.0	241	2	3	21	30	40	50	78
B. OPERATED	57	27.1	261	4	6	25	32	48	60	74
TOTAL 0-19 YRS	303	32.1	423	3	5	30	46	62	73	99+
20-34	701	18.3	143	1	3	21	28	31	35	45
35-49	211	17.4	153	1	2	20	28	32	37	45
50-64	66	16.2	144	2	3	13	25	35	39	45
65+	35	18.4	87	3	4	21	27	29	30	32
GRAND TOTAL	**1316**	**21.2**	**243**	**2**	**3**	**21**	**30**	**41**	**50**	**77**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	1.4	8	<1	<1	1	1	1	2	8
20-34	64	2.0	11	<1	<1	1	2	3	7	22
35-49	30	1.6	1	<1	<1	1	2	3	4	4
50-64	18	2.1	2	<1	<1	1	3	4	5	6
65+	10	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	11.9	394	<1	<1	1	13	46	58	72
20-34	192	3.2	30	<1	<1	1	3	6	15	29
35-49	114	4.7	50	<1	<1	2	4	11	25	31
50-64	68	3.5	12	1	1	3	5	8	9	21
65+	43	4.2	33	<1	1	2	6	8	12	35
B. *Operated*										
0-19 YRS	5	10.6	461	<1	<1	<1	13	49	49	49
20-34	10	3.8	56	<1	<1	1	3	14	25	25
35-49	8	5.0	45	<1	<1	3	5	16	21	21
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	3	8.7	114	2	2	3	16	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	1.6	7	<1	<1	1	1	2	4	11
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	578	6.0	146	<1	<1	2	4	16	32	64
B. *Operated*	28	5.8	115	<1	<1	1	4	21	27	49
1. SINGLE DX	272	1.6	7	<1	<1	1	1	2	4	11
2. MULTIPLE DX	606	6.0	145	<1	<1	2	4	18	32	62
A. NOT OPERATED	848	4.6	106	<1	<1	1	3	8	28	57
B. OPERATED	30	5.5	108	<1	<1	1	3	21	25	49
TOTAL 0-19 YRS	314	6.9	238	<1	<1	1	1	28	48	70
20-34	268	2.9	27	<1	<1	1	2	5	10	28
35-49	152	4.1	41	<1	<1	2	4	9	22	30
50-64	88	3.2	10	<1	1	2	4	7	8	18
65+	56	3.9	32	<1	1	2	4	8	14	34
GRAND TOTAL	**878**	**4.7**	**106**	**<1**	**<1**	**1**	**3**	**8**	**27**	**57**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	18.3	536	<1	<1	5	36	48	59	93
20-34	65	9.0	119	<1	1	3	12	29	31	35
35-49	20	6.8	66	<1	<1	4	6	21	27	28
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	31.9	480	1	2	33	47	59	71	88
20-34	339	13.5	138	1	1	9	24	29	30	41
35-49	89	12.7	122	1	2	7	21	30	30	38
50-64	20	12.3	159	1	1	7	19	26	41	52
65+	26	8.7	83	1	1	5	14	21	31	31
B. *Operated*										
0-19 YRS	11	36.1	585	6	7	32	63	78	97	99+
20-34	9	21.4	169	5	5	27	29	36	41	41
35-49	2	21.5	145	13	13	21	30	30	30	30
50-64	2	14.0	128	6	6	14	22	22	22	22
65+	2	21.0	72	15	15	21	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	11.0	235	<1	1	3	14	34	37	70
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	726	19.6	334	1	1	17	30	45	56	80
B. *Operated*	26	27.0	368	5	6	27	33	64	74	99+
1. SINGLE DX	121	11.0	233	<1	1	3	14	34	37	70
2. MULTIPLE DX	752	19.8	336	1	1	17	30	45	57	82
A. NOT OPERATED	846	18.4	328	1	1	13	29	44	55	80
B. OPERATED	27	26.2	374	5	5	27	32	64	72	99+
TOTAL 0-19 YRS	295	30.6	506	1	1	32	46	60	71	96
20-34	413	12.9	139	1	1	7	24	29	31	41
35-49	111	11.8	117	1	1	6	21	30	30	36
50-64	25	11.7	137	1	2	7	18	23	35	52
65+	29	9.3	89	1	1	5	15	25	31	31
GRAND TOTAL	**873**	**18.6**	**331**	**1**	**1**	**13**	**29**	**44**	**56**	**81**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.8	7	<1	1	2	3	5	9	11
20-34	33	2.6	6	<1	1	2	3	5	9	11
35-49	20	2.4	1	1	1	2	3	4	4	5
50-64	16	4.5	15	<1	1	3	6	12	12	12
65+	8	2.3	3	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	3	5.0	16	1	1	5	8	9	9	9
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49										
50-64	4	6.3	9	2	2	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.3	36	<1	1	2	4	14	20	26
20-34	89	4.2	18	1	1	3	5	9	11	26
35-49	99	5.0	115	1	1	3	4	8	15	74
50-64	70	4.2	29	1	1	3	5	9	11	36
65+	87	3.5	6	1	1	3	5	6	8	14
B. *Operated*										
0-19 YRS	5	8.2	40	<1	<1	6	13	17	17	17
20-34	12	5.6	21	2	2	3	9	13	14	14
35-49	8	4.4	14	2	2	3	5	11	13	13
50-64	6	9.3	115	2	2	6	10	28	30	30
65+	10	8.9	53	2	2	6	15	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.9	7	1	1	2	3	5	11	12
B. *Operated*	11	4.5	9	<1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	384	4.3	44	1	1	3	5	8	12	27
B. *Operated*	41	7.0	42	2	2	5	10	15	21	30
1. SINGLE DX	103	3.1	7	<1	1	2	4	7	10	12
2. MULTIPLE DX	425	4.5	44	1	1	3	5	9	14	28
A. NOT OPERATED	476	4.0	37	1	1	3	4	8	11	25
B. OPERATED	52	6.5	36	1	2	4	9	14	17	30
TOTAL 0-19 YRS	62	4.3	29	<1	1	2	5	12	16	26
20-34	138	3.9	16	1	1	3	5	9	11	23
35-49	127	4.5	91	1	1	3	4	8	13	66
50-64	96	4.6	31	1	1	3	5	10	12	36
65+	105	3.9	13	1	1	3	5	7	11	20
GRAND TOTAL	**528**	**4.2**	**37**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	7.4	107	<1	1	4	9	16	28	45
20-34	409	4.0	25	<1	1	3	4	8	13	27
35-49	248	4.1	29	<1	1	3	5	8	13	24
50-64	86	4.8	34	1	1	3	6	10	14	36
65+	45	5.6	27	1	1	4	7	12	14	30
B. *Operated*										
0-19 YRS	4	23.8	436	1	1	23	40	48	48	48
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	568	14.7	314	1	1	6	21	46	52	76
20-34	1166	5.3	52	1	1	3	6	11	17	34
35-49	721	5.0	34	1	1	3	6	11	15	29
50-64	261	5.4	42	1	1	4	6	10	17	37
65+	190	6.1	30	1	2	4	8	13	18	33
B. *Operated*										
0-19 YRS	20	18.6	829	<1	1	5	16	70	89	98
20-34	67	7.8	161	1	1	4	8	16	24	81
35-49	21	8.8	70	1	1	8	12	16	27	38
50-64	9	8.2	43	1	1	4	14	17	18	18
65+	17	11.4	74	3	4	7	17	23	29	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	4.9	47	<1	1	3	6	10	16	39
B. *Operated*	11	10.7	240	1	1	4	11	39	47	48
2. MULTIPLE DX										
A. *Not Operated*	2906	7.1	110	1	1	4	7	16	30	56
B. *Operated*	134	10.0	235	1	1	5	11	19	37	89
1. SINGLE DX	1027	5.0	49	<1	1	3	6	10	16	40
2. MULTIPLE DX	3040	7.3	116	1	1	4	8	17	30	59
A. NOT OPERATED	3922	6.6	95	1	1	3	7	14	25	51
B. OPERATED	145	10.1	234	1	1	5	11	20	40	88
TOTAL 0-19 YRS	820	12.8	280	1	1	5	15	42	50	77
20-34	1644	5.1	50	<1	1	3	6	11	17	34
35-49	992	4.9	34	<1	1	3	6	11	15	29
50-64	357	5.3	40	1	1	4	6	10	16	37
65+	254	6.4	33	1	2	5	8	14	20	32
GRAND TOTAL	**4067**	**6.7**	**100**	**1**	**1**	**3**	**7**	**15**	**26**	**52**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	22.0	458	1	1	13	41	53	61	98
20-34	217	11.8	312	1	1	4	13	40	57	99+
35-49	112	7.0	76	1	1	4	8	15	23	45
50-64	48	8.5	190	1	1	3	9	18	41	68
65+	38	8.1	102	1	1	5	9	17	36	46
B. *Operated*										
0-19 YRS	6	13.0	93	<1	<1	13	21	25	26	26
20-34	3	1.0		1	1	1	1	1	1	1
35-49	4	11.5	338	1	1	3	21	39	39	39
50-64	5	10.2	198	2	2	4	15	35	35	35
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	897	26.7	517	1	2	24	45	62	85	99+
20-34	715	10.8	234	1	1	5	11	29	45	89
35-49	457	10.1	189	1	1	5	11	26	37	74
50-64	269	9.2	152	1	1	5	10	21	39	65
65+	313	7.2	44	1	2	5	9	14	21	33
B. *Operated*										
0-19 YRS	23	34.3	628	<1	1	34	54	65	73	87
20-34	32	13.8	198	<1	2	9	28	96	99+	99+
35-49	38	13.0	260	1	2	7	17	42	65	99+
50-64	21	17.0	416	3	3	11	15	46	73	80
65+	27	9.4	47	2	2	7	13	18	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	15.7	371	1	1	6	23	48	56	92
B. *Operated*	19	9.5	146	<1	1	4	14	31	37	39
2. MULTIPLE DX										
A. *Not Operated*	2651	15.5	356	1	2	7	22	46	61	99+
B. *Operated*	141	16.6	346	1	2	10	27	56	74	99+
1. SINGLE DX	818	15.5	366	1	1	6	23	47	56	91
2. MULTIPLE DX	2792	15.5	356	1	2	7	23	47	62	99+
A. NOT OPERATED	3450	15.5	360	1	2	7	23	47	60	99+
B. OPERATED	160	15.7	327	1	2	9	24	54	69	99+
TOTAL 0-19 YRS	1310	25.4	505	1	2	21	44	59	76	99+
20-34	967	11.1	250	1	1	5	13	33	50	99+
35-49	611	9.7	174	1	1	5	11	24	35	74
50-64	343	9.6	175	1	1	5	11	22	40	68
65+	379	7.4	50	1	2	5	9	15	23	34
GRAND TOTAL	**3610**	**15.5**	**358**	**1**	**2**	**7**	**23**	**47**	**60**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	3	4.0	7	1	1	5	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.4	232	<1	1	3	23	45	86	99+
20-34	19	5.7	28	1	1	4	6	10	18	25
35-49	6	16.5	115	1	2	18	26	28	28	28
50-64	6	9.2	66	1	1	8	17	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.7	15	1	1	6	10	12	12	12
B. *Operated*	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	46	9.0	111	1	1	5	12	27	40	99+
B. *Operated*	7	5.1	6	1	1	6	7	8	8	8
1. SINGLE DX	8	5.9	13	1	2	5	8	11	12	12
2. MULTIPLE DX	53	8.5	99	1	1	5	10	26	37	98
A. NOT OPERATED	52	8.7	100	1	1	5	11	26	37	98
B. OPERATED	9	4.8	5	1	2	4	7	8	8	8
TOTAL 0-19 YRS	20	8.9	169	<1	1	3	11	41	70	99+
20-34	24	5.5	23	1	1	5	6	9	14	25
35-49	8	14.0	103	1	2	12	23	27	28	28
50-64	7	9.0	55	1	1	8	16	19	19	19
65+	2	6.5	1	6	6	6	7	7	7	7
GRAND TOTAL	**61**	**8.1**	**88**	**1**	**1**	**5**	**10**	**25**	**33**	**93**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	10.1	18	2	4	10	12	15	16	26
20-34	45	5.5	16	1	1	5	9	11	13	15
35-49	22	4.7	14	<1	1	3	8	11	12	13
50-64	12	6.6	37	3	3	5	7	14	23	25
65+	8	6.9	17	<1	1	7	10	12	13	13
B. *Operated*										
0-19 YRS	30	8.6	19	1	1	10	11	13	16	16
20-34	24	5.3	20	1	1	3	7	13	14	14
35-49	22	5.3	57	<1	1	2	7	12	24	34
50-64	16	2.9	4	1	1	2	4	6	7	8
65+	5	11.8	113	2	2	11	19	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	11.1	23	2	6	11	13	15	17	27
20-34	57	7.8	39	1	2	6	11	17	19	28
35-49	58	10.2	82	1	2	8	13	20	27	49
50-64	64	11.1	87	2	3	9	14	22	26	56
65+	61	14.2	137	3	4	13	17	29	47	95
B. *Operated*										
0-19 YRS	85	17.0	197	4	7	12	18	33	47	80
20-34	47	14.3	179	1	1	11	21	38	44	58
35-49	79	15.3	271	1	2	10	21	33	49	82
50-64	66	17.0	226	1	1	13	26	38	48	95
65+	46	21.1	338	2	2	16	27	45	62	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	9.0	22	1	2	10	11	14	15	25
B. *Operated*	97	6.2	34	1	1	4	10	13	16	31
2. MULTIPLE DX										
A. *Not Operated*	620	11.0	49	2	3	11	14	17	22	43
B. *Operated*	323	16.8	240	1	2	12	22	38	46	85
1. SINGLE DX	465	8.4	26	1	2	10	11	14	15	26
2. MULTIPLE DX	943	13.0	122	1	3	11	15	24	33	62
A. NOT OPERATED	988	10.3	40	2	3	10	12	16	19	35
B. OPERATED	420	14.3	212	1	1	11	17	32	44	77
TOTAL 0-19 YRS	776	11.3	44	2	4	11	13	16	19	39
20-34	173	8.6	81	1	1	6	12	19	25	45
35-49	181	11.1	169	1	1	7	14	29	35	67
50-64	158	12.4	153	1	1	9	17	30	38	69
65+	120	16.2	220	2	3	13	19	36	51	89
GRAND TOTAL	**1408**	**11.5**	**95**	**1**	**2**	**10**	**14**	**19**	**29**	**58**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	3	9.0	97	1	1	6	16	20	20	20
50-64	25	6.2	16	2	3	5	7	12	16	19
65+	39	6.1	17	1	1	6	8	10	15	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	6	7.0	27	2	2	6	7	16	17	17
50-64	69	8.5	39	1	2	6	11	17	21	32
65+	570	7.9	41	2	3	6	10	15	18	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	14.0	291	1	1	10	15	43	54	54
65+	57	17.0	187	3	4	12	25	40	50	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	6.3	19	1	2	6	8	12	16	21
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	650	8.0	41	2	3	6	10	15	19	35
B. *Operated*	66	16.4	197	2	4	12	23	40	51	93
1. SINGLE DX	69	6.2	19	1	2	6	7	12	16	21
2. MULTIPLE DX	716	8.7	61	2	3	7	10	16	24	44
A. NOT OPERATED	718	7.8	39	2	2	6	10	15	19	35
B. OPERATED	67	16.2	197	1	3	11	23	40	51	92
TOTAL 0-19 YRS	4	7.3	11	4	4	7	10	11	11	11
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	11	6.5	41	1	1	6	7	18	20	20
50-64	102	8.3	54	2	2	6	11	15	20	43
65+	666	8.6	59	2	3	7	10	16	24	43
GRAND TOTAL	**785**	**8.5**	**58**	**2**	**3**	**6**	**10**	**16**	**23**	**43**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	24	2	2	3	9	11	11	11
20-34	83	6.1	39	<1	1	4	9	15	20	27
35-49	101	7.1	34	1	1	5	10	16	18	24
50-64	49	7.4	28	1	2	6	11	17	20	99+
65+	8	6.8	34	1	1	4	11	15	17	17
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.1	7	1	1	2	4	7	9	11
35-49	29	2.8	5	1	1	2	4	6	7	10
50-64	8	5.5	42	1	1	2	9	16	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.9	21	<1	<1	6	10	12	12	12
20-34	118	8.7	53	1	2	7	11	18	26	34
35-49	204	11.0	137	1	2	8	14	21	29	69
50-64	117	9.0	45	1	2	8	12	17	23	33
65+	34	8.0	27	1	3	7	12	15	17	23
B. *Operated*										
0-19 YRS	2	17.0	338	4	4	17	30	30	30	30
20-34	27	8.3	192	1	1	4	9	17	34	71
35-49	45	13.8	296	1	2	9	19	35	71	99+
50-64	38	10.4	50	1	3	10	14	17	20	39
65+	10	14.4	40	3	5	14	20	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	6.8	34	1	1	5	10	16	19	25
B. *Operated*	59	3.2	11	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	482	9.7	85	1	2	8	12	19	25	54
B. *Operated*	122	11.6	176	1	2	9	15	25	37	91
1. SINGLE DX	303	6.1	32	1	1	4	9	15	18	24
2. MULTIPLE DX	604	10.1	104	1	2	8	13	20	27	66
A. NOT OPERATED	726	8.7	70	1	1	7	12	17	23	39
B. OPERATED	181	8.9	137	1	1	5	11	20	29	83
TOTAL 0-19 YRS	15	6.9	58	<1	1	4	11	12	25	30
20-34	249	7.3	62	1	1	5	10	16	22	30
35-49	379	9.7	126	1	1	7	13	20	28	71
50-64	212	8.8	43	1	2	8	12	17	21	38
65+	52	9.1	37	1	2	8	13	17	22	23
GRAND TOTAL	**907**	**8.7**	**83**	**1**	**1**	**6**	**12**	**18**	**24**	**62**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	2.2	5	<1	1	2	3	4	5	10
20-34	247	2.0	2	<1	1	2	2	4	5	8
35-49	121	2.1	3	<1	1	2	2	4	4	10
50-64	65	2.9	3	1	1	3	4	5	7	9
65+	60	3.2	12	<1	1	2	3	6	8	20
B. *Operated*										
0-19 YRS	10	8.2	184	1	1	5	7	27	46	46
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	7	3.7	24	<1	<1	1	5	12	14	14
50-64	5	2.8		2	2	3	3	3	3	3
65+	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	3.3	24	1	1	2	3	6	10	23
20-34	526	3.7	18	1	1	2	4	7	12	20
35-49	421	3.9	16	1	1	3	4	8	10	23
50-64	486	4.9	41	1	1	3	6	9	14	29
65+	813	5.8	27	1	2	4	7	12	17	26
B. *Operated*										
0-19 YRS	30	9.0	155	<1	1	3	8	29	33	52
20-34	54	8.8	113	1	1	4	12	24	26	59
35-49	43	7.1	136	1	1	3	7	12	25	66
50-64	63	10.4	173	1	2	6	11	21	39	71
65+	84	11.5	134	2	2	9	15	31	39	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	2.3	4	<1	1	2	3	4	5	10
B. *Operated*	28	5.1	72	1	1	3	5	8	17	46
2. MULTIPLE DX										
A. *Not Operated*	2837	4.4	27	1	1	3	5	9	13	25
B. *Operated*	274	9.8	142	1	2	6	12	24	35	64
1. SINGLE DX	885	2.3	7	<1	1	2	3	4	6	11
2. MULTIPLE DX	3111	4.9	39	1	1	3	6	10	16	30
A. NOT OPERATED	3694	3.9	22	1	1	3	5	8	12	22
B. OPERATED	302	9.3	137	1	1	5	11	23	34	63
TOTAL 0-19 YRS	995	3.1	24	1	1	2	3	6	8	26
20-34	830	3.5	22	1	1	2	4	7	11	24
35-49	592	3.8	23	1	1	2	4	7	10	24
50-64	619	5.2	53	1	1	3	6	10	15	34
65+	960	6.1	39	1	1	4	7	13	18	35
GRAND TOTAL	**3996**	**4.3**	**33**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	3.1	16	<1	1	2	4	6	8	62
20-34	147	4.2	18	1	1	3	5	9	12	25
35-49	113	3.9	12	1	1	3	5	9	12	15
50-64	81	4.4	16	1	1	3	6	11	13	16
65+	144	5.4	17	1	1	4	7	12	13	21
B. *Operated*										
0-19 YRS	109	3.9	12	1	1	3	5	8	10	20
20-34	153	5.0	49	1	1	3	6	9	13	53
35-49	148	4.2	20	1	1	3	5	9	12	25
50-64	92	4.4	26	1	1	2	5	12	16	24
65+	115	5.7	31	1	1	4	8	13	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	6.9	130	<1	1	3	6	19	38	99+
20-34	307	6.6	83	1	1	3	7	15	27	51
35-49	358	7.6	122	1	1	4	8	17	28	68
50-64	485	8.7	95	1	2	5	11	19	29	53
65+	1729	10.0	99	2	2	7	13	23	33	54
B. *Operated*										
0-19 YRS	245	7.8	132	1	1	4	8	20	31	83
20-34	264	9.8	182	1	1	5	13	26	44	99+
35-49	312	9.9	165	1	1	6	13	21	33	75
50-64	372	10.8	143	1	2	7	13	26	41	76
65+	680	12.2	118	2	2	9	16	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	4.3	17	1	1	3	5	9	12	22
B. *Operated*	617	4.7	29	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3126	8.9	104	1	2	5	11	21	32	59
B. *Operated*	1873	10.6	143	1	2	7	14	25	36	78
1. SINGLE DX	1211	4.5	23	1	1	3	6	10	13	24
2. MULTIPLE DX	4999	9.6	119	1	2	6	12	23	33	68
A. NOT OPERATED	3720	8.2	93	1	1	5	10	19	29	56
B. OPERATED	2490	9.1	122	1	1	6	11	22	31	70
TOTAL 0-19 YRS	710	6.2	98	1	1	3	6	15	25	90
20-34	871	6.9	100	1	1	4	7	16	26	56
35-49	931	7.4	112	1	1	4	9	16	25	68
50-64	1030	8.7	104	1	1	5	11	19	31	58
65+	2668	10.1	100	1	2	7	13	23	32	56
GRAND TOTAL	**6210**	**8.6**	**104**	**1**	**1**	**5**	**10**	**21**	**30**	**60**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	1.6	1	<1	1	1	2	3	4	6
20-34	261	2.7	4	1	1	2	3	5	7	10
35-49	197	3.0	6	1	1	2	4	6	8	11
50-64	69	3.0	8	<1	1	2	3	6	8	18
65+	17	2.8	5	1	1	2	3	5	8	10
B. *Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	25	3.0	11	1	1	2	3	6	9	17
35-49	22	2.8	4	1	1	2	3	5	8	8
50-64	12	1.6		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.1	2	1	1	2	3	4	5	9
20-34	353	3.7	15	1	1	3	4	7	10	21
35-49	311	4.0	13	1	1	3	5	7	10	17
50-64	213	3.6	13	1	1	3	4	7	8	20
65+	83	3.7	8	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	8	8.3	315	1	1	2	4	38	52	52
20-34	30	6.1	36	1	1	4	7	12	22	27
35-49	37	5.2	30	2	2	3	6	11	16	30
50-64	41	4.4	9	1	2	4	5	8	9	17
65+	11	4.0	7	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	2.7	5	<1	1	2	3	5	7	11
B. *Operated*	66	2.6	6	1	1	2	3	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	1030	3.7	13	1	1	3	4	7	9	16
B. *Operated*	127	5.2	39	1	2	3	6	9	15	35
1. SINGLE DX	709	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1157	3.9	16	1	1	3	5	7	10	21
A. NOT OPERATED	1673	3.3	10	1	1	2	4	6	8	15
B. OPERATED	19[illegible]	4.3	29	1	1	3	5	7	12	29
TOTAL 0-19 YRS	184	2.1	15	<1	1	1	2	4	5	8
20-34	669	3.4	12	1	1	2	4	7	9	17
35-49	567	3.7	12	1	1	3	5	7	9	17
50-64	335	3.5	11	1	1	3	4	7	8	17
65+	111	3.6	7	1	1	3	5	7	9	14
GRAND TOTAL	**1866**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.3		<1	<1	1	1	2	3	3
20-34	396	1.4	1	<1	<1	1	2	2	3	4
35-49	513	1.4	1	<1	<1	1	2	2	3	6
50-64	505	1.5	1	<1	<1	1	2	2	3	5
65+	339	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	9	3.7	28	<1	<1	1	4	13	17	17
50-64	22	2.1	2	<1	<1	2	3	4	5	5
65+	20	3.4	10	1	1	3	4	6	11	15
B. *Operated*										
0-19 YRS	13	1.2		<1	<1	1	1	2	2	2
20-34	154	1.9	2	<1	<1	1	2	3	5	10
35-49	249	1.9	2	<1	<1	1	2	4	5	8
50-64	333	2.1	2	<1	<1	2	2	4	5	8
65+	398	2.6	15	<1	<1	2	3	4	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.1	5	<1	<1	2	5	6	8	8
B. *Operated*	1763	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	54	2.8	9	<1	<1	2	3	5	7	17
B. *Operated*	1147	2.2	7	<1	<1	2	2	4	6	9
1. SINGLE DX	1774	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1201	2.2	7	<1	<1	2	2	4	6	10
A. NOT OPERATED	65	2.9	8	<1	<1	2	4	5	7	17
B. OPERATED	2910	1.8	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	23	1.2		<1	<1	1	1	2	3	3
20-34	555	1.5	1	<1	<1	1	2	3	3	6
35-49	774	1.6	2	<1	<1	1	2	3	4	7
50-64	864	1.7	2	<1	<1	1	2	3	4	7
65+	759	2.2	9	<1	<1	2	2	3	5	11
GRAND TOTAL	**2975**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	6.0	76	<1	1	3	7	14	20	53
20-34	92	5.0	26	<1	1	3	6	12	15	26
35-49	119	4.5	18	<1	1	3	6	10	12	21
50-64	100	6.1	65	<1	1	3	6	15	24	75
65+	63	4.7	30	<1	1	3	6	9	18	28
B. *Operated*										
0-19 YRS	66	2.8	13	<1	1	2	3	5	9	21
20-34	510	3.1	9	<1	<1	2	4	6	8	14
35-49	642	2.6	5	<1	1	2	3	5	7	12
50-64	471	2.5	5	<1	<1	2	3	5	7	11
65+	215	2.6	6	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.2	186	1	1	3	7	21	38	70
20-34	138	7.0	105	<1	1	3	8	16	30	64
35-49	189	5.4	17	<1	1	4	7	11	14	20
50-64	302	8.0	166	1	1	4	7	15	33	78
65+	478	6.7	50	1	2	5	8	13	19	43
B. *Operated*										
0-19 YRS	68	4.9	73	<1	1	3	5	9	15	93
20-34	468	4.6	23	1	1	3	6	9	11	29
35-49	519	4.7	28	1	1	3	6	9	12	23
50-64	483	5.9	82	1	1	3	6	12	19	57
65+	406	7.3	113	1	1	4	8	17	25	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	5.2	40	<1	1	3	6	11	17	33
B. *Operated*	1904	2.7	7	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1143	6.9	87	1	1	4	8	13	21	60
B. *Operated*	1944	5.5	61	1	1	3	6	11	17	57
1. SINGLE DX	2329	3.2	14	<1	<1	2	4	6	9	20
2. MULTIPLE DX	3087	6.0	71	1	1	4	7	12	19	59
A. NOT OPERATED	1568	6.5	74	1	1	4	7	13	20	52
B. OPERATED	3848	4.1	36	<1	1	3	5	8	12	33
TOTAL 0-19 YRS	221	5.1	76	<1	1	2	5	10	19	64
20-34	1208	4.3	28	<1	1	3	5	8	12	30
35-49	1469	3.9	17	<1	1	3	5	8	11	20
50-64	1356	5.2	77	<1	1	3	5	10	16	54
65+	1162	6.0	66	1	1	4	7	13	19	51
GRAND TOTAL	**5416**	**4.8**	**48**	**<1**	**1**	**3**	**5**	**10**	**14**	**40**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	46	3.5	4	1	1	3	5	6	7	9
20-34	149	3.6	7	1	1	3	4	7	8	14
35-49	157	3.5	4	1	1	3	5	6	8	9
50-64	397	3.6	3	1	2	3	4	6	6	10
65+	339	3.5	3	1	2	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	6	2.0	1	1	1	2	2	4	4	4
50-64	11	2.7	4	<1	<1	2	4	6	6	6
65+	7	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	43	3.9	4	1	1	4	5	7	8	9
20-34	153	4.6	7	1	2	4	6	7	9	15
35-49	184	4.5	5	1	2	4	6	7	9	12
50-64	559	4.3	5	1	2	4	5	7	8	11
65+	846	4.6	13	2	2	4	6	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	<1	1	2	2	2
B. *Operated*	1088	3.6	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	30	2.1	2	<1	<1	1	3	4	6	6
B. *Operated*	1785	4.5	9	1	2	4	6	7	9	13
1. SINGLE DX	1092	3.6	4	1	2	3	4	6	7	9
2. MULTIPLE DX	1815	4.4	9	1	2	4	5	7	9	13
A. NOT OPERATED	34	2.0	2	<1	<1	1	2	4	5	6
B. OPERATED	2873	4.1	7	1	2	4	5	7	8	12
TOTAL 0-19 YRS	91	3.7	4	1	1	3	5	7	8	9
20-34	308	4.1	7	1	1	4	5	7	9	14
35-49	348	4.0	5	1	2	4	5	7	8	11
50-64	967	4.0	5	1	2	4	5	6	8	11
65+	1193	4.3	10	1	2	4	5	7	8	13
GRAND TOTAL	**2907**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	17	2.0	3	1	1	1	2	4	7	8
B. *Operated*										
0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34	14	1.6	1	1	1	2	2	3	4	4
35-49	33	2.5	3	1	1	2	3	5	6	9
50-64	61	2.0	2	<1	<1	1	2	4	5	6
65+	102	2.2	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	35	2.6	9	<1	1	2	2	6	8	16
B. *Operated*										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	12	2.0	1	1	1	2	3	4	4	4
35-49	16	2.0	2	<1	1	2	3	4	5	5
50-64	56	2.4	4	<1	1	2	3	4	5	14
65+	201	3.1	11	1	1	2	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.8	2	<1	1	1	2	2	6	8
B. *Operated*	214	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	46	2.5	7	<1	1	2	3	5	7	16
B. *Operated*	291	2.8	8	1	1	2	3	5	7	15
1. SINGLE DX	240	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	337	2.8	8	1	1	2	3	5	7	15
A. NOT OPERATED	72	2.3	6	1	1	2	2	5	7	14
B. OPERATED	505	2.6	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	11	2.0	2	<1	<1	1	3	4	5	5
20-34	27	1.8	1	1	1	2	2	3	4	4
35-49	55	2.3	3	1	1	2	3	5	5	9
50-64	129	2.1	3	<1	1	2	3	4	5	8
65+	355	2.7	8	1	1	2	3	5	7	14
GRAND TOTAL	**577**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	5	1.2		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	7	1.4	1	1	1	1	2	3	3	3
35-49	22	1.9	1	<1	1	2	2	3	5	6
50-64	34	2.3	3	<1	1	2	2	5	6	8
65+	74	2.1	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	8	3.3	2	1	1	3	4	5	6	6
65+	28	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	10	2.1	2	<1	<1	2	3	4	5	5
20-34	24	3.9	22	<1	<1	3	4	6	14	24
35-49	18	3.4	7	1	1	3	4	6	10	12
50-64	52	3.6	6	1	1	3	5	7	9	10
65+	140	2.7	4	1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.8	2	1	1	1	2	4	5	5
B. *Operated*	141	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	42	2.6	2	1	1	2	3	5	6	7
B. *Operated*	244	3.0	6	1	1	2	3	6	7	12
1. SINGLE DX	152	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX	286	3.0	6	1	1	2	3	6	7	12
A. NOT OPERATED	53	2.4	2	1	1	2	3	4	5	7
B. OPERATED	385	2.7	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	16	2.1	2	<1	1	2	3	5	5	5
20-34	34	3.3	17	<1	1	2	3	5	9	24
35-49	44	2.5	4	1	1	2	3	4	6	12
50-64	97	3.1	5	1	1	2	4	6	8	10
65+	247	2.4	4	1	1	2	3	4	6	11
GRAND TOTAL	**438**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	16	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	249	1.5		<1	<1	1	2	2	3	3
50-64	1529	1.6	1	<1	<1	1	2	2	3	4
65+	6943	1.6	1	<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.0		<1	<1	<1	1	1	1	1
50-64	30	1.4		<1	<1	1	2	2	2	4
65+	247	1.9	5	<1	<1	1	2	3	5	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	186	1.8	1	<1	<1	2	2	3	4	4
50-64	1465	1.9	2	<1	<1	2	2	3	4	7
65+	8992	2.0	3	<1	1	2	2	3	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	8721	1.6	1	<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	285	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	10643	1.9	3	<1	1	2	2	3	3	7
1. SINGLE DX	8742	1.6	1	<1	<1	2	2	2	3	3
2. MULTIPLE DX	10928	1.9	3	<1	1	2	2	3	3	7
A. NOT OPERATED	306	1.8	4	<1	<1	1	2	3	5	11
B. OPERATED	19364	1.8	2	<1	<1	2	2	2	3	5
TOTAL 0-19 YRS										
20-34										
35-49	445	1.6	1	<1	<1	1	2	2	3	4
50-64	3027	1.7	1	<1	<1	2	2	2	3	6
65+	16198	1.8	2	<1	<1	2	2	2	3	6
GRAND TOTAL	**19670**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**2**	**3**	**6**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.4	1	<1	<1	1	2	2	3	4
20-34	24	1.5		<1	<1	1	2	2	3	3
35-49	41	1.4		<1	<1	1	2	2	3	3
50-64	49	1.5		<1	<1	1	2	2	3	3
65+	83	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	26	2.1	6	<1	<1	2	2	3	5	13
20-34	41	2.9	25	<1	<1	2	3	4	6	33
35-49	64	2.0	2	<1	1	2	2	4	5	7
50-64	129	1.9	1	<1	1	2	2	3	3	5
65+	254	2.0	1	<1	1	2	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	226	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	514	2.0	3	<1	1	2	2	3	4	6
1. SINGLE DX	228	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX	519	2.0	3	<1	1	2	2	3	4	6
A. NOT OPERATED	7	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	740	1.9	2	<1	<1	2	2	3	3	5
TOTAL 0-19 YRS	56	1.8	3	<1	<1	1	2	3	3	12
20-34	65	2.4	16	<1	<1	2	2	3	5	29
35-49	108	1.8	1	<1	<1	2	2	3	4	7
50-64	180	1.8	1	<1	<1	2	2	3	3	5
65+	338	1.9	1	<1	<1	2	2	3	3	5
GRAND TOTAL	**747**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**5**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34										
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	5	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	609	1.2		<1	<1	<1	1	2	2	2
20-34	95	1.5	2	<1	<1	1	2	2	2	9
35-49	74	1.4	1	<1	<1	1	2	2	2	5
50-64	35	1.3		<1	<1	1	2	2	3	3
65+	23	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	7	<1	<1	1	3	5	9	11
20-34	7	2.4	3	<1	<1	1	4	5	5	5
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	14	11.4	526	1	1	4	7	26	75	89
65+	30	4.4	9	1	1	4	6	9	11	13
B. *Operated*										
0-19 YRS	232	1.2	1	<1	<1	<1	1	2	2	3
20-34	50	1.5	1	<1	1	1	2	2	3	5
35-49	43	2.1	6	<1	<1	2	2	3	5	17
50-64	42	2.3	4	<1	<1	2	2	4	6	12
65+	49	3.2	28	1	1	2	2	5	10	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	2	1	1	2	3	4	5	5
B. *Operated*	836	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	74	4.8	111	<1	<1	2	5	8	12	72
B. *Operated*	416	1.7	5	<1	<1	1	2	2	3	11
1. SINGLE DX	850	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX	490	2.2	22	<1	<1	1	2	4	6	13
A. NOT OPERATED	88	4.4	94	<1	<1	2	5	8	11	62
B. OPERATED	1252	1.4	2	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	863	1.2		<1	<1	<1	1	2	2	3
20-34	152	1.6	2	<1	<1	1	2	2	3	5
35-49	125	1.6	3	<1	<1	1	2	2	3	9
50-64	93	3.3	88	<1	<1	2	2	6	7	59
65+	107	3.1	16	<1	1	2	3	7	9	23
GRAND TOTAL	**1340**	**1.6**	**9**	**<1**	**<1**	**1**	**2**	**2**	**3**	**9**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.8	2	<1	<1	<1	3	4	4	7
20-34	11	2.4	1	1	1	2	3	4	4	4
35-49	12	3.8	10	<1	<1	3	5	9	11	11
50-64	8	2.4	2	<1	<1	2	3	5	5	5
65+	19	2.8	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	81	1.9	4	<1	<1	1	2	4	6	12
20-34	156	1.9	1	<1	<1	1	3	4	4	7
35-49	205	1.7	1	<1	<1	1	2	3	4	5
50-64	196	1.7	1	<1	<1	1	2	3	4	7
65+	377	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.8	3	<1	<1	2	4	5	6	9
20-34	25	4.7	6	1	2	4	7	8	9	9
35-49	30	4.6	21	<1	<1	4	5	10	14	21
50-64	37	5.1	12	<1	1	4	7	9	13	16
65+	90	5.3	22	<1	1	4	7	10	11	29
B. *Operated*										
0-19 YRS	81	2.1	2	<1	<1	2	3	4	5	6
20-34	91	2.0	2	<1	<1	2	2	4	5	8
35-49	142	3.3	34	<1	<1	2	3	6	11	29
50-64	280	2.6	12	<1	<1	2	3	4	8	19
65+	795	2.6	5	<1	1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.2	3	<1	<1	1	3	4	6	8
B. *Operated*	1015	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	294	4.2	13	<1	<1	3	5	8	10	17
B. *Operated*	1389	2.6	9	<1	1	2	3	5	6	14
1. SINGLE DX	1173	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1683	2.9	10	<1	1	2	4	5	8	15
A. NOT OPERATED	452	3.5	11	<1	<1	3	4	7	9	14
B. OPERATED	2404	2.3	6	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	382	2.2	3	<1	<1	1	3	4	5	8
20-34	283	2.2	3	<1	<1	2	3	4	6	8
35-49	389	2.6	16	<1	<1	2	3	5	8	20
50-64	521	2.5	9	<1	<1	2	3	4	7	15
65+	1281	2.6	6	<1	<1	2	3	5	7	11
GRAND TOTAL	**2856**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	3.1	3	1	1	3	4	5	7	9
20-34	39	3.5	7	1	1	3	4	7	9	13
35-49	26	3.4	4	<1	1	3	5	6	7	9
50-64	27	3.4	8	1	1	3	4	6	10	14
65+	27	5.2	36	1	1	4	6	9	15	32
B. *Operated*										
0-19 YRS	59	2.1	4	<1	<1	1	2	5	6	10
20-34	128	1.5	1	<1	<1	<1	2	3	4	5
35-49	132	1.4	1	<1	<1	<1	1	2	3	8
50-64	165	1.9	2	<1	<1	1	2	3	5	8
65+	477	1.8	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	3.5	5	1	2	3	4	6	7	10
20-34	63	4.2	11	1	1	3	6	9	12	14
35-49	37	4.5	26	<1	1	3	5	8	14	29
50-64	74	3.8	6	1	1	3	5	7	9	11
65+	137	4.7	17	1	1	4	5	9	14	21
B. *Operated*										
0-19 YRS	83	4.6	18	<1	1	3	7	10	12	22
20-34	127	3.8	10	1	1	3	5	7	9	17
35-49	125	3.8	10	1	1	3	5	7	9	21
50-64	346	3.3	15	1	1	2	4	6	8	21
65+	876	3.0	9	<1	1	2	3	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.3	6	1	1	3	4	6	7	11
B. *Operated*	961	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	656	3.9	10	1	1	3	5	7	9	15
B. *Operated*	1557	3.3	11	<1	1	2	4	7	9	18
1. SINGLE DX	1355	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2213	3.5	11	1	1	2	4	7	9	17
A. NOT OPERATED	1050	3.7	8	1	1	3	4	7	9	15
B. OPERATED	2518	2.7	8	<1	<1	2	3	5	8	15
TOTAL 0-19 YRS	762	3.4	6	<1	1	3	4	6	8	11
20-34	357	3.0	8	<1	<1	2	4	6	9	15
35-49	320	2.9	9	<1	<1	2	4	6	8	16
50-64	612	3.0	11	<1	1	2	3	6	7	16
65+	1517	2.8	9	<1	1	2	3	5	8	15
GRAND TOTAL	**3568**	**3.0**	**8**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	9	1.2		<1	<1	1	1	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	57	1.2	2	<1	<1	<1	<1	1	1	10
35-49	30	1.4	2	<1	<1	<1	<1	2	4	9
50-64	23	1.8	1	<1	<1	2	2	4	5	5
65+	9	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	20	2.7	5	<1	<1	2	4	5	8	10
35-49	21	5.5	33	1	2	3	7	14	21	22
50-64	21	3.1	5	1	1	2	4	7	8	8
65+	42	4.9	42	1	1	3	4	10	19	32
B. *Operated*										
0-19 YRS	12	1.6		<1	<1	1	2	3	3	3
20-34	36	2.4	4	<1	<1	2	3	5	6	10
35-49	29	3.2	11	<1	<1	2	3	7	10	16
50-64	42	2.6	6	<1	<1	2	3	5	8	14
65+	39	3.2	8	1	1	2	4	6	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	127	1.4	2	<1	<1	<1	1	2	3	9
2. MULTIPLE DX										
A. *Not Operated*	112	4.0	25	1	1	3	4	8	11	31
B. *Operated*	158	2.7	7	<1	<1	2	3	5	8	14
1. SINGLE DX	148	1.4	2	<1	<1	<1	1	2	3	9
2. MULTIPLE DX	270	3.3	15	<1	<1	2	4	7	10	22
A. NOT OPERATED	133	3.7	22	1	1	2	4	7	10	30
B. OPERATED	285	2.1	5	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	32	1.6	1	<1	<1	1	2	3	3	5
20-34	119	1.8	3	<1	<1	<1	2	4	5	10
35-49	89	2.9	14	<1	<1	2	3	7	9	22
50-64	87	2.5	5	<1	<1	2	3	5	8	12
65+	91	3.8	24	1	1	2	4	7	11	31
GRAND TOTAL	**418**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.3	2	<1	1	2	3	4	5	8
20-34	9	3.1	5	1	1	2	5	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	2671	1.1	4	<1	<1	<1	<1	1	1	2
20-34	220	1.6	1	<1	<1	1	2	2	3	7
35-49	227	1.6	4	<1	1	1	2	2	3	4
50-64	190	1.5		1	1	1	2	2	3	3
65+	98	1.6	1	1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	888	2.6	4	<1	1	2	3	5	6	12
20-34	28	3.5	16	<1	<1	2	4	6	15	18
35-49	26	3.7	6	<1	<1	3	5	7	8	11
50-64	18	5.0	33	2	2	4	5	7	19	27
65+	30	5.1	13	<1	1	4	7	10	13	13
B. *Operated*										
0-19 YRS	1828	1.3	1	<1	<1	1	1	2	2	6
20-34	219	1.7	2	<1	1	1	2	3	3	8
35-49	215	1.9	3	1	1	1	2	3	4	10
50-64	250	2.1	5	<1	1	2	2	3	4	10
65+	120	2.1	3	<1	1	2	2	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	3406	1.2	3	<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	990	2.8	5	<1	1	2	3	5	7	14
B. *Operated*	2632	1.5	2	<1	<1	1	2	2	3	8
1. SINGLE DX	3598	1.3	3	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	3622	1.9	3	<1	<1	1	2	3	4	9
A. NOT OPERATED	1182	2.7	5	<1	1	2	3	5	6	13
B. OPERATED	6038	1.3	3	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	5567	1.4	3	<1	<1	<1	1	2	3	7
20-34	476	1.8	2	<1	1	1	2	3	4	8
35-49	469	1.9	4	<1	1	1	2	3	4	8
50-64	459	2.0	4	1	1	2	2	3	4	9
65+	249	2.3	4	<1	1	2	2	4	7	11
GRAND TOTAL	**7220**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	5	1	1	3	3	7	8	11
20-34	21	2.7	2	1	1	3	3	4	6	7
35-49	12	3.2	1	1	2	3	4	5	5	5
50-64	9	4.7	5	2	2	4	6	8	8	8
65+	3	13.0	192	5	5	5	23	29	29	29
B. *Operated*										
0-19 YRS	166	1.5	4	<1	<1	<1	1	2	5	11
20-34	35	1.8	3	<1	<1	1	2	4	6	8
35-49	35	2.4	8	<1	1	2	2	5	7	17
50-64	22	1.9	4	<1	<1	1	2	4	7	9
65+	14	4.0	32	<1	1	2	3	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	4.3	43	1	1	3	5	7	10	32
20-34	42	3.9	10	1	2	3	4	7	8	20
35-49	34	6.1	41	1	2	4	7	13	16	35
50-64	33	6.5	21	2	3	5	9	11	14	25
65+	48	12.6	222	2	3	8	12	33	51	66
B. *Operated*										
0-19 YRS	204	3.0	19	<1	<1	1	3	7	11	22
20-34	69	3.0	13	1	1	2	3	8	12	17
35-49	51	4.3	56	1	1	2	4	7	15	46
50-64	72	3.4	15	1	1	2	4	10	13	82
65+	54	6.2	42	1	1	3	10	17	24	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.5	11	1	1	3	4	6	7	22
B. *Operated*	272	1.8	6	<1	<1	1	2	3	6	17
2. MULTIPLE DX										
A. *Not Operated*	282	6.1	74	1	1	4	7	11	17	55
B. *Operated*	450	3.6	25	<1	<1	2	4	10	14	29
1. SINGLE DX	361	2.3	8	<1	<1	1	2	5	7	17
2. MULTIPLE DX	732	4.6	45	<1	1	2	5	10	14	43
A. NOT OPERATED	371	5.5	60	1	1	3	6	10	14	49
B. OPERATED	722	2.9	19	<1	<1	1	3	7	12	25
TOTAL 0-19 YRS	539	2.9	20	<1	<1	1	3	7	10	17
20-34	167	2.9	9	1	1	2	3	6	8	17
35-49	132	4.2	36	1	1	2	4	8	15	37
50-64	136	4.0	16	1	1	2	5	10	12	35
65+	119	8.7	126	1	1	5	11	23	32	76
GRAND TOTAL	**1093**	**3.8**	**34**	**<1**	**<1**	**2**	**4**	**8**	**12**	**33**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	4	1	1	2	4	6	6	6
20-34	48	2.2	1	1	1	2	3	4	4	5
35-49	116	2.4	3	1	1	2	3	5	6	9
50-64	176	2.2	4	1	1	2	3	4	6	11
65+	196	2.6	3	1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	11	1.5		<1	<1	1	2	2	2	2
20-34	63	3.1	6	1	1	2	4	7	9	11
35-49	103	2.8	5	1	1	2	3	6	8	12
50-64	68	2.8	3	1	1	2	4	5	6	7
65+	47	3.5	7	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	7	1	1	3	4	8	10	10
20-34	79	3.4	8	1	1	2	4	7	10	15
35-49	173	2.8	4	1	1	2	3	5	7	10
50-64	435	3.4	11	1	1	3	4	6	8	18
65+	992	3.7	8	1	1	3	4	7	9	15
B. *Operated*										
0-19 YRS	9	1.7	1	<1	<1	2	2	3	3	3
20-34	30	4.4	13	1	1	2	9	10	11	11
35-49	51	5.5	21	1	1	4	8	11	14	24
50-64	93	4.5	17	1	1	3	6	9	10	24
65+	94	5.6	15	1	2	4	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	2.4	3	1	1	2	3	5	6	9
B. *Operated*	292	2.9	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1690	3.5	9	1	1	3	4	7	9	16
B. *Operated*	277	5.0	16	1	1	4	7	10	12	19
1. SINGLE DX	835	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	1967	3.7	10	1	1	3	4	7	9	17
A. NOT OPERATED	2233	3.2	7	1	1	3	4	6	8	15
B. OPERATED	569	3.9	12	1	1	3	5	9	10	17
TOTAL 0-19 YRS	38	2.3	3	<1	<1	2	2	4	6	10
20-34	220	3.2	7	1	1	2	4	7	10	12
35-49	443	3.0	7	1	1	2	4	6	8	13
50-64	772	3.2	10	1	1	2	4	6	8	18
65+	1329	3.7	8	1	1	3	4	7	9	15
GRAND TOTAL	**2802**	**3.4**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.6	1	1	1	1	2	3	4	5
20-34	165	1.5	1	1	1	1	2	2	3	6
35-49	267	1.3		1	1	1	2	2	3	3
50-64	231	1.3		1	1	1	2	2	3	4
65+	107	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	61	1.4		1	1	1	2	3	3	3
35-49	73	1.7	1	1	1	1	2	3	4	6
50-64	93	1.8	2	1	1	1	2	3	4	9
65+	54	1.7	1	<1	1	2	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	791	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	5	5.4	32	<1	<1	2	11	13	13	13
B. *Operated*	290	1.6	1	1	1	1	2	3	3	6
1. SINGLE DX	793	1.4	1	1	1	1	2	2	3	4
2. MULTIPLE DX	295	1.7	2	1	1	1	2	3	3	9
A. NOT OPERATED	7	4.1	26	<1	<1	1	8	12	13	13
B. OPERATED	1081	1.4	1	1	1	1	2	2	3	4
TOTAL 0-19 YRS	30	1.6	1	1	1	1	2	3	3	5
20-34	228	1.5	1	1	1	1	2	2	3	5
35-49	342	1.5	1	1	1	1	2	2	3	4
50-64	326	1.5	1	1	1	1	2	2	3	5
65+	162	1.5	1	1	1	1	2	2	3	4
GRAND TOTAL	**1088**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	2	<1	<1	<1	1	3	4	7
20-34	11	2.5	3	<1	<1	2	3	5	7	7
35-49	17	3.1	3	1	1	3	3	6	8	8
50-64	14	3.0	2	<1	1	3	4	5	6	6
65+	9	3.7	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	447	1.3		<1	<1	1	2	2	2	3
20-34	320	1.4	1	<1	<1	1	2	2	3	5
35-49	248	1.5	1	<1	1	1	2	2	3	5
50-64	175	1.5	1	<1	<1	1	2	2	3	6
65+	97	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.6	7	<1	<1	<1	4	6	8	11
20-34	23	3.7	13	<1	<1	3	5	10	12	12
35-49	28	4.4	41	<1	<1	3	4	6	17	34
50-64	25	3.4	9	<1	1	3	4	7	11	14
65+	39	4.0	7	<1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	430	1.4	1	<1	<1	1	2	2	3	6
20-34	299	1.8	6	<1	1	1	2	3	4	14
35-49	257	1.6	1	<1	1	1	2	3	3	7
50-64	238	1.9	6	1	1	1	2	3	3	13
65+	158	2.0	3	<1	1	2	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.6	3	<1	<1	2	3	5	7	8
B. *Operated*	1287	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	142	3.7	15	<1	<1	3	4	7	11	17
B. *Operated*	1382	1.7	3	<1	1	1	2	3	3	7
1. SINGLE DX	1364	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1524	1.9	5	<1	1	1	2	3	4	11
A. NOT OPERATED	219	3.3	11	<1	<1	3	4	7	9	14
B. OPERATED	2669	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	930	1.4	1	<1	<1	1	2	2	3	6
20-34	653	1.7	4	<1	1	1	2	3	4	10
35-49	550	1.7	3	<1	1	1	2	3	4	7
50-64	452	1.9	4	<1	1	1	2	3	4	10
65+	303	2.1	3	<1	1	2	2	4	6	10
GRAND TOTAL	**2888**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.7	22	2	2	4	7	11	16	22
20-34	7	5.6	6	2	2	5	8	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	3	5.0	16	1	1	5	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.4	24	2	2	4	9	13	18	18
20-34	14	4.7	7	1	2	4	5	9	11	11
35-49	10	6.8	22	1	1	6	9	14	15	15
50-64	17	5.3	17	1	1	5	7	10	15	17
65+	27	6.8	12	2	3	6	9	12	13	14
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	8	12.4	101	1	2	10	19	28	30	30
35-49	11	6.0	15	1	1	6	10	11	11	11
50-64	19	7.6	37	<1	1	6	12	16	18	20
65+	15	8.5	69	1	1	6	14	18	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.5	17	2	2	4	7	10	14	22
B. *Operated*	7	6.6	18	1	1	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	93	6.1	17	2	2	5	9	12	14	18
B. *Operated*	54	8.6	55	1	1	7	12	18	24	30
1. SINGLE DX	42	5.7	17	1	2	4	8	10	13	22
2. MULTIPLE DX	147	7.0	32	1	2	5	10	14	18	30
A. NOT OPERATED	128	6.0	17	2	2	5	8	12	14	19
B. OPERATED	61	8.3	51	1	1	8	11	17	23	30
TOTAL 0-19 YRS	52	6.4	28	2	2	4	9	14	18	24
20-34	31	6.9	40	1	2	5	9	13	23	30
35-49	23	6.7	17	1	2	6	10	12	14	15
50-64	40	6.3	27	1	1	5	10	14	16	20
65+	43	7.3	31	1	2	6	10	14	16	30
GRAND TOTAL	**189**	**6.7**	**29**	**1**	**2**	**5**	**9**	**13**	**17**	**28**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	7	1.6	1	1	1	1	2	3	3	3
35-49	5	2.2	1	<1	<1	2	3	3	3	3
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	5	4.0	7	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	12	6.1	17	<1	1	7	10	11	12	12
20-34	19	4.7	13	1	1	3	8	10	11	11
35-49	45	4.1	13	1	1	2	7	10	11	14
50-64	53	4.8	18	1	1	2	10	11	12	13
65+	25	4.8	35	1	1	2	5	13	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	10	<1	<1	2	7	8	8	8
20-34	26	6.1	111	<1	1	3	6	12	25	54
35-49	69	3.8	9	<1	1	3	5	7	10	17
50-64	148	4.6	12	1	1	4	6	10	11	18
65+	269	6.2	20	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	10	9.8	208	1	1	5	9	33	48	48
20-34	48	7.1	61	1	1	5	11	15	19	44
35-49	187	8.3	56	1	1	8	11	16	20	34
50-64	389	9.6	65	1	1	9	13	20	25	37
65+	471	11.0	96	1	2	10	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.7	3	<1	1	2	4	6	7	7
B. *Operated*	154	4.7	18	1	1	2	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	518	5.4	21	1	1	4	7	10	12	20
B. *Operated*	1105	9.9	79	1	1	9	13	21	26	44
1. SINGLE DX	177	4.4	17	1	1	2	7	11	12	16
2. MULTIPLE DX	1623	8.4	65	1	1	7	12	18	23	42
A. NOT OPERATED	541	5.3	21	1	1	4	7	10	12	20
B. OPERATED	1259	9.2	74	1	1	9	13	19	25	44
TOTAL 0-19 YRS	31	6.5	77	<1	1	2	9	11	18	48
20-34	100	6.0	62	1	1	3	9	12	16	49
35-49	306	6.5	43	1	1	4	10	14	18	28
50-64	593	7.9	53	1	1	7	11	16	22	31
65+	770	9.1	73	1	2	7	13	19	25	44
GRAND TOTAL	**1800**	**8.0**	**62**	**1**	**1**	**6**	**11**	**17**	**22**	**41**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	20	1	1	2	9	11	11	11
20-34	27	2.7	3	<1	1	2	4	5	6	7
35-49	94	2.7	3	<1	1	2	3	5	6	10
50-64	120	2.9	5	<1	1	2	3	5	6	15
65+	87	2.9	2	1	1	3	4	5	6	7
B. *Operated*										
0-19 YRS	9	2.0	1	<1	<1	2	2	3	4	4
20-34	18	2.2	1	1	1	2	3	4	5	5
35-49	21	1.6	1	<1	<1	1	2	3	3	4
50-64	23	2.9	4	1	1	2	4	6	8	8
65+	17	2.7	4	<1	<1	2	4	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.4	7	1	1	3	4	7	10	11
20-34	131	3.5	10	1	1	3	4	6	7	19
35-49	459	3.8	7	1	1	3	5	7	9	14
50-64	818	4.2	17	1	1	3	5	8	10	15
65+	1141	4.9	24	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	8	3.6	8	1	1	3	5	8	9	9
20-34	39	5.3	41	1	1	4	6	10	13	40
35-49	94	5.2	21	1	1	4	7	9	13	27
50-64	148	5.7	32	1	2	4	7	12	17	23
65+	171	7.2	31	1	2	6	10	14	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	2.9	4	1	1	2	3	5	6	11
B. *Operated*	88	2.3	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	2575	4.4	18	1	1	3	5	8	11	17
B. *Operated*	460	6.1	31	1	2	4	8	12	17	26
1. SINGLE DX	421	2.7	3	<1	1	2	3	5	6	10
2. MULTIPLE DX	3035	4.6	20	1	1	4	6	9	12	20
A. NOT OPERATED	2908	4.2	16	1	1	3	5	8	10	16
B. OPERATED	548	5.5	28	1	1	4	7	11	15	25
TOTAL 0-19 YRS	48	3.3	7	1	1	2	4	8	10	11
20-34	215	3.6	15	1	1	3	4	6	8	21
35-49	668	3.8	9	1	1	3	5	7	9	15
50-64	1109	4.2	18	1	1	3	5	8	11	17
65+	1416	5.0	24	1	2	4	6	9	13	24
GRAND TOTAL	**3456**	**4.4**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	3.7	2	1	2	4	5	6	6	6
50-64	29	3.4	5	2	2	3	4	6	7	12
65+	59	4.0	6	1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	3.6	5	2	2	2	6	6	6	6
50-64	5	2.8	12	1	1	1	4	9	9	9
65+	7	3.4	10	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	11	5.1	12	1	1	4	7	11	11	11
35-49	95	4.7	11	1	2	4	6	10	12	65
50-64	301	5.8	19	1	2	5	7	11	14	24
65+	1389	6.5	24	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS										
20-34	8	6.3	18	2	2	5	9	13	14	14
35-49	26	6.4	34	1	1	4	10	14	17	27
50-64	98	6.8	43	1	1	5	9	15	21	33
65+	195	10.1	112	1	2	8	13	20	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.8	5	1	1	3	5	7	8	11
B. *Operated*	17	3.3	8	1	1	2	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	1799	6.2	23	2	2	5	8	11	15	25
B. *Operated*	327	8.7	85	1	2	6	11	18	24	40
1. SINGLE DX	123	3.7	5	1	1	3	5	7	8	11
2. MULTIPLE DX	2126	6.6	33	2	2	5	8	12	16	29
A. NOT OPERATED	1905	6.1	22	2	2	5	8	11	14	24
B. OPERATED	344	8.5	82	1	2	6	11	18	23	40
TOTAL 0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	19	5.6	14	1	2	5	7	11	13	14
35-49	144	4.9	15	1	2	4	6	10	12	31
50-64	433	5.8	24	1	2	5	7	11	15	26
65+	1650	6.8	35	2	2	5	8	13	16	29
GRAND TOTAL	**2249**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	6	3.2	9	<1	<1	2	3	8	9	9
35-49	6	2.3	6	1	1	1	3	7	7	7
50-64	11	2.8	2	1	1	3	4	5	5	5
65+	10	3.7	3	2	2	3	4	6	8	8
B. *Operated*										
0-19 YRS	4	6.8	21	2	2	6	10	12	12	12
20-34	18	4.2	20	<1	1	2	5	12	15	16
35-49	21	4.1	12	<1	<1	2	7	9	11	12
50-64	23	3.8	11	1	1	2	5	9	11	14
65+	16	4.4	15	<1	1	3	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	2	<1	<1	2	4	5	5	5
20-34	35	5.2	34	1	1	4	6	8	16	32
35-49	38	4.6	29	1	2	4	5	6	8	35
50-64	69	5.1	13	1	1	4	7	11	12	83
65+	179	7.2	37	2	2	5	9	15	18	31
B. *Operated*										
0-19 YRS	26	10.8	121	1	1	6	14	27	33	45
20-34	108	7.9	45	1	2	7	10	17	23	31
35-49	137	8.0	63	1	2	6	11	17	21	39
50-64	192	8.4	86	1	2	5	10	20	26	43
65+	189	10.9	124	2	2	8	14	24	31	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.2	5	1	1	3	4	7	8	9
B. *Operated*	82	4.2	14	<1	1	3	6	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	332	6.1	31	1	2	5	7	12	16	33
B. *Operated*	652	9.1	88	1	2	6	11	21	27	44
1. SINGLE DX	118	3.9	12	1	1	3	5	9	12	15
2. MULTIPLE DX	984	8.1	71	1	2	5	10	18	24	42
A. NOT OPERATED	368	5.8	29	1	2	4	7	11	16	33
B. OPERATED	734	8.5	82	1	2	6	11	19	26	43
TOTAL 0-19 YRS	44	7.9	87	1	1	4	12	20	28	45
20-34	167	6.7	41	1	1	5	8	15	22	31
35-49	202	6.8	53	1	1	4	9	15	19	35
50-64	295	7.0	63	1	1	5	9	16	23	43
65+	394	8.8	82	1	2	6	10	19	25	47
GRAND TOTAL	**1102**	**7.6**	**66**	**1**	**2**	**5**	**9**	**17**	**23**	**40**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	6	4	4	7	9	10	10	10
20-34	27	8.1	13	2	4	8	10	14	15	16
35-49	344	7.5	8	2	4	8	9	11	12	15
50-64	673	7.7	10	2	4	8	10	11	12	16
65+	595	7.8	9	2	4	8	9	11	12	17
B. *Operated*										
0-19 YRS										
20-34	11	8.3	12	2	3	8	11	13	14	14
35-49	111	6.6	14	1	2	7	9	12	12	17
50-64	171	8.1	20	1	2	8	11	13	16	22
65+	75	8.4	21	1	2	8	11	14	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.9	20	2	2	9	10	13	17	20
20-34	79	8.1	19	1	2	8	10	13	16	22
35-49	1089	8.1	14	2	3	8	10	12	14	21
50-64	3886	8.8	16	3	4	9	11	13	15	22
65+	7908	9.7	25	4	5	9	11	15	18	27
B. *Operated*										
0-19 YRS	6	7.7	28	1	1	6	14	14	14	14
20-34	64	8.5	26	1	2	8	12	16	18	19
35-49	806	8.7	35	1	2	8	11	15	19	30
50-64	2169	10.7	52	2	2	10	13	18	23	36
65+	2135	13.5	75	4	6	11	16	23	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1643	7.7	9	2	4	8	9	11	12	16
B. *Operated*	368	7.7	19	1	2	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	12982	9.3	21	3	5	9	11	14	17	26
B. *Operated*	5180	11.5	62	2	3	10	14	20	26	41
1. SINGLE DX	2011	7.7	11	2	3	8	10	11	13	17
2. MULTIPLE DX	18162	9.9	34	3	4	9	12	16	20	32
A. NOT OPERATED	14625	9.1	20	3	4	9	11	14	16	25
B. OPERATED	5548	11.3	60	2	3	10	14	20	25	40
TOTAL 0-19 YRS	30	7.7	18	2	2	7	10	14	14	20
20-34	181	8.3	20	1	2	8	11	14	17	19
35-49	2350	8.1	21	2	2	8	10	13	15	23
50-64	6899	9.3	28	2	4	9	11	14	18	29
65+	10713	10.4	36	4	5	9	12	16	21	33
GRAND TOTAL	**20173**	**9.7**	**32**	**2**	**4**	**9**	**12**	**15**	**19**	**31**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	2.4	2	<1	1	2	3	5	6	7
35-49	243	2.4	2	1	1	2	3	4	5	7
50-64	451	2.7	5	1	1	2	3	5	6	12
65+	403	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.5		1	1	1	2	2	2	2
35-49	79	2.4	5	1	1	2	2	5	7	13
50-64	160	2.6	7	<1	1	2	3	5	7	18
65+	80	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	7	1	1	3	4	6	10	12
20-34	56	3.0	3	1	1	2	4	5	7	8
35-49	917	3.1	6	1	1	3	4	6	7	11
50-64	3087	3.3	5	1	1	3	4	6	7	12
65+	5794	3.9	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	31	4.0	9	1	1	3	7	9	9	11
35-49	791	4.0	13	1	1	2	6	9	11	16
50-64	2539	4.5	23	1	1	2	7	10	13	20
65+	2156	5.6	34	1	1	3	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1118	2.6	3	1	1	2	3	5	6	8
B. *Operated*	325	2.5	5	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	9869	3.6	7	1	1	3	4	6	8	14
B. *Operated*	5521	4.9	26	1	1	3	7	11	14	21
1. SINGLE DX	1443	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	15390	4.1	14	1	1	3	5	8	11	18
A. NOT OPERATED	10987	3.5	7	1	1	3	4	6	8	13
B. OPERATED	5846	4.7	25	1	1	2	7	11	14	21
TOTAL 0-19 YRS	21	3.2	6	1	1	3	4	6	9	12
20-34	112	3.1	5	1	1	2	4	7	8	10
35-49	2030	3.3	8	1	1	2	4	7	9	14
50-64	6237	3.7	13	1	1	3	4	8	10	17
65+	8433	4.3	15	1	1	3	5	8	11	19
GRAND TOTAL	**16833**	**3.9**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.2	2	<1	<1	2	3	5	5	5
35-49	145	3.0	3	1	1	3	4	6	6	8
50-64	326	3.1	3	1	1	3	4	5	6	10
65+	367	3.3	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	43	3.7	8	1	1	3	5	7	9	13
50-64	110	3.7	9	1	1	3	6	8	9	15
65+	103	3.6	13	1	1	2	5	8	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.2	4	1	2	4	6	7	8	9
20-34	33	2.7	1	1	1	3	3	4	5	5
35-49	693	3.6	8	1	1	3	4	6	8	16
50-64	2597	3.9	8	1	2	3	5	7	8	14
65+	5702	4.5	8	2	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	21	4.5	8	1	1	4	5	9	10	11
35-49	590	6.1	33	1	1	5	9	12	14	22
50-64	2318	7.1	34	1	2	6	10	14	17	29
65+	2363	8.7	48	1	2	8	12	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	847	3.1	3	1	1	3	4	6	6	10
B. *Operated*	257	3.7	10	1	1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	9040	4.2	8	1	2	4	5	7	9	15
B. *Operated*	5295	7.7	41	1	2	7	11	15	19	30
1. SINGLE DX	1104	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX	14335	5.5	23	1	2	4	7	11	14	23
A. NOT OPERATED	9887	4.1	8	1	2	3	5	7	9	14
B. OPERATED	5552	7.5	40	1	2	6	10	15	18	30
TOTAL 0-19 YRS	18	4.1	5	1	1	4	6	8	9	9
20-34	64	3.2	4	1	1	3	4	5	8	11
35-49	1471	4.5	19	1	1	3	6	9	12	18
50-64	5351	5.2	22	1	2	4	7	11	13	21
65+	8535	5.6	23	1	2	4	7	11	15	23
GRAND TOTAL	**15439**	**5.3**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**22**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.4	2	1	1	2	3	5	5	5
35-49	35	2.5	2	<1	<1	2	3	4	5	5
50-64	60	3.0	6	<1	1	3	3	5	7	14
65+	55	3.1	4	1	1	2	3	7	8	8
B. *Operated*										
0-19 YRS	6	2.8	16	<1	<1	1	2	10	11	11
20-34	17	3.9	10	1	1	2	6	9	10	10
35-49	381	2.9	7	1	1	2	3	7	9	13
50-64	1099	3.0	9	1	1	2	3	8	10	14
65+	546	3.7	14	1	1	2	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	22	2.5	3	1	1	2	3	5	6	7
35-49	267	3.3	10	<1	1	2	4	6	8	14
50-64	930	3.8	13	1	1	3	5	7	9	17
65+	1839	4.9	18	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	11	4.6	17	<1	1	2	9	11	12	12
20-34	61	3.8	10	1	1	2	6	8	10	14
35-49	1644	4.7	20	1	1	2	7	10	13	20
50-64	5415	5.6	28	1	1	3	9	12	15	24
65+	4183	6.9	47	1	1	5	10	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.9	4	<1	1	2	3	5	7	12
B. *Operated*	2049	3.2	10	1	1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	3062	4.4	16	1	1	3	5	8	11	21
B. *Operated*	11314	5.9	35	1	1	3	9	13	16	26
1. SINGLE DX	2204	3.2	10	1	1	2	3	8	10	14
2. MULTIPLE DX	14376	5.6	31	1	1	3	8	12	15	25
A. NOT OPERATED	3217	4.3	16	1	1	3	5	8	11	20
B. OPERATED	13363	5.5	32	1	1	3	9	12	15	25
TOTAL 0-19 YRS	21	4.4	14	<1	<1	2	8	10	11	12
20-34	105	3.5	8	1	1	2	5	8	9	13
35-49	2327	4.2	17	1	1	2	6	9	12	19
50-64	7504	5.0	25	1	1	3	8	11	14	22
65+	6623	6.1	38	1	1	4	9	13	17	28
GRAND TOTAL	**16580**	**5.3**	**29**	**1**	**1**	**3**	**8**	**12**	**15**	**24**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	49	7.7	7	3	5	8	10	11	11	14
35-49	69	7.0	5	4	4	7	8	10	11	13
50-64	78	8.0	8	3	5	8	10	11	13	15
65+	84	7.9	8	4	5	7	9	11	13	20
B. *Operated*										
0-19 YRS										
20-34	12	9.3	34	4	5	8	8	18	25	26
35-49	24	8.2	10	3	4	8	10	12	14	15
50-64	18	8.1	7	2	6	9	9	11	12	13
65+	15	7.2	12	2	2	8	10	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.6	7	5	5	10	11	11	11	11
20-34	118	8.6	18	3	4	8	10	14	17	23
35-49	218	8.8	11	3	5	9	11	13	14	18
50-64	432	9.2	13	4	5	9	11	13	16	22
65+	988	10.2	23	4	5	9	12	16	19	29
B. *Operated*										
0-19 YRS	6	10.7	11	7	7	11	13	15	15	15
20-34	44	10.5	38	4	6	9	11	16	24	34
35-49	87	13.0	72	5	7	11	14	22	35	46
50-64	184	12.5	74	5	7	10	14	22	27	53
65+	298	13.5	70	5	6	11	16	23	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	7.7	7	3	5	7	9	11	12	15
B. *Operated*	69	8.1	14	2	4	8	10	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	1763	9.7	19	4	5	9	11	15	17	25
B. *Operated*	619	12.9	69	5	7	11	15	22	30	49
1. SINGLE DX	351	7.8	9	3	5	8	9	11	13	15
2. MULTIPLE DX	2382	10.5	34	4	5	9	12	16	21	36
A. NOT OPERATED	2045	9.4	18	4	5	9	11	14	17	24
B. OPERATED	688	12.4	65	5	6	10	14	22	28	48
TOTAL 0-19 YRS	15	9.8	8	5	5	10	12	13	14	15
20-34	223	8.8	21	4	4	8	10	14	16	30
35-49	398	9.3	27	4	5	9	11	13	16	36
50-64	712	9.9	31	4	5	9	11	15	19	30
65+	1385	10.8	35	4	6	10	13	17	21	36
GRAND TOTAL	**2733**	**10.2**	**32**	**4**	**5**	**9**	**12**	**16**	**20**	**34**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	15.7	184	3	3	14	26	30	30	30
20-34	3	13.0	148	5	5	7	22	27	27	27
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	26.9	252	3	8	24	41	44	57	66
20-34	50	17.4	163	2	4	14	27	37	44	48
35-49	45	17.6	124	3	5	15	27	32	38	42
50-64	49	19.4	256	2	3	15	29	42	46	85
65+	104	24.4	148	6	7	25	33	42	46	49
B. *Operated*										
0-19 YRS	8	24.1	418	5	6	19	30	58	69	69
20-34	42	26.8	283	5	7	26	40	46	54	79
35-49	36	29.3	221	10	11	29	39	46	48	80
50-64	42	31.9	423	5	11	30	44	55	75	93
65+	53	34.4	344	10	13	32	44	58	66	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	12.4	77	3	4	10	15	28	30	30
B. *Operated*	5	2.4	7	<1	<1	1	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	266	21.2	183	3	5	18	31	42	44	51
B. *Operated*	181	30.6	330	6	10	28	42	52	63	89
1. SINGLE DX	16	9.3	76	<1	<1	7	12	26	29	30
2. MULTIPLE DX	447	25.0	263	4	6	24	34	45	51	80
A. NOT OPERATED	277	20.8	181	3	5	17	30	41	44	51
B. OPERATED	186	29.8	342	5	8	28	42	52	61	88
TOTAL 0-19 YRS	31	23.5	299	<1	2	22	31	43	65	69
20-34	95	21.4	236	3	4	16	31	44	47	69
35-49	85	22.0	202	3	6	21	32	39	44	69
50-64	93	24.8	365	2	4	18	36	49	57	90
65+	159	27.5	238	6	9	27	35	46	52	79
GRAND TOTAL	**463**	**24.4**	**264**	**3**	**6**	**22**	**34**	**44**	**51**	**80**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.4	4	1	1	2	3	6	7	7
20-34	20	1.7	3	<1	<1	1	2	2	6	9
35-49	34	1.4		<1	<1	1	2	2	3	3
50-64	62	1.7	2	<1	<1	1	2	3	3	10
65+	49	2.0	2	1	1	2	2	4	4	8
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	5	3.2	15	1	1	2	4	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	9	<1	1	2	2	5	9	15
20-34	49	2.9	11	<1	<1	2	3	5	10	18
35-49	123	2.3	3	<1	1	2	3	4	6	9
50-64	296	2.8	4	1	1	2	3	5	6	10
65+	645	3.9	11	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS										
20-34	6	4.7	7	2	2	4	6	9	9	9
35-49	10	3.8	14	1	1	2	5	10	13	13
50-64	26	5.5	24	1	1	4	8	13	16	17
65+	64	10.2	102	2	2	8	13	19	26	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	1.8	2	<1	1	1	2	3	4	9
B. *Operated*	7	3.0	11	1	1	2	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1137	3.4	8	1	1	3	4	7	8	15
B. *Operated*	106	8.1	75	1	2	5	10	16	20	53
1. SINGLE DX	194	1.8	2	<1	1	1	2	3	4	10
2. MULTIPLE DX	1243	3.8	16	1	1	3	5	7	10	18
A. NOT OPERATED	1324	3.1	8	1	1	2	4	6	8	14
B. OPERATED	113	7.8	72	1	1	5	10	16	20	53
TOTAL 0-19 YRS	46	2.5	6	1	1	2	2	6	7	15
20-34	76	2.7	9	<1	<1	2	3	5	9	17
35-49	167	2.2	3	<1	1	2	3	4	5	9
50-64	389	2.8	5	1	1	2	3	5	7	13
65+	759	4.3	21	1	1	3	5	8	12	21
GRAND TOTAL	**1437**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	51	1.3		<1	<1	1	1	2	2	3
35-49	135	1.6	2	<1	<1	1	2	3	4	9
50-64	279	1.8	1	<1	<1	1	2	3	4	6
65+	328	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64	21	2.3	2	1	1	2	3	5	5	5
65+	12	3.7	10	<1	<1	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	4	<1	<1	2	3	5	7	10
20-34	121	2.2	3	<1	<1	2	3	4	5	9
35-49	303	2.7	6	<1	1	2	3	5	7	13
50-64	1373	3.2	7	<1	1	2	4	7	8	14
65+	4316	4.4	18	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	2.7	4	<1	<1	3	4	6	6	6
35-49	36	4.9	16	1	1	4	7	11	12	20
50-64	165	6.3	49	1	1	4	8	12	18	24
65+	443	8.1	52	2	2	6	10	15	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	41	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	6136	4.0	15	1	1	3	5	8	10	18
B. *Operated*	655	7.4	50	1	2	6	10	14	21	33
1. SINGLE DX	835	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	6791	4.3	19	1	1	3	5	9	11	21
A. NOT OPERATED	6930	3.7	14	1	1	3	5	7	10	17
B. OPERATED	696	7.1	48	1	2	5	9	14	20	33
TOTAL 0-19 YRS	29	2.1	4	<1	<1	2	2	4	5	10
20-34	181	1.9	2	<1	<1	1	2	4	5	7
35-49	479	2.6	6	<1	1	2	3	5	7	13
50-64	1838	3.3	11	<1	1	2	4	7	9	16
65+	5099	4.5	21	1	1	3	6	9	12	22
GRAND TOTAL	**7626**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.3	3	<1	<1	2	3	5	7	9
20-34	70	1.9	2	<1	<1	1	2	4	4	7
35-49	100	2.2	3	<1	1	2	2	4	5	10
50-64	179	2.6	3	1	1	2	3	5	7	10
65+	224	2.6	4	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	13	3.7	6	2	2	3	4	8	10	10
20-34	13	2.9	6	<1	<1	2	4	7	9	9
35-49	23	2.5	4	1	1	2	3	5	7	10
50-64	74	3.4	6	1	1	3	4	7	8	12
65+	222	3.8	5	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.0	8	1	1	2	4	6	8	17
20-34	236	3.0	9	<1	1	2	4	7	8	17
35-49	603	3.4	12	1	1	2	4	7	9	21
50-64	1555	3.9	12	1	1	3	5	7	10	17
65+	4840	4.9	19	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	44	8.2	96	1	1	5	10	19	25	54
20-34	56	10.3	225	1	2	6	10	21	65	98
35-49	157	6.2	61	1	1	4	8	13	17	46
50-64	693	6.8	54	1	2	5	8	14	20	36
65+	3047	7.3	46	2	2	6	9	14	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	345	3.6	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	7329	4.5	17	1	1	3	5	8	11	21
B. *Operated*	3997	7.2	51	2	2	5	9	14	19	39
1. SINGLE DX	967	2.8	4	1	1	2	4	6	7	10
2. MULTIPLE DX	11326	5.4	31	1	1	4	7	11	14	28
A. NOT OPERATED	7951	4.3	16	1	1	3	5	8	11	20
B. OPERATED	4342	6.9	49	1	2	5	8	13	18	39
TOTAL 0-19 YRS	201	4.0	31	<1	1	2	4	9	12	27
20-34	375	3.9	47	<1	1	2	4	7	12	41
35-49	883	3.7	21	1	1	2	4	7	11	23
50-64	2501	4.6	25	1	1	3	5	9	13	24
65+	8333	5.7	30	1	2	4	7	11	14	28
GRAND TOTAL	**12293**	**5.2**	**29**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	145	1	1	9	18	18	18	18
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	2.7	1	1	1	3	3	4	4	4
50-64	70	3.8	6	1	1	3	5	7	9	14
65+	465	4.4	8	1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	9	2.8	8	<1	<1	2	3	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.7	16	1	1	4	6	9	12	22
20-34	54	5.7	11	1	2	5	8	10	13	15
35-49	440	6.0	25	1	2	5	7	11	15	30
50-64	2886	6.2	28	2	2	5	8	11	15	26
65+	16634	6.7	26	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	24	9.4	84	1	2	7	12	31	51	99+
20-34	42	6.4	56	1	1	3	7	17	24	33
35-49	99	8.6	78	1	1	6	10	19	22	50
50-64	515	10.5	124	1	2	8	13	22	28	66
65+	1875	12.4	103	2	3	10	16	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	4.3	8	1	2	4	5	8	9	14
B. *Operated*	11	3.3	10	<1	<1	2	3	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	20138	6.6	26	2	2	5	8	12	16	26
B. *Operated*	2555	11.7	107	2	3	9	15	24	32	55
1. SINGLE DX	559	4.3	8	1	2	4	5	8	9	14
2. MULTIPLE DX	22693	7.2	38	2	2	6	9	14	18	32
A. NOT OPERATED	20686	6.6	26	2	2	5	8	12	15	25
B. OPERATED	2566	11.7	107	2	3	9	15	24	32	55
TOTAL 0-19 YRS	150	5.5	30	1	1	4	7	11	16	35
20-34	97	6.0	30	1	1	4	7	13	16	31
35-49	549	6.4	36	1	2	5	8	12	17	35
50-64	3473	6.8	44	2	2	5	8	13	17	32
65+	18983	7.2	36	2	2	6	9	14	18	31
GRAND TOTAL	**23252**	**7.1**	**37**	**2**	**2**	**6**	**9**	**13**	**18**	**32**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.2	5	<1	1	1	2	4	7	11
20-34	119	2.9	7	<1	1	2	3	5	8	15
35-49	164	2.8	3	1	1	2	3	5	6	9
50-64	126	2.8	4	1	1	2	3	5	6	10
65+	74	3.4	6	1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	39	2.3	3	<1	1	2	3	6	7	7
20-34	45	4.1	12	<1	1	2	6	9	11	15
35-49	99	3.1	10	1	1	2	3	8	9	16
50-64	155	3.8	14	1	1	2	6	9	11	17
65+	118	3.8	15	1	1	2	4	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.5	14	1	1	3	6	10	12	16
20-34	256	4.1	19	1	1	3	5	7	10	23
35-49	496	4.7	29	1	1	3	6	9	13	23
50-64	1044	5.3	19	1	2	4	7	10	13	24
65+	1836	6.6	29	2	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	73	5.7	79	<1	1	2	8	14	20	56
20-34	147	6.8	50	1	1	5	9	15	19	35
35-49	390	6.6	56	1	1	4	9	14	19	41
50-64	1044	7.2	54	1	1	5	10	15	21	34
65+	1371	9.5	92	1	1	8	13	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	2.9	5	1	1	2	4	5	7	12
B. *Operated*	456	3.5	13	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	3709	5.8	26	1	2	4	7	11	15	25
B. *Operated*	3025	8.1	73	1	1	6	11	18	24	40
1. SINGLE DX	963	3.2	9	1	1	2	4	7	9	15
2. MULTIPLE DX	6734	6.8	49	1	1	5	9	14	20	33
A. NOT OPERATED	4216	5.4	25	1	1	4	7	11	14	24
B. OPERATED	3481	7.5	68	1	1	5	11	16	23	38
TOTAL 0-19 YRS	213	4.2	35	<1	1	2	5	10	13	24
20-34	567	4.5	26	1	1	3	5	10	14	25
35-49	1149	4.9	35	1	1	3	6	10	14	26
50-64	2369	5.9	35	1	1	4	8	12	16	29
65+	3399	7.6	56	1	2	6	10	16	22	35
GRAND TOTAL	**7697**	**6.4**	**45**	**1**	**1**	**4**	**8**	**14**	**19**	**31**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	3.0	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	22	3.8	12	1	1	3	4	6	11	18
50-64	74	4.8	108	1	1	3	4	8	10	72
65+	267	6.1	44	1	2	4	7	12	15	38
B. *Operated*										
0-19 YRS										
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	28	5.2	32	1	1	3	7	13	17	26
50-64	81	5.3	19	1	1	4	8	11	13	19
65+	64	7.7	52	1	1	5	10	18	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	3	<1	<1	2	3	5	6	6
B. *Operated*	4	3.3	4	2	2	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	365	5.7	55	1	2	4	7	10	14	38
B. *Operated*	176	6.2	34	1	1	4	9	14	18	27
1. SINGLE DX	12	2.8	3	<1	1	2	3	6	6	6
2. MULTIPLE DX	541	5.9	48	1	1	4	7	12	16	34
A. NOT OPERATED	373	5.6	54	1	1	4	6	10	14	38
B. OPERATED	180	6.1	34	1	1	4	9	14	18	27
TOTAL 0-19 YRS										
20-34	5	3.8	17	1	1	2	5	11	11	11
35-49	51	4.5	23	1	1	3	5	9	16	26
50-64	159	5.0	60	1	1	3	6	10	12	20
65+	338	6.4	45	1	2	4	8	13	18	36
GRAND TOTAL	553	5.8	47	1	1	4	7	12	16	34

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	20.5	1	20	20	20	21	21	21	21
65+	3	4.0	27	<1	<1	1	8	10	10	10
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	22	15.4	122	1	1	14	18	33	39	44
35-49	30	11.2	53	1	1	11	17	22	24	24
50-64	22	15.1	120	2	2	13	23	29	38	42
65+	8	27.8	583	7	9	21	27	68	85	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	12.0	166	1	1	6	23	30	30	30
35-49	5	4.2	14	1	1	2	7	10	10	10
50-64	19	9.4	75	<1	1	6	15	27	64	99+
65+	37	13.5	107	1	3	14	18	24	26	57
B. *Operated*										
0-19 YRS	3	10.3	30	5	5	10	14	16	16	16
20-34	27	20.9	342	3	4	15	24	41	74	78
35-49	55	19.3	194	5	7	17	25	68	99+	99+
50-64	87	26.0	268	8	10	22	31	46	60	88
65+	50	24.9	364	4	7	20	33	55	65	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.0	62	<1	<1	3	10	20	21	21
B. *Operated*	84	14.9	150	1	2	13	20	27	35	71
2. MULTIPLE DX										
A. *Not Operated*	67	11.5	98	1	1	10	17	25	29	92
B. *Operated*	222	23.3	284	5	8	20	30	53	71	99+
1. SINGLE DX	94	14.1	146	1	1	13	20	25	34	67
2. MULTIPLE DX	289	20.5	265	2	4	17	26	43	65	99+
A. NOT OPERATED	77	10.9	94	<1	1	9	17	24	28	88
B. OPERATED	306	21.0	260	3	6	17	26	43	65	99+
TOTAL 0-19 YRS	6	11.2	16	5	5	11	15	16	16	16
20-34	57	17.1	235	1	2	14	22	35	43	78
35-49	92	15.4	159	1	2	13	22	41	90	99+
50-64	130	21.7	251	2	3	19	28	42	56	93
65+	98	20.2	308	1	3	16	24	40	57	89
GRAND TOTAL	383	18.9	243	2	3	16	24	40	57	99+

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	5	35.0	994	8	8	25	47	89	89	89
B. *Operated*										
0-19 YRS										
20-34	2	25.0	18	22	22	25	28	28	28	28
35-49	7	42.3	1071	1	6	44	83	98	99+	99+
50-64	5	40.0	664	13	14	48	70	97	99+	99+
65+	7	43.7	219	24	25	50	59	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	29.0	794	5	6	23	31	78	89	89
B. *Operated*	21	40.6	549	9	18	44	67	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	28	37.7	610	5	11	33	63	97	99+	99+
A. NOT OPERATED	7	29.0	794	5	6	23	31	78	89	89
B. OPERATED	21	40.6	549	9	18	44	67	99+	99+	99+
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	25.0	18	22	22	25	28	28	28	28
35-49	7	42.3	1071	1	6	44	83	98	99+	99+
50-64	6	34.2	735	5	7	33	68	94	99+	99+
65+	12	40.1	501	10	18	35	58	91	98	99+
GRAND TOTAL	**28**	**37.7**	**610**	**5**	**11**	**33**	**63**	**97**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19
50-64	10	5.9	15	<1	1	5	10	11	12	12
65+	43	6.9	28	<1	1	5	11	15	17	21
B. *Operated*										
0-19 YRS	7	8.3	29	3	3	8	13	16	17	17
20-34	17	7.4	23	1	2	8	12	13	15	16
35-49	15	5.9	26	<1	2	4	7	13	17	19
50-64	27	9.4	93	2	3	7	9	15	32	50
65+	76	10.1	37	4	5	9	12	19	25	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	39	<1	<1	2	6	16	19	19
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	22	8.4	37	<1	1	6	15	17	18	19
50-64	93	12.2	200	2	2	9	14	24	36	82
65+	388	11.4	83	2	3	9	14	23	29	48
B. *Operated*										
0-19 YRS	13	12.3	196	2	2	6	17	26	48	53
20-34	29	10.9	85	2	2	8	15	22	36	36
35-49	37	15.2	202	2	5	10	21	41	62	99+
50-64	77	16.6	242	4	4	11	21	37	64	94
65+	281	18.7	210	5	6	15	24	41	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	6.8	26	<1	1	5	10	14	17	21
B. *Operated*	142	9.1	46	2	3	8	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	513	11.3	102	2	3	9	14	23	29	54
B. *Operated*	437	17.3	210	3	5	13	22	38	53	99+
1. SINGLE DX	200	8.4	41	1	2	7	11	16	20	30
2. MULTIPLE DX	950	14.1	160	2	3	10	18	28	42	77
A. NOT OPERATED	571	10.8	96	1	2	8	14	21	28	52
B. OPERATED	579	15.3	182	3	4	11	19	32	48	96
TOTAL 0-19 YRS	30	9.0	107	1	1	5	15	18	19	53
20-34	50	9.4	61	1	2	8	13	18	22	36
35-49	75	11.4	131	1	2	8	16	22	41	93
50-64	207	13.2	200	2	3	9	16	27	46	82
65+	788	13.6	136	2	4	10	17	28	39	69
GRAND TOTAL	**1150**	**13.1**	**144**	**2**	**3**	**10**	**17**	**27**	**39**	**72**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34										
35-49	9	11.2	56	<1	2	9	15	23	24	24
50-64	44	16.2	186	4	5	12	19	29	45	73
65+	154	16.6	185	3	5	13	20	38	49	63
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	8	26.5	233	7	9	23	37	49	53	53
35-49	16	30.1	841	3	5	16	63	83	94	99+
50-64	19	23.2	371	6	7	15	27	51	65	75
65+	73	28.8	397	7	9	22	39	62	78	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	209	16.2	179	3	5	12	20	37	48	67
B. *Operated*	117	27.9	432	6	8	21	40	62	82	99+
1. SINGLE DX										
2. MULTIPLE DX	326	20.4	300	4	6	14	26	49	62	89
A. NOT OPERATED	209	16.2	179	3	5	12	20	37	48	67
B. OPERATED	117	27.9	432	6	8	21	40	62	82	99+
TOTAL 0-19 YRS	3	13.7	72	5	5	14	20	22	22	22
20-34	8	26.5	233	7	9	23	37	49	53	53
35-49	25	23.3	630	2	4	13	28	81	86	99+
50-64	63	18.3	247	5	6	13	22	43	52	75
65+	227	20.5	284	3	6	15	27	48	62	89
GRAND TOTAL	**326**	**20.4**	**300**	**4**	**6**	**14**	**26**	**49**	**62**	**89**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	7	3.1	4	<1	<1	3	5	6	6	6
65+	22	3.3	9	1	1	3	4	6	10	14
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	5.5	28	1	1	4	9	13	13	13
35-49	44	4.6	34	<1	1	3	5	8	16	32
50-64	390	3.9	17	1	1	3	5	7	8	15
65+	894	3.8	12	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	4.3	7	<1	1	4	6	8	9	9
50-64	67	3.9	19	<1	<1	2	5	8	11	26
65+	271	5.1	23	1	1	4	6	10	13	27
B. *Operated*										
0-19 YRS	6	11.5	121	1	1	9	23	25	25	25
20-34	7	8.7	93	1	1	8	10	25	29	29
35-49	117	4.6	16	1	1	4	6	9	10	22
50-64	1346	5.6	32	1	2	4	6	10	14	29
65+	3732	6.0	27	1	2	5	7	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.3	6	<1	1	3	4	5	8	14
B. *Operated*	1333	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	350	4.8	22	1	1	4	6	9	13	27
B. *Operated*	5208	5.9	28	1	2	5	7	11	15	29
1. SINGLE DX	1367	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX	5558	5.8	28	1	2	5	7	11	15	29
A. NOT OPERATED	384	4.7	20	1	1	4	6	9	12	26
B. OPERATED	6541	5.5	26	1	1	4	7	10	14	26
TOTAL 0-19 YRS	7	10.0	116	<1	<1	4	21	25	25	25
20-34	12	7.3	61	1	1	5	9	18	27	29
35-49	177	4.6	19	1	1	4	6	9	10	30
50-64	1810	5.2	28	1	1	4	6	9	13	26
65+	4919	5.6	25	1	1	4	7	10	14	26
GRAND TOTAL	**6925**	**5.4**	**26**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	12.6	303	<1	<1	4	20	42	52	52
65+	27	8.8	104	2	2	6	9	33	50	99+
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	7.0	2	6	6	8	77	99+	99+	99+
35-49	11	7.4	30	1	1	5	12	15	18	18
50-64	81	10.2	136	1	2	7	11	18	34	67
65+	168	9.6	96	1	2	6	12	20	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	38	9.9	150	1	2	6	11	35	48	99+
B. *Operated*	263	9.7	104	1	2	7	12	19	31	65
1. SINGLE DX										
2. MULTIPLE DX	301	9.7	109	1	2	6	12	20	35	68
A. NOT OPERATED	38	9.9	150	1	2	6	11	35	48	99+
B. OPERATED	263	9.7	104	1	2	7	12	19	31	65
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	3	13.0	109	6	6	16	62	99+	99+	99+
35-49	12	6.8	31	<1	1	5	11	14	17	18
50-64	90	10.4	150	1	2	7	12	21	38	65
65+	195	9.5	96	2	2	6	12	20	32	57
GRAND TOTAL	**301**	**9.7**	**109**	**1**	**2**	**6**	**12**	**20**	**35**	**68**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	8.7	114	2	2	3	16	21	21	21
35-49	18	5.7	11	1	2	5	7	11	12	13
50-64	60	4.5	16	1	1	3	5	8	11	26
65+	201	6.4	25	2	2	5	8	11	15	27
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	4.0	9	1	1	3	6	9	10	10
35-49	16	5.1	12	<1	1	5	7	8	13	15
50-64	34	4.7	23	1	1	3	6	11	16	22
65+	43	6.7	23	2	2	6	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.3	20	<1	<1	4	9	12	12	12
20-34	26	7.7	30	1	2	7	10	17	19	21
35-49	91	8.3	82	2	2	6	10	16	27	54
50-64	587	9.2	89	2	2	7	11	18	27	54
65+	3090	9.3	71	2	3	7	11	17	24	47
B. *Operated*										
0-19 YRS	3	16.0	217	7	7	8	27	33	33	33
20-34	18	8.4	49	1	1	7	14	18	22	24
35-49	55	9.7	86	1	2	7	10	23	32	41
50-64	221	11.3	181	1	2	7	13	23	42	70
65+	558	13.2	167	2	3	9	17	31	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	5.9	24	2	2	5	8	11	14	27
B. *Operated*	102	5.6	21	1	1	5	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	3800	9.3	73	2	3	7	11	17	24	48
B. *Operated*	855	12.4	164	2	2	8	15	28	41	75
1. SINGLE DX	386	5.8	23	1	2	5	7	11	14	26
2. MULTIPLE DX	4655	9.8	91	2	3	7	12	19	28	54
A. NOT OPERATED	4084	9.0	71	2	3	7	11	17	24	47
B. OPERATED	957	11.7	153	1	2	8	14	26	40	74
TOTAL 0-19 YRS	12	7.9	77	<1	1	6	10	18	31	33
20-34	55	7.4	37	1	1	5	10	18	20	24
35-49	180	8.2	71	1	2	6	10	16	27	40
50-64	902	9.2	107	1	2	6	11	18	28	60
65+	3892	9.7	84	2	3	7	11	19	27	51
GRAND TOTAL	**5041**	**9.5**	**87**	**2**	**3**	**7**	**11**	**19**	**27**	**52**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.4	143	3	3	11	19	33	33	33
20-34	12	10.7	100	3	3	7	12	29	34	35
35-49	28	6.8	13	2	3	6	9	11	15	17
50-64	244	13.1	167	3	4	9	15	28	40	70
65+	1369	11.9	95	3	4	9	14	23	32	50
B. *Operated*										
0-19 YRS	3	5.7	9	3	3	5	8	9	9	9
20-34	7	25.7	427	6	6	26	34	59	65	65
35-49	22	16.7	305	2	3	8	18	41	54	70
50-64	79	19.5	413	3	4	13	24	70	84	99+
65+	208	18.3	311	3	5	12	23	46	65	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1658	12.0	105	3	4	9	14	24	33	54
B. *Operated*	319	18.5	335	3	4	12	23	49	70	99+
1. SINGLE DX										
2. MULTIPLE DX	1977	13.0	148	3	4	9	15	27	38	72
A. NOT OPERATED	1658	12.0	105	3	4	9	14	24	33	54
B. OPERATED	319	18.5	335	3	4	12	23	49	70	99+
TOTAL 0-19 YRS	8	10.5	100	3	3	7	13	28	33	33
20-34	19	16.2	259	3	3	9	26	36	52	65
35-49	50	11.2	162	2	3	7	10	25	40	70
50-64	323	14.6	234	3	4	10	17	34	52	89
65+	1577	12.7	128	3	4	9	15	26	36	64
GRAND TOTAL	**1977**	**13.0**	**148**	**3**	**4**	**9**	**15**	**27**	**38**	**72**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	3.2	11	1	1	2	3	10	11	11
35-49	59	2.4	5	1	1	2	3	5	5	15
50-64	166	2.4	2	1	1	2	3	4	5	8
65+	416	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0 19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	29	3.3	15	1	1	2	3	9	12	18
50-64	140	2.6	4	<1	1	2	3	5	7	9
65+	148	2.9	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	5	1	1	3	5	7	7	7
20-34	28	2.5	5	<1	1	2	3	5	7	11
35-49	120	3.3	5	1	1	3	4	6	8	14
50-64	829	3.6	12	1	1	3	4	6	8	16
65+	4252	4.1	10	1	2	3	5	8	10	16
B. *Operated*										
0-19 YRS	4	5.0	19	1	1	4	8	11	11	11
20-34	17	5.2	17	1	1	3	7	12	14	15
35-49	89	4.1	13	1	1	3	5	7	11	21
50-64	494	4.6	14	1	1	4	6	9	12	19
65+	1105	5.4	31	1	1	4	7	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	2.6	3	1	1	2	3	5	6	9
B. *Operated*	324	2.8	5	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	5245	4.0	10	1	1	3	5	7	9	16
B. *Operated*	1709	5.1	25	1	1	4	6	10	13	21
1. SINGLE DX	978	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	6954	4.3	14	1	1	3	5	8	10	18
A. NOT OPERATED	5899	3.9	9	1	1	3	5	7	9	15
B. OPERATED	2033	4.7	23	1	1	4	6	9	12	20
TOTAL 0-19 YRS	22	3.6	7	1	1	3	5	7	9	11
20-34	63	3.3	10	1	1	2	3	8	11	15
35-49	297	3.4	9	1	1	2	4	6	8	17
50-64	1629	3.7	12	1	1	3	4	7	9	17
65+	5921	4.2	13	1	1	3	5	8	10	18
GRAND TOTAL	**7932**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.0	11	2	3	6	9	12	12	12
35-49	21	5.7	25	1	2	4	6	11	17	23
50-64	87	5.7	23	1	1	4	7	12	14	27
65+	290	5.7	20	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS										
20-34	4	5.3	20	3	3	3	8	12	12	12
35-49	8	4.6	19	1	1	3	6	12	14	14
50-64	21	7.3	131	1	1	4	7	17	39	49
65+	35	10.1	267	1	2	5	10	23	39	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	7	2	2	3	6	9	9	9
20-34	21	5.4	17	1	2	5	7	10	15	19
35-49	91	6.3	48	1	2	4	7	13	20	41
50-64	604	8.2	92	1	2	6	9	15	23	56
65+	3759	8.7	56	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS										
20-34	8	7.0	56	2	2	4	7	20	25	25
35-49	38	7.6	43	1	1	6	10	15	20	34
50-64	189	9.4	98	1	2	7	11	20	27	47
65+	539	12.7	138	3	3	9	15	27	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	5.8	20	1	2	5	7	11	14	23
B. *Operated*	68	8.3	182	1	1	4	8	20	31	82
2. MULTIPLE DX										
A. *Not Operated*	4482	8.5	61	2	3	7	10	16	21	40
B. *Operated*	774	11.6	125	2	3	8	14	25	34	67
1. SINGLE DX	474	6.1	44	1	2	5	7	12	15	31
2. MULTIPLE DX	5256	9.0	71	2	3	7	11	17	23	43
A. NOT OPERATED	4888	8.3	58	2	2	6	10	16	21	39
B. OPERATED	842	11.3	130	2	3	8	13	25	34	67
TOTAL 0-19 YRS	7	4.6	7	2	2	3	6	9	9	9
20-34	41	6.0	22	2	2	5	7	11	15	25
35-49	158	6.4	42	1	2	5	8	14	19	33
50-64	901	8.2	88	1	2	6	9	16	23	53
65+	4623	9.0	67	2	3	7	11	17	23	42
GRAND TOTAL	**5730**	**8.7**	**70**	**2**	**2**	**7**	**10**	**17**	**23**	**43**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	3	10.3	17	7	7	9	13	15	15	15
35-49	33	9.1	61	2	2	7	11	26	36	99+
50-64	272	11.7	170	2	3	8	12	25	41	74
65+	1532	12.1	120	2	3	9	15	26	38	64
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	13.6	50	4	4	16	18	22	22	22
35-49	12	16.9	292	1	2	9	23	46	55	57
50-64	58	18.4	317	3	5	12	22	52	67	99
65+	220	20.4	327	3	5	14	28	49	63	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1842	12.0	126	2	3	9	14	26	38	68
B. *Operated*	296	19.7	318	3	4	14	27	49	62	99
1. SINGLE DX										
2. MULTIPLE DX	2138	13.1	159	2	3	9	16	30	42	82
A. NOT OPERATED	1842	12.0	126	2	3	9	14	26	38	68
B. OPERATED	296	19.7	318	3	4	14	27	49	62	99
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	8	12.4	37	4	5	12	16	20	22	22
35-49	45	11.2	130	2	2	7	12	27	44	99+
50-64	330	12.9	201	2	3	9	15	30	50	83
65+	1752	13.2	153	3	4	9	16	30	41	79
GRAND TOTAL	**2138**	**13.1**	**159**	**2**	**3**	**9**	**16**	**30**	**42**	**82**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	21	2.4	3	1	1	2	3	5	6	7
50-64	35	2.6	3	1	1	2	3	4	5	10
65+	79	3.1	5	1	1	3	4	5	7	13
B. *Operated*										
0-19 YRS										
20-34	8	4.9	29	<1	<1	3	6	14	17	17
35-49	16	7.3	41	<1	1	4	13	16	19	21
50-64	36	3.5	17	1	1	2	4	10	15	16
65+	63	2.7	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.2	13	1	1	3	6	9	12	13
20-34	43	5.0	38	<1	1	4	6	9	20	30
35-49	113	3.5	6	1	1	3	4	7	10	46
50-64	301	5.0	24	1	1	4	6	10	14	32
65+	1241	6.3	38	1	2	5	8	11	17	36
B. *Operated*										
0-19 YRS	3	9.3	41	2	2	12	13	14	14	14
20-34	27	7.4	33	1	1	5	11	17	17	18
35-49	57	10.7	168	1	2	7	13	18	45	66
50-64	148	10.0	168	1	1	5	11	23	42	63
65+	305	9.0	128	1	2	6	11	19	26	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.8	4	1	1	2	4	5	6	10
B. *Operated*	123	3.7	16	1	1	2	5	9	14	18
2. MULTIPLE DX										
A. *Not Operated*	1712	5.8	34	1	2	4	7	11	15	35
B. *Operated*	540	9.4	138	1	1	6	11	19	29	65
1. SINGLE DX	267	3.2	10	1	1	2	4	7	10	16
2. MULTIPLE DX	2252	6.7	61	1	2	5	8	13	19	46
A. NOT OPERATED	1856	5.6	32	1	2	4	7	10	15	34
B. OPERATED	663	8.3	120	1	1	5	10	17	25	63
TOTAL 0-19 YRS	21	4.7	17	1	1	3	6	12	13	14
20-34	83	5.6	35	<1	1	4	7	15	17	29
35-49	207	5.6	63	1	1	3	6	13	16	60
50-64	520	6.2	69	1	1	4	7	13	19	55
65+	1688	6.5	54	1	2	5	8	13	18	38
GRAND TOTAL	**2519**	**6.3**	**57**	**1**	**1**	**4**	**7**	**13**	**18**	**42**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	4.3	8	<1	<1	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	22	3.8	9	1	1	3	6	9	10	10
50-64	114	3.9	14	1	1	2	6	10	11	17
65+	105	4.2	17	1	1	2	7	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.0	8	10	10	12	14	14	14	14
35-49	8	5.0	35	<1	<1	3	6	15	18	18
50-64	39	3.8	13	<1	1	3	4	9	12	17
65+	179	6.2	37	1	1	4	8	13	18	35
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	6.3	33	1	1	5	11	14	14	14
35-49	110	6.4	41	1	1	6	8	11	19	37
50-64	742	8.1	75	1	1	7	10	15	21	45
65+	1429	10.4	104	1	1	8	13	21	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	5	<1	<1	3	5	6	6	6
B. *Operated*	244	4.0	15	1	1	2	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	228	5.8	34	1	1	4	7	12	17	32
B. *Operated*	2289	9.4	93	1	1	8	12	19	26	50
1. SINGLE DX	251	4.0	15	1	1	2	6	9	12	16
2. MULTIPLE DX	2517	9.1	88	1	1	7	11	19	26	48
A. NOT OPERATED	235	5.8	33	1	1	4	7	12	17	32
B. OPERATED	2533	8.9	88	1	1	7	11	18	25	47
TOTAL 0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	10	7.1	29	1	1	8	11	14	14	14
35-49	141	5.9	36	1	1	4	8	11	16	32
50-64	897	7.4	67	1	1	6	10	14	20	44
65+	1716	9.6	95	1	1	7	12	19	27	49
GRAND TOTAL	**2768**	**8.7**	**84**	**1**	**1**	**7**	**11**	**18**	**24**	**46**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	2.8	3	1	1	2	4	5	6	6
65+	11	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	76	7.4	16	1	1	8	10	11	13	18
65+	143	8.2	21	1	1	9	11	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	30	3.0	8	<1	<1	2	3	8	11	11
65+	198	5.5	36	1	1	4	7	11	16	34
B. *Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	5	15.6	170	4	4	9	25	36	36	36
35-49	11	9.0	62	1	1	8	11	20	28	29
50-64	475	11.1	63	2	5	10	12	17	27	47
65+	1385	13.0	85	2	3	11	15	23	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.4	3	<1	1	2	3	5	6	6
B. *Operated*	221	7.9	19	1	1	8	11	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	231	5.2	33	1	1	3	6	11	15	33
B. *Operated*	1879	12.5	80	2	3	10	15	22	29	51
1. SINGLE DX	242	7.4	20	1	1	8	10	13	14	18
2. MULTIPLE DX	2110	11.7	80	1	2	10	14	21	29	50
A. NOT OPERATED	252	5.0	31	1	1	3	6	10	15	32
B. OPERATED	2100	12.0	76	1	2	10	14	21	28	50
TOTAL 0-19 YRS	5	2.4	7	1	1	1	3	7	7	7
20-34	5	15.6	170	4	4	9	25	36	36	36
35-49	16	8.1	51	1	1	7	10	15	25	29
50-64	589	10.1	58	1	2	9	12	16	22	44
65+	1737	11.7	81	1	2	10	14	21	28	50
GRAND TOTAL	**2352**	**11.3**	**76**	**1**	**2**	**10**	**14**	**20**	**27**	**49**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	6	4.8	27	<1	<1	3	5	14	15	15
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	8	4.8	12	1	1	3	8	10	10	10
50-64	38	6.9	70	1	1	5	9	12	16	51
65+	37	5.2	13	1	1	5	8	11	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	12.2	472	1	1	3	16	51	51	51
65+	11	4.5	10	2	2	2	7	9	10	10
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	7.2	26	1	1	5	12	14	15	15
35-49	35	8.4	32	1	2	8	11	18	19	24
50-64	133	8.4	79	1	2	7	10	15	19	45
65+	241	10.6	127	1	2	8	13	22	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	96	5.6	36	1	1	4	8	11	13	36
2. MULTIPLE DX										
A. *Not Operated*	16	6.9	146	1	2	3	7	10	39	51
B. *Operated*	420	9.7	102	1	2	8	12	19	24	53
1. SINGLE DX	102	5.4	35	<1	1	4	8	10	12	34
2. MULTIPLE DX	436	9.6	104	1	2	8	11	19	24	53
A. NOT OPERATED	22	5.5	110	<1	1	2	4	9	26	51
B. OPERATED	516	8.9	92	1	1	7	11	18	23	52
TOTAL 0-19 YRS	7	5.6	26	<1	<1	3	9	14	15	15
20-34	18	4.9	21	<1	1	3	6	13	14	15
35-49	43	7.7	30	1	2	7	10	16	19	24
50-64	181	8.0	85	1	1	7	9	14	19	51
65+	289	9.7	112	1	2	7	11	21	28	53
GRAND TOTAL	**538**	**8.8**	**93**	**1**	**1**	**7**	**10**	**18**	**23**	**51**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	5	3.8	13	1	1	2	7	9	9	9
50-64	10	4.3	10	1	1	3	6	9	11	11
65+	15	4.9	13	<1	1	4	9	10	10	10
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	18	6.2	32	1	1	4	10	16	17	17
35-49	90	4.3	14	1	1	2	7	10	12	16
50-64	247	4.6	18	1	1	3	7	10	11	15
65+	287	4.9	17	1	1	4	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.9	13	3	3	7	8	13	14	14
20-34	6	4.8	13	1	1	4	9	9	9	9
35-49	16	5.7	15	<1	<1	7	8	11	12	13
50-64	52	6.3	26	<1	<1	5	9	13	15	24
65+	157	6.4	21	<1	1	6	9	12	16	21
B. *Operated*										
0-19 YRS	10	5.6	54	<1	<1	4	5	16	26	26
20-34	46	10.5	129	1	2	7	13	17	31	70
35-49	255	9.1	68	1	2	8	11	17	23	46
50-64	1067	8.2	56	1	1	7	10	15	20	36
65+	2181	10.1	88	1	2	8	13	21	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.5	11	1	1	4	7	10	10	11
B. *Operated*	643	4.8	17	1	1	3	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	238	6.3	21	<1	1	6	9	12	15	21
B. *Operated*	3559	9.4	78	1	1	8	12	19	25	48
1. SINGLE DX	676	4.7	17	1	1	3	7	10	12	17
2. MULTIPLE DX	3797	9.3	75	1	1	8	11	18	24	47
A. NOT OPERATED	271	6.1	20	<1	1	5	9	12	15	21
B. OPERATED	4202	8.7	72	1	1	7	11	17	24	45
TOTAL 0-19 YRS	18	6.5	36	<1	1	5	7	14	21	26
20-34	73	8.8	95	1	1	6	12	17	18	62
35-49	366	7.7	56	1	1	7	10	15	20	44
50-64	1376	7.5	50	1	1	7	10	14	18	35
65+	2640	9.3	79	1	1	7	12	19	25	46
GRAND TOTAL	**4473**	**8.6**	**69**	**1**	**1**	**7**	**11**	**17**	**23**	**44**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.7	5	1	1	3	5	7	8	11
20-34	9	2.9	6	1	1	2	4	7	7	7
35-49	16	4.3	14	1	1	3	6	11	12	13
50-64	20	2.8	3	1	1	2	4	5	6	8
65+	18	3.3	9	<1	<1	2	5	7	10	12
B. *Operated*										
0-19 YRS	12	2.2	2	<1	<1	2	3	4	6	6
20-34	28	4.6	34	<1	1	2	6	13	15	26
35-49	62	2.4	4	1	1	2	3	5	7	11
50-64	174	2.9	9	<1	1	2	3	8	10	14
65+	160	3.3	10	<1	1	2	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.9	17	1	2	4	6	9	14	21
20-34	27	4.1	15	1	1	3	4	10	12	18
35-49	57	4.8	14	1	1	4	7	12	13	14
50-64	126	4.4	14	1	1	3	6	9	11	20
65+	289	6.1	58	1	1	4	7	12	15	31
B. *Operated*										
0-19 YRS	26	8.0	63	1	1	5	12	16	21	38
20-34	61	7.0	67	1	1	5	8	13	28	42
35-49	145	7.1	48	1	1	5	10	17	22	38
50-64	547	6.9	76	1	1	4	9	14	20	44
65+	1011	8.3	85	1	1	6	11	17	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.5	7	1	1	3	5	7	8	12
B. *Operated*	436	3.1	10	<1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	542	5.4	38	1	1	4	7	11	14	25
B. *Operated*	1790	7.7	79	1	1	5	10	16	24	45
1. SINGLE DX	559	3.2	9	<1	1	2	4	8	10	14
2. MULTIPLE DX	2332	7.2	70	1	1	5	9	15	22	44
A. NOT OPERATED	665	5.0	33	1	1	4	6	10	13	24
B. OPERATED	2226	6.8	68	1	1	4	9	15	21	44
TOTAL 0-19 YRS	141	4.7	22	1	1	3	6	10	13	23
20-34	125	5.5	46	1	1	3	7	11	17	38
35-49	280	5.4	33	1	1	3	8	13	17	32
50-64	867	5.7	55	1	1	3	7	12	16	41
65+	1478	7.2	73	1	1	5	9	15	22	45
GRAND TOTAL	**2891**	**6.4**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.8	11	<1	1	4	7	9	11	11
20-34	134	6.3	9	2	3	6	8	10	11	14
35-49	201	6.2	10	2	3	6	8	10	11	17
50-64	214	6.3	10	2	3	6	8	10	12	17
65+	216	6.7	10	2	3	6	8	11	12	17
B. *Operated*										
0-19 YRS	14	7.2	12	1	2	7	9	11	13	14
20-34	95	5.5	16	1	1	5	8	11	12	19
35-49	108	6.5	13	1	2	7	9	11	13	17
50-64	139	7.2	24	1	2	7	9	11	13	21
65+	101	6.7	18	1	2	7	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.1	9	2	4	7	9	10	13	14
20-34	157	6.9	17	1	2	7	9	12	14	23
35-49	337	7.8	18	2	3	7	10	13	16	23
50-64	597	7.6	14	3	4	7	9	11	14	20
65+	1166	8.2	22	3	4	7	10	13	15	23
B. *Operated*										
0-19 YRS	14	10.8	110	4	4	8	9	22	40	45
20-34	133	7.6	22	2	2	7	10	12	13	49
35-49	218	8.7	36	2	3	8	11	16	22	30
50-64	421	9.3	52	2	3	8	11	16	21	40
65+	770	9.3	34	2	4	8	11	15	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	6.3	10	2	3	6	8	10	12	17
B. *Operated*	457	6.6	18	1	2	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2273	7.9	19	3	3	7	10	12	15	22
B. *Operated*	1556	9.1	39	2	3	8	11	15	19	38
1. SINGLE DX	1235	6.4	13	1	2	6	8	11	12	17
2. MULTIPLE DX	3829	8.4	27	2	3	8	10	13	16	28
A. NOT OPERATED	3051	7.5	17	2	3	7	9	12	14	22
B. OPERATED	2013	8.5	35	2	3	8	10	14	17	35
TOTAL 0-19 YRS	57	7.5	38	1	2	7	9	11	14	43
20-34	519	6.7	16	1	2	6	9	11	13	23
35-49	864	7.5	21	2	3	7	9	13	16	26
50-64	1371	7.9	27	2	3	7	10	12	15	27
65+	2253	8.3	25	3	3	8	10	13	16	26
GRAND TOTAL	**5064**	**7.9**	**24**	**2**	**3**	**7**	**10**	**13**	**15**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	4	6.0	13	3	3	5	8	11	11	11
50-64	12	7.9	42	<1	1	6	12	17	21	22
65+	15	7.2	18	1	2	7	9	15	16	16
B. *Operated*										
0-19 YRS	19	2.4	2	<1	<1	2	3	5	6	6
20-34	389	2.7	4	1	1	2	3	4	5	9
35-49	607	2.8	3	1	1	3	3	4	6	10
50-64	395	3.3	7	1	1	3	4	5	6	17
65+	134	5.1	36	1	2	4	5	7	15	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	6.2	160	<1	<1	2	4	23	42	42
35-49	38	5.4	24	<1	1	4	6	13	15	20
50-64	86	7.1	26	1	1	6	10	15	17	24
65+	260	8.2	33	2	3	7	10	15	20	29
B. *Operated*										
0-19 YRS	5	2.4	1	1	1	2	3	4	4	4
20-34	97	3.8	16	1	1	3	4	7	12	23
35-49	264	4.3	36	1	1	3	4	7	10	35
50-64	286	7.5	98	1	2	4	7	17	28	55
65+	307	10.6	100	2	2	6	16	24	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.8	25	1	1	6	9	15	16	22
B *Operated*	1544	3.1	8	1	1	3	4	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	395	7.6	34	1	2	6	10	15	18	29
B. *Operated*	959	7.2	80	1	2	4	8	19	25	47
1. SINGLE DX	1579	3.2	8	1	1	3	4	5	7	16
2. MULTIPLE DX	1354	7.3	67	1	2	4	9	17	23	42
A. NOT OPERATED	430	7.6	33	1	2	6	10	15	18	28
B. OPERATED	2503	4.7	39	1	1	3	4	9	16	33
TOTAL 0-19 YRS	26	2.7	5	<1	1	2	3	5	7	12
20-34	499	3.0	10	1	1	2	3	4	6	20
35-49	913	3.4	14	1	1	3	4	5	8	16
50-64	779	5.3	47	1	1	3	5	11	17	34
65+	716	8.6	66	2	2	6	10	20	25	41
GRAND TOTAL	**2933**	**5.1**	**40**	**1**	**1**	**3**	**5**	**11**	**17**	**32**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	2.1	3	<1	<1	1	3	5	6	7
35-49	21	2.2	3	<1	<1	2	2	4	7	8
50-64	14	2.1	1	<1	<1	2	3	3	5	5
65+	14	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-19 YRS	9	2.4	3	<1	<1	2	3	5	6	6
20-34	156	3.3	3	1	1	3	4	5	7	8
35-49	253	3.5	2	1	2	3	4	6	7	8
50-64	174	3.6	4	1	2	3	4	6	6	12
65+	55	3.4	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	40	2.5	5	<1	<1	2	3	5	7	11
35-49	64	3.5	10	<1	1	2	4	7	9	20
50-64	83	4.0	13	<1	<1	3	5	7	10	20
65+	155	3.7	11	<1	1	3	4	8	10	17
B. *Operated*										
0-19 YRS	19	3.9	4	<1	1	3	5	6	8	10
20-34	682	3.7	3	1	2	4	5	6	7	9
35-49	1378	3.9	5	2	2	4	5	6	7	11
50-64	1049	4.1	4	1	2	4	5	6	8	11
65+	590	5.0	11	2	2	4	6	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*	647	3.5	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	344	3.6	11	<1	1	3	5	7	9	17
B. *Operated*	3718	4.1	6	1	2	4	5	6	8	13
1. SINGLE DX	714	3.3	3	1	1	3	4	5	6	8
2. MULTIPLE DX	4062	4.1	6	1	2	4	5	7	8	14
A. NOT OPERATED	411	3.4	10	<1	<1	2	4	7	9	17
B. OPERATED	4365	4.0	5	1	2	4	5	6	8	12
TOTAL 0-19 YRS	31	3.2	4	<1	<1	3	5	6	6	10
20-34	895	3.6	3	1	1	3	4	6	7	9
35-49	1716	3.8	5	1	2	4	5	6	7	11
50-64	1320	4.0	5	1	2	4	5	6	8	12
65+	814	4.6	11	1	2	4	5	8	11	18
GRAND TOTAL	**4776**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	8	<1	1	2	5	8	9	9
20-34	65	5.6	12	1	1	6	7	10	12	18
35-49	68	5.6	9	1	2	6	8	9	10	13
50-64	81	6.3	14	<1	1	6	9	10	12	18
65+	104	5.4	9	1	1	5	8	9	10	12
B. *Operated*										
0-19 YRS	56	1.8	2	<1	<1	1	2	3	6	8
20-34	179	4.1	16	<1	<1	2	7	10	11	17
35-49	84	4.6	13	<1	<1	3	8	9	10	16
50-64	74	6.2	21	1	1	6	9	11	13	24
65+	74	6.0	14	1	1	6	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.9	9	1	1	3	6	8	11	13
20-34	170	5.8	25	1	1	5	8	12	13	28
35-49	272	5.5	16	1	1	5	8	11	13	17
50-64	607	6.0	25	1	1	5	8	11	14	21
65+	1606	5.9	20	1	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	56	3.9	14	1	1	2	6	10	12	16
20-34	263	5.4	26	<1	1	4	8	11	15	25
35-49	249	7.3	34	1	1	6	10	15	19	26
50-64	396	8.9	61	1	2	8	11	17	21	50
65+	741	9.5	57	2	2	8	12	18	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.6	11	1	1	6	8	10	11	15
B. *Operated*	467	4.5	16	<1	1	3	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	2709	5.8	21	1	1	5	8	11	14	21
B. *Operated*	1705	8.2	51	1	1	7	11	16	21	35
1. SINGLE DX	804	5.0	14	<1	1	5	8	10	11	17
2. MULTIPLE DX	4414	6.7	34	1	1	6	9	13	17	28
A. NOT OPERATED	3046	5.8	20	1	1	5	8	11	14	20
B. OPERATED	2172	7.4	46	1	1	6	10	15	19	32
TOTAL 0-19 YRS	185	3.2	9	<1	1	2	4	7	10	15
20-34	677	5.2	22	<1	1	4	8	11	13	22
35-49	673	6.1	23	1	1	5	8	11	15	21
50-64	1158	7.0	38	1	2	6	9	13	17	28
65+	2525	6.9	33	1	2	6	9	13	17	28
GRAND TOTAL	**5218**	**6.5**	**31**	**1**	**1**	**5**	**9**	**12**	**16**	**27**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1360	2.0	2	<1	1	2	2	3	4	6
20-34	201	2.8	5	1	1	3	3	4	5	7
35-49	80	2.8	2	1	1	3	3	4	5	8
50-64	48	2.8	2	1	1	3	3	4	5	7
65+	33	3.8	6	1	2	3	5	6	8	14
B. *Operated*										
0-19 YRS	209	1.6	3	<1	<1	1	2	2	3	8
20-34	91	2.0	3	1	1	1	2	4	6	10
35-49	23	3.2	11	<1	1	2	4	9	12	12
50-64	16	2.6	3	<1	1	2	4	5	6	7
65+	5	4.8	20	1	1	3	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2177	2.7	5	1	1	2	3	5	6	11
20-34	564	3.0	3	1	1	3	4	5	6	10
35-49	519	3.3	3	1	1	3	4	6	7	9
50-64	306	4.6	18	1	2	4	5	8	10	16
65+	504	5.5	16	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	240	3.1	23	<1	1	2	3	7	12	21
20-34	135	3.5	10	1	1	2	5	7	10	17
35-49	79	5.3	28	1	1	4	7	12	14	29
50-64	57	7.4	98	1	1	4	9	16	20	63
65+	54	7.7	54	1	2	5	10	17	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1722	2.2	3	<1	1	2	3	4	5	7
B. *Operated*	344	1.9	4	<1	<1	1	2	3	6	12
2. MULTIPLE DX										
A. *Not Operated*	3870	3.3	8	1	1	3	4	6	8	14
B. *Operated*	565	4.4	34	1	1	2	5	11	14	28
1. SINGLE DX	2066	2.1	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	4435	3.4	11	1	1	3	4	6	9	16
A. NOT OPERATED	5592	3.0	6	1	1	2	4	5	7	12
B. OPERATED	909	3.5	24	<1	1	2	4	8	12	22
TOTAL 0-19 YRS	3986	2.4	5	<1	1	2	3	4	6	11
20-34	991	2.9	5	1	1	2	3	5	6	12
35-49	501	3.5	8	1	1	3	4	6	8	13
50-64	427	4.7	28	1	2	3	5	9	11	23
65+	596	5.6	19	1	2	4	7	11	14	25
GRAND TOTAL	6501	3.0	9	1	1	2	4	6	8	14

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1420	2.7	3	1	1	2	3	5	6	9
20-34	99	2.6	1	1	1	2	3	4	5	7
35-49	95	3.4	6	1	1	3	4	5	6	16
50-64	74	3.9	5	1	1	4	5	7	8	11
65+	130	4.4	5	2	2	4	5	7	8	14
B. *Operated*										
0-19 YRS	31	2.8	3	<1	<1	3	4	5	7	8
20-34	6	4.3	5	2	2	4	6	8	8	8
35-49	5	8.2	40	2	2	5	14	16	16	16
50-64	3	4.0	19	1	1	2	7	9	9	9
65+	9	3.3	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2173	3.4	5	1	1	3	4	6	8	12
20-34	375	4.0	8	1	2	3	5	7	9	15
35-49	530	4.5	9	1	2	4	6	8	10	13
50-64	1514	5.7	17	2	2	5	7	10	13	21
65+	4005	6.2	18	2	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	40	5.5	18	1	2	4	6	12	13	23
20-34	34	7.9	66	1	2	6	9	14	28	41
35-49	52	7.5	45	2	2	6	8	13	21	41
50-64	135	9.0	70	2	3	7	11	17	24	39
65+	306	10.5	74	2	3	8	13	23	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1818	2.9	3	1	1	3	4	5	6	9
B. *Operated*	54	3.6	9	<1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	8597	5.2	15	1	2	4	7	9	12	19
B. *Operated*	567	9.4	68	2	3	7	11	20	27	42
1. SINGLE DX	1872	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	9164	5.5	19	1	2	4	7	10	13	23
A. NOT OPERATED	10415	4.8	14	1	2	4	6	9	11	19
B. OPERATED	621	8.9	65	2	2	7	11	18	26	42
TOTAL 0-19 YRS	3664	3.2	5	1	1	3	4	6	7	12
20-34	514	4.0	12	1	2	3	5	7	9	16
35-49	682	4.6	12	1	2	4	6	8	10	18
50-64	1726	5.8	21	2	2	5	7	10	14	23
65+	4450	6.4	23	2	2	5	8	11	15	27
GRAND TOTAL	11036	5.0	17	1	2	4	6	9	12	21

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	237	1.3		<1	1	1	1	2	2	4
20-34	552	1.3		<1	<1	1	1	2	3	4
35-49	313	1.3		<1	1	1	1	2	3	4
50-64	157	1.4		<1	1	1	2	2	3	5
65+	35	1.4	1	<1	<1	1	1	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	14	1.1		<1	<1	1	1	1	2	2
35-49	14	1.1		<1	<1	1	1	1	2	2
50-64	8	1.4		<1	<1	1	2	2	2	2
65+	4	3.8	2	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	588	1.5	1	<1	1	1	2	3	3	4
20-34	1646	1.5	1	<1	1	1	2	3	3	4
35-49	1159	1.6	1	<1	1	1	2	3	3	5
50-64	536	1.8	1	1	1	2	2	3	4	5
65+	205	2.1	2	<1	1	2	3	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	1294	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	50	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	4134	1.6	1	<1	1	1	2	3	3	5
1. SINGLE DX	1299	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX	4184	1.6	1	<1	1	1	2	3	3	5
A. NOT OPERATED	55	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	5428	1.5	1	<1	1	1	2	3	3	5
TOTAL 0-19 YRS	836	1.4	1	<1	1	1	2	2	3	4
20-34	2213	1.5	1	<1	1	1	2	3	3	4
35-49	1488	1.6	1	<1	1	1	2	3	3	5
50-64	702	1.7	1	<1	1	1	2	3	4	5
65+	244	2.0	2	<1	1	2	3	3	4	9
GRAND TOTAL	5483	1.5	1	<1	1	1	2	3	3	5

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	18	1.3		<1	<1	1	2	2	2	2
20-34	29	1.6	1	<1	<1	1	2	3	4	5
35-49	43	1.6	1	<1	<1	1	2	3	3	4
50-64	50	1.2		<1	<1	1	1	2	3	4
65+	19	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	43	1.5	1	<1	<1	1	2	3	3	5
20-34	132	1.8	1	<1	1	1	2	3	4	6
35-49	155	1.8	1	<1	1	1	2	3	4	7
50-64	177	1.8	2	<1	1	1	2	3	4	6
65+	88	2.1	1	<1	1	2	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	159	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	8	2.9	2	<1	<1	3	4	5	5	5
B. *Operated*	595	1.8	1	<1	1	1	2	3	4	6
1. SINGLE DX	160	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	603	1.8	1	<1	1	1	2	3	4	6
A. NOT OPERATED	9	2.7	3	<1	<1	3	4	5	5	5
B. OPERATED	754	1.7	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	62	1.5	1	<1	<1	1	2	3	3	5
20-34	162	1.7	1	<1	1	1	2	3	4	6
35-49	202	1.7	1	<1	<1	1	2	3	4	6
50-64	228	1.7	1	<1	1	1	2	3	4	6
65+	109	2.0	1	<1	<1	2	2	3	4	6
GRAND TOTAL	763	1.7	1	<1	<1	1	2	3	4	6

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.4	1	<1	<1	1	2	3	3	4
20-34	7	2.4	1	1	1	3	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8279	1.2	1	<1	<1	1	1	2	2	3
20-34	2258	1.3		1	1	1	2	2	2	4
35-49	270	1.5	1	1	1	1	2	2	3	4
50-64	34	1.6	4	<1	<1	1	1	3	4	12
65+	19	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	1.4	1	<1	<1	<1	1	3	4	6
20-34	33	1.8	2	<1	<1	1	3	4	4	6
35-49	13	1.8	3	<1	<1	1	2	5	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5366	1.3	1	<1	<1	1	1	2	2	3
20-34	718	1.5	1	1	1	1	2	3	3	5
35-49	121	1.9	2	1	1	2	2	3	4	8
50-64	27	2.1	3	<1	1	1	2	5	6	6
65+	20	2.3	9	<1	<1	1	2	5	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	10860	1.3	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	155	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	6252	1.3	1	<1	<1	1	1	2	2	4
1. SINGLE DX	10894	1.3	1	<1	<1	1	1	2	2	3
2. MULTIPLE DX	6407	1.3	1	<1	<1	1	1	2	2	4
A. NOT OPERATED	189	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	17112	1.3	1	<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	13779	1.2	1	<1	<1	1	1	2	2	3
20-34	3016	1.4	1	<1	1	1	2	2	3	4
35-49	405	1.6	1	1	1	1	2	3	3	6
50-64	62	1.8	3	<1	<1	1	2	4	6	11
65+	39	1.9	5	<1	1	1	2	3	5	14
GRAND TOTAL	**17301**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	2.4	2	<1	<1	2	3	4	5	8
20-34	189	2.6	2	1	1	2	3	4	5	8
35-49	75	2.5	2	<1	1	2	3	5	5	7
50-64	47	2.7	3	<1	<1	2	4	5	7	7
65+	24	2.1	1	<1	1	2	3	4	4	5
B. *Operated*										
0-19 YRS	370	2.0	10	<1	<1	1	2	3	4	11
20-34	591	1.9	3	<1	<1	1	2	3	4	7
35-49	447	1.8	2	<1	<1	1	2	3	4	6
50-64	377	1.7	2	<1	<1	1	2	3	4	7
65+	201	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	3.0	6	1	1	3	4	5	7	10
20-34	149	3.1	4	<1	1	3	4	5	6	10
35-49	105	3.9	10	<1	1	3	4	9	10	16
50-64	111	3.7	9	<1	1	3	5	7	10	15
65+	110	4.3	15	<1	1	3	6	9	11	21
B. *Operated*										
0-19 YRS	548	2.5	13	<1	<1	1	2	5	7	19
20-34	906	2.1	4	<1	1	2	2	4	6	10
35-49	827	2.2	12	<1	1	1	2	4	5	10
50-64	678	2.7	11	<1	1	2	3	6	9	19
65+	519	3.3	17	<1	1	2	3	7	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	2.5	2	<1	1	2	3	4	5	7
B. *Operated*	1986	1.8	4	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	735	3.5	8	<1	1	3	4	7	9	15
B. *Operated*	3478	2.5	11	<1	1	2	3	5	7	18
1. SINGLE DX	2547	2.0	3	<1	<1	1	2	4	4	8
2. MULTIPLE DX	4213	2.7	10	<1	1	2	3	5	7	17
A. NOT OPERATED	1296	3.0	6	<1	1	3	4	5	7	13
B. OPERATED	5464	2.3	8	<1	<1	1	2	4	6	15
TOTAL 0-19 YRS	1404	2.5	9	<1	<1	2	3	5	7	15
20-34	1835	2.2	3	<1	1	2	3	4	5	9
35-49	1454	2.2	9	<1	<1	2	3	4	5	10
50-64	1213	2.5	8	<1	<1	2	3	5	7	16
65+	854	3.0	14	<1	1	2	3	6	10	20
GRAND TOTAL	**6760**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3021	3.2	4	1	1	3	4	5	7	10
20-34	706	3.7	5	1	2	3	5	6	7	11
35-49	489	4.3	8	1	2	4	5	7	9	14
50-64	478	4.6	7	2	2	4	6	8	10	14
65+	849	5.6	9	2	2	5	7	9	12	16
B. *Operated*										
0-19 YRS	44	3.7	11	1	1	3	5	7	10	17
20-34	26	5.9	19	2	2	4	7	12	17	18
35-49	26	6.0	25	1	2	5	7	15	18	21
50-64	30	7.9	31	2	2	7	11	15	21	25
65+	52	9.5	36	2	3	8	12	16	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5474	4.2	12	1	2	3	5	7	10	16
20-34	1244	5.2	16	2	2	4	6	9	12	22
35-49	1365	5.7	15	2	2	5	7	10	13	21
50-64	3196	6.8	24	2	3	6	8	12	15	24
65+	12991	8.1	32	3	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	225	10.6	145	2	2	7	13	21	26	79
20-34	143	11.7	120	2	3	10	14	23	31	99+
35-49	228	12.7	147	2	3	9	15	24	38	93
50-64	530	13.9	141	3	4	10	17	31	39	82
65+	1656	14.9	142	4	5	12	18	28	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5543	3.9	6	1	2	3	5	7	8	12
B. *Operated*	178	6.8	29	1	2	5	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	24270	6.7	27	2	2	5	8	12	16	26
B. *Operated*	2782	14.0	143	3	4	11	17	27	37	74
1. SINGLE DX	5721	4.0	7	1	2	3	5	7	9	13
2. MULTIPLE DX	27052	7.5	44	2	2	6	9	14	19	34
A. NOT OPERATED	29813	6.2	25	2	2	5	8	12	15	24
B. OPERATED	2960	13.6	139	3	4	10	17	26	36	72
TOTAL 0-19 YRS	8764	4.0	14	1	2	3	5	7	10	16
20-34	2119	5.2	23	1	2	4	6	9	12	26
35-49	2108	6.1	33	2	2	5	7	11	15	28
50-64	4234	7.4	43	2	3	6	9	14	18	35
65+	15548	8.7	48	3	3	7	11	16	20	36
GRAND TOTAL	**32773**	**6.9**	**39**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.7	3	1	1	2	4	5	6	8
20-34	96	2.4	2	1	1	2	3	4	5	7
35-49	74	2.8	2	1	1	3	4	4	6	8
50-64	47	3.1	2	1	1	3	4	5	6	7
65+	57	3.5	7	1	2	3	4	7	9	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	2.8	4	1	1	2	3	5	7	11
20-34	279	2.8	3	1	1	2	3	4	6	8
35-49	179	3.6	5	1	1	3	4	7	8	11
50-64	277	4.0	6	1	2	3	5	7	9	13
65+	769	5.6	18	2	2	4	7	11	14	21
B. *Operated*										
0-19 YRS	9	7.4	66	<1	1	5	8	21	28	28
20-34	13	6.3	67	1	2	3	7	14	29	32
35-49	10	10.9	55	2	3	8	18	21	22	22
50-64	17	5.9	24	2	2	4	7	13	19	21
65+	37	13.2	129	4	4	11	15	24	29	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	2.8	3	1	1	2	3	5	6	9
B. *Operated*	5	3.2		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1783	4.3	12	1	1	3	5	8	11	17
B. *Operated*	86	9.9	91	2	2	7	13	21	28	54
1. SINGLE DX	398	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1869	4.5	17	1	1	3	5	9	12	21
A. NOT OPERATED	2176	4.0	11	1	1	3	5	8	10	16
B. OPERATED	91	9.5	89	2	2	6	12	21	28	53
TOTAL 0-19 YRS	408	2.9	5	1	1	2	4	5	7	11
20-34	389	2.8	5	1	1	2	3	4	6	9
35-49	263	3.6	8	1	1	3	4	7	8	18
50-64	343	4.0	6	1	2	3	5	7	9	14
65+	864	5.8	25	2	2	4	7	11	14	24
GRAND TOTAL	**2267**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	2.2	2	<1	1	2	3	4	5	7
20-34	28	3.6	10	1	1	3	4	6	10	17
35-49	54	4.5	16	1	1	4	5	8	12	25
50-64	102	4.8	10	1	2	4	6	8	9	20
65+	144	4.9	7	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	7	2.0	2	<1	<1	1	3	5	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	4	5.8	41	<1	<1	3	10	15	15	15
50-64	11	2.2	4	<1	<1	1	3	5	7	7
65+	10	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	2.9	4	1	1	2	3	5	7	10
20-34	128	3.6	10	1	1	3	4	6	9	17
35-49	189	5.0	19	1	2	4	6	10	11	26
50-64	697	6.2	28	2	2	5	7	11	14	28
65+	1674	6.6	24	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	18	4.3	21	1	1	2	5	8	15	20
20-34	11	3.7	6	<1	<1	3	6	7	8	8
35-49	31	7.2	135	<1	1	4	7	14	16	66
50-64	99	8.5	39	1	2	7	11	17	21	30
65+	186	10.0	97	1	2	7	14	22	28	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	3.8	8	1	1	3	5	7	8	15
B. *Operated*	35	2.3	7	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	2981	5.9	24	1	2	5	7	11	14	25
B. *Operated*	345	8.8	79	1	2	6	12	19	25	50
1. SINGLE DX	557	3.7	8	1	1	3	5	7	8	15
2. MULTIPLE DX	3326	6.2	30	1	2	5	8	12	16	28
A. NOT OPERATED	3503	5.6	22	1	2	4	7	10	14	24
B. OPERATED	380	8.2	76	<1	1	5	11	18	24	47
TOTAL 0-19 YRS	512	2.6	4	1	1	2	3	5	6	9
20-34	170	3.6	10	1	1	3	4	6	9	16
35-49	278	5.1	32	1	2	4	6	10	13	26
50-64	909	6.2	28	2	2	5	7	11	15	27
65+	2014	6.8	31	2	2	5	8	13	17	28
GRAND TOTAL	**3883**	**5.9**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

182: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	7	3.6	1	3	3	3	4	5	5	5
50-64	38	6.5	13	2	3	6	9	11	13	18
65+	75	6.3	22	1	2	5	7	12	17	25
B. *Operated*										
0-19 YRS										
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	29	6.3	24	1	2	5	8	12	14	24
50-64	324	7.1	31	2	3	6	9	13	19	31
65+	894	7.4	31	2	3	6	9	14	19	29
B. *Operated*										
0-19 YRS	5	5.8	12	1	1	5	8	10	10	10
20-34	10	10.3	32	5	5	9	12	19	23	23
35-49	17	11.9	63	3	4	11	15	22	30	34
50-64	42	12.5	126	1	2	9	18	23	36	56
65+	80	15.4	168	3	4	12	19	40	45	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	6.2	18	1	2	5	7	11	13	24
B. *Operated*	8	4.3	10	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1247	7.3	31	2	3	6	9	13	19	29
B. *Operated*	154	13.6	135	2	4	10	17	30	43	56
1. SINGLE DX	129	6.0	18	1	2	5	7	11	13	24
2. MULTIPLE DX	1401	8.0	46	2	3	6	10	15	21	37
A. NOT OPERATED	1368	7.2	30	2	3	6	9	13	19	28
B. OPERATED	162	13.1	132	2	3	10	17	28	42	55
TOTAL 0-19 YRS	6	5.0	13	<1	<1	5	8	10	10	10
20-34	13	9.2	30	3	5	7	11	17	22	23
35-49	54	7.6	41	2	3	5	11	15	22	34
50-64	406	7.6	41	2	3	6	9	15	21	33
65+	1051	7.9	46	2	3	6	9	15	20	37
GRAND TOTAL	**1530**	**7.8**	**44**	**2**	**3**	**6**	**9**	**15**	**21**	**37**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3847	2.5	2	1	1	2	3	4	5	7
20-34	997	3.1	3	1	1	3	4	5	6	9
35-49	860	3.5	5	1	1	3	5	6	7	10
50-64	879	4.0	5	1	2	4	5	7	8	12
65+	577	4.5	9	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	15	2.5	3	<1	<1	2	3	5	6	6
20-34	11	2.5	2	<1	<1	2	4	5	5	5
35-49	9	3.2	7	<1	<1	3	4	7	9	9
50-64	14	6.5	22	<1	2	6	8	13	17	18
65+	6	5.0	8	2	2	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3163	2.9	4	1	1	3	4	5	6	10
20-34	1181	4.0	7	1	2	3	5	7	9	13
35-49	1413	4.6	11	1	2	4	6	8	10	16
50-64	2388	5.4	17	2	2	4	6	10	12	21
65+	3205	6.0	17	2	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	39	3.9	6	<1	1	3	5	8	9	11
20-34	42	7.5	55	1	2	6	9	14	21	42
35-49	66	7.2	33	2	3	6	9	13	16	34
50-64	145	10.2	115	1	2	7	12	24	31	58
65+	190	9.7	54	2	3	8	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7160	3.0	4	1	1	3	4	5	7	10
B. *Operated*	55	3.9	11	<1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	11350	4.6	13	1	2	4	6	8	11	18
B. *Operated*	482	8.8	69	2	2	7	11	17	25	42
1. SINGLE DX	7215	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	11832	4.8	16	1	2	4	6	9	12	20
A. NOT OPERATED	18510	4.0	10	1	1	3	5	7	10	16
B. OPERATED	537	8.3	65	1	2	6	10	16	24	41
TOTAL 0-19 YRS	7064	2.7	3	1	1	2	3	4	5	8
20-34	2231	3.6	7	1	1	3	5	6	8	13
35-49	2348	4.2	10	1	2	4	5	8	9	15
50-64	3426	5.2	20	1	2	4	6	9	12	23
65+	3978	6.0	19	2	2	5	7	11	14	22
GRAND TOTAL	19047	4.1	12	1	1	3	5	8	10	17

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	1	2	2	3	4	5	5	5
20-34	13	4.6	7	1	2	4	5	9	11	11
35-49	30	5.0	7	2	2	5	6	7	8	16
50-64	266	4.9	9	1	2	4	7	8	11	17
65+	433	5.1	19	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	6	10.3	26	3	3	10	13	17	18	18
50-64	16	3.3	7	<1	1	3	4	8	9	9
65+	17	5.1	7	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.5	37	1	1	4	6	11	20	28
20-34	35	5.7	22	1	1	4	7	12	17	21
35-49	232	6.4	36	1	2	5	8	12	17	34
50-64	2128	6.6	27	2	2	5	8	12	15	28
65+	5236	6.7	27	2	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	6	6.3	30	<1	<1	5	10	14	15	15
20-34	13	6.5	21	1	2	6	8	13	17	18
35-49	41	7.3	19	1	2	7	9	14	16	18
50-64	221	9.3	92	1	2	6	11	18	32	55
65+	496	11.3	118	2	3	8	14	22	31	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	748	5.0	15	1	2	4	6	9	11	17
B. *Operated*	44	4.8	14	<1	1	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	7652	6.7	27	2	2	5	8	12	15	28
B. *Operated*	777	10.4	105	2	2	8	13	20	29	64
1. SINGLE DX	792	5.0	15	1	2	4	6	9	11	18
2. MULTIPLE DX	8429	7.0	36	2	2	6	8	13	17	32
A. NOT OPERATED	8400	6.5	27	2	2	5	8	12	15	27
B. OPERATED	821	10.1	101	1	2	7	13	20	27	63
TOTAL 0-19 YRS	35	5.0	28	1	1	4	6	10	14	28
20-34	64	5.5	18	1	1	4	7	11	14	21
35-49	309	6.5	31	1	2	5	8	12	17	30
50-64	2631	6.6	31	2	2	5	8	12	16	30
65+	6182	7.0	36	2	2	5	8	13	17	31
GRAND TOTAL	9221	6.8	34	2	2	5	8	13	16	30

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.6	4	<1	1	2	4	5	7	9
20-34	75	2.9	6	<1	1	2	4	5	6	14
35-49	20	3.9	9	1	1	3	6	7	10	13
50-64	9	5.4	16	1	1	5	8	11	12	12
65+	3	3.0	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	76	5.3	13	2	2	4	6	10	14	18
20-34	332	5.1	10	2	2	4	7	9	11	15
35-49	97	5.6	16	2	2	4	6	12	15	21
50-64	42	5.2	12	2	2	4	6	9	12	19
65+	21	6.6	58	1	2	3	8	12	24	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.4	4	1	1	4	5	6	6	6
20-34	39	3.3	6	1	1	3	4	6	9	12
35-49	13	3.3	3	1	1	3	5	6	6	6
50-64	22	4.8	27	<1	1	3	6	9	17	24
65+	56	6.5	30	1	2	5	8	13	16	31
B. Operated										
0-19 YRS	28	10.3	33	4	4	9	14	18	21	24
20-34	163	7.8	20	2	3	7	10	13	16	21
35-49	96	8.0	47	2	2	6	10	14	19	40
50-64	165	10.2	76	2	3	8	14	20	28	59
65+	249	10.2	84	3	3	7	12	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	3.2	7	1	1	2	4	6	8	13
B. Operated	568	5.3	13	2	2	4	7	9	13	18
2. MULTIPLE DX										
A. Not Operated	139	4.8	20	1	1	4	6	10	13	25
B. Operated	701	9.3	61	2	3	7	12	18	23	44
1. SINGLE DX	697	4.9	13	1	2	4	6	9	12	17
2. MULTIPLE DX	840	8.6	57	2	2	6	11	16	22	43
A. NOT OPERATED	268	4.0	15	1	1	3	5	7	12	22
B. OPERATED	1269	7.5	44	2	2	6	9	15	19	36
TOTAL 0-19 YRS	135	5.8	21	1	2	4	7	13	16	21
20-34	609	5.4	15	1	2	4	7	10	13	19
35-49	226	6.3	30	2	2	5	8	13	17	28
50-64	238	8.6	63	1	2	6	11	17	24	49
65+	329	9.3	74	2	3	7	11	19	27	45
GRAND TOTAL	**1537**	**6.9**	**40**	**1**	**2**	**5**	**9**	**14**	**18**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	171	2.6	4	<1	1	2	3	5	6	13
20-34	95	2.3	2	<1	1	2	3	4	5	8
35-49	109	3.2	8	1	1	2	4	6	10	16
50-64	101	3.3	12	1	1	2	4	6	10	20
65+	117	4.0	15	<1	1	3	5	8	10	21
B. Operated										
0-19 YRS	44	3.5	28	<1	<1	1	4	8	11	32
20-34	52	4.8	14	<1	1	4	7	9	12	20
35-49	83	5.2	20	<1	1	4	7	13	15	21
50-64	143	4.9	28	<1	1	3	6	10	14	24
65+	116	5.3	29	<1	1	3	8	11	15	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	470	4.0	19	1	1	3	5	8	11	20
20-34	282	4.6	20	1	1	3	6	9	13	24
35-49	399	4.6	14	1	1	3	6	10	13	18
50-64	1001	5.6	28	1	1	4	7	11	14	24
65+	3210	7.4	43	2	2	6	9	14	18	35
B. Operated										
0-19 YRS	150	8.5	134	1	1	4	10	21	31	65
20-34	211	9.9	107	1	1	6	14	23	26	54
35-49	340	8.5	77	1	2	6	10	17	27	54
50-64	799	9.9	111	1	2	7	13	21	29	63
65+	1369	11.4	121	1	2	8	15	23	34	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	593	3.1	8	<1	1	2	4	6	8	16
B. Operated	438	4.9	25	<1	1	3	7	10	14	23
2. MULTIPLE DX										
A. Not Operated	5362	6.4	36	1	2	5	8	13	17	32
B. Operated	2869	10.4	114	1	2	7	14	22	31	64
1. SINGLE DX	1031	3.8	16	<1	1	2	5	8	11	20
2. MULTIPLE DX	8231	7.8	67	1	2	5	10	16	22	45
A. NOT OPERATED	5955	6.1	35	1	1	4	8	12	16	30
B. OPERATED	3307	9.6	106	1	1	7	13	21	29	59
TOTAL 0-19 YRS	835	4.5	41	1	1	3	5	9	14	32
20-34	640	6.0	53	1	1	4	7	14	21	37
35-49	931	5.9	41	1	1	4	7	13	16	33
50-64	2044	7.1	65	1	1	5	9	15	21	46
65+	4812	8.4	68	1	2	6	10	17	23	45
GRAND TOTAL	**9262**	**7.4**	**63**	**1**	**1**	**5**	**9**	**15**	**21**	**42**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	3	<1	1	3	4	6	6	6
20-34	19	3.1	7	1	1	3	3	6	9	12
35-49	8	2.4	3	1	1	2	4	5	5	5
50-64	5	6.4	59	2	2	3	9	20	20	20
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	604	2.3	2	<1	<1	2	3	4	5	6
20-34	770	3.0	2	1	1	3	4	4	5	7
35-49	389	2.9	3	1	1	3	4	5	6	11
50-64	165	2.4	2	<1	1	2	3	4	5	7
65+	73	2.8	12	<1	1	2	3	5	5	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.6	4	<1	<1	2	4	5	5	11
20-34	66	3.3	10	<1	<1	3	4	7	10	18
35-49	31	4.0	29	1	1	3	4	8	10	30
50-64	41	3.4	7	<1	<1	3	4	7	10	12
65+	39	3.7	12	<1	<1	2	5	9	12	14
B. *Operated*										
0-19 YRS	606	2.8	4	<1	<1	3	4	5	5	9
20-34	758	3.4	7	1	1	3	4	5	6	12
35-49	400	3.4	12	1	1	3	4	5	7	17
50-64	365	3.7	21	1	1	2	4	7	11	23
65+	309	2.9	9	1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	3.2	10	1	1	3	4	6	6	20
B. Operated	2001	2.7	3	<1	<1	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	247	3.3	11	<1	<1	2	4	7	10	14
B. Operated	2438	3.2	10	<1	1	3	4	5	7	18
1. SINGLE DX	2054	2.7	3	<1	1	3	3	4	5	7
2. MULTIPLE DX	2685	3.2	10	<1	1	3	4	5	7	18
A. NOT OPERATED	300	3.3	10	<1	<1	2	4	6	9	16
B. OPERATED	4439	3.0	7	<1	1	3	4	5	6	12
TOTAL 0-19 YRS	1297	2.6	3	<1	<1	2	3	4	5	8
20-34	1613	3.2	5	1	1	3	4	5	6	9
35-49	828	3.2	8	1	1	3	4	5	6	13
50-64	576	3.3	15	<1	1	2	3	6	9	22
65+	425	3.0	10	1	1	2	3	5	7	18
GRAND TOTAL	**4739**	**3.0**	**7**	**<1**	**1**	**3**	**4**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.8	5	1	2	3	5	8	9	10
20-34	18	3.5	3	<1	1	3	4	6	6	6
35-49	27	3.5	4	1	1	3	5	7	7	7
50-64	18	4.0	11	<1	1	3	4	10	12	12
65+	9	4.0	3	3	3	4	4	7	8	8
B. *Operated*										
0-19 YRS	107	2.3	3	<1	<1	2	3	5	6	8
20-34	111	2.7	6	<1	<1	2	3	6	8	13
35-49	100	2.6	5	<1	<1	2	4	6	7	11
50-64	98	2.4	4	<1	<1	2	3	4	6	11
65+	74	2.5	5	<1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.4	3	1	1	3	4	5	7	10
20-34	43	3.6	6	<1	1	3	5	8	9	9
35-49	33	3.7	9	1	1	3	4	7	9	16
50-64	64	6.5	33	1	2	5	8	13	15	33
65+	100	7.7	60	1	2	6	8	15	23	44
B. *Operated*										
0-19 YRS	100	2.9	7	<1	<1	2	3	5	7	15
20-34	106	3.5	18	1	1	2	4	7	8	29
35-49	120	3.0	7	1	1	2	3	6	8	14
50-64	155	3.5	8	1	1	3	4	7	9	15
65+	181	4.2	20	1	1	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	128	3.8	5	1	1	3	5	7	8	11
B. Operated	490	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	334	5.3	30	1	1	4	6	9	15	28
B. Operated	662	3.5	13	1	1	3	4	7	9	18
1. SINGLE DX	618	2.8	5	<1	<1	2	3	6	7	11
2. MULTIPLE DX	996	4.1	19	1	1	3	5	8	11	24
A. NOT OPERATED	462	4.9	24	1	1	4	6	9	12	27
B. OPERATED	1152	3.1	9	<1	1	2	4	6	8	15
TOTAL 0-19 YRS	357	3.0	5	<1	<1	3	4	5	7	11
20-34	278	3.2	10	<1	1	2	4	6	8	14
35-49	280	3.0	6	<1	1	2	4	6	8	13
50-64	335	3.8	13	<1	1	3	5	8	11	15
65+	364	4.8	31	1	1	3	6	9	13	27
GRAND TOTAL	**1614**	**3.6**	**14**	**<1**	**1**	**3**	**4**	**7**	**9**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.2	2	<1	<1	2	3	4	4	10
20-34	73	2.4	5	<1	1	2	3	4	6	14
35-49	109	2.2	3	<1	<1	2	3	4	4	9
50-64	91	2.3	2	1	1	2	3	4	6	7
65+	79	2.5	3	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS	66	3.9	13	<1	<1	2	6	9	10	14
20-34	57	4.3	11	1	1	4	7	8	9	18
35-49	73	4.7	9	<1	1	5	7	9	10	13
50-64	69	4.7	8	1	1	5	7	8	9	12
65+	89	4.3	14	<1	1	3	6	9	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	3.3	8	1	1	2	4	7	9	14
20-34	290	3.3	8	1	1	2	4	6	8	16
35-49	483	3.1	5	1	1	3	4	6	7	12
50-64	783	3.8	10	1	1	3	5	7	10	15
65+	1146	4.3	10	1	1	3	5	8	11	17
B. *Operated*										
0-19 YRS	177	8.4	107	<1	1	6	10	16	27	59
20-34	171	6.2	30	<1	1	5	8	13	16	30
35-49	277	6.4	31	1	2	5	8	12	18	32
50-64	506	6.4	38	1	1	5	8	12	17	31
65+	959	7.8	71	1	2	6	9	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	354	4.4	11	<1	1	4	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	2945	3.8	9	1	1	3	5	7	10	15
B. *Operated*	2090	7.2	58	1	1	5	8	14	21	38
1. SINGLE DX	837	3.2	8	<1	1	2	4	7	8	12
2. MULTIPLE DX	5035	5.2	32	1	1	4	6	10	14	29
A. NOT OPERATED	3428	3.6	9	1	1	3	4	7	9	14
B. OPERATED	2444	6.8	52	1	1	5	8	13	19	38
TOTAL 0-19 YRS	617	4.6	42	<1	1	2	6	10	14	38
20-34	591	4.2	16	<1	1	3	5	8	11	21
35-49	942	4.1	15	1	1	3	5	8	10	21
50-64	1449	4.6	21	1	1	3	6	9	12	26
65+	2273	5.7	39	1	1	4	7	11	15	31
GRAND TOTAL	**5872**	**4.9**	**29**	**1**	**1**	**3**	**6**	**10**	**13**	**28**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	2	1	1	2	3	5	5	5
20-34	31	3.2	3	1	1	3	5	6	6	9
35-49	39	3.3	4	1	1	2	4	5	8	9
50-64	46	3.1	2	1	2	3	4	4	6	9
65+	26	2.8	3	<1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS										
20-34	20	5.8	15	<1	<1	5	8	11	13	15
35-49	49	5.9	16	<1	<1	6	8	10	13	18
50-64	38	5.9	27	<1	<1	5	8	10	17	26
65+	28	4.7	11	<1	<1	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.1	4	2	2	4	5	7	8	8
20-34	67	3.6	4	1	2	3	5	6	7	10
35-49	138	3.9	6	1	2	3	5	7	9	12
50-64	165	4.7	12	1	2	4	6	8	10	15
65+	337	5.4	14	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	8	5.0	10	<1	1	4	5	10	12	12
20-34	41	7.3	46	<1	1	5	9	14	22	35
35-49	118	7.2	32	<1	2	6	9	14	16	32
50-64	193	6.7	25	1	2	6	9	13	15	29
65+	328	7.9	55	2	3	6	9	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	3.1	3	1	1	3	4	5	6	9
B. *Operated*	135	5.6	18	<1	<1	5	8	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	717	4.8	11	1	2	4	6	9	10	18
B. *Operated*	688	7.4	42	1	2	6	9	14	18	36
1. SINGLE DX	284	4.3	11	<1	1	3	6	9	10	18
2. MULTIPLE DX	1405	6.1	28	1	2	5	8	11	15	28
A. NOT OPERATED	866	4.5	10	1	2	4	6	8	10	16
B. OPERATED	823	7.1	38	<1	2	6	9	13	17	34
TOTAL 0-19 YRS	25	4.0	6	1	2	4	5	6	9	12
20-34	159	4.8	19	1	1	4	6	9	11	23
35-49	344	5.3	19	1	2	4	7	10	13	19
50-64	442	5.5	19	1	2	4	7	10	13	25
65+	719	6.4	34	1	2	5	8	11	16	33
GRAND TOTAL	**1689**	**5.8**	**26**	**1**	**2**	**5**	**7**	**10**	**14**	**26**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	2	2	2	3	3	5	6	6
20-34	33	3.5	3	1	2	3	4	6	7	9
35-49	61	3.3	3	1	1	3	4	6	7	9
50-64	73	3.8	3	2	2	4	5	6	7	9
65+	102	4.2	5	1	2	4	5	7	8	12
B. *Operated*										
0-19 YRS	3	6.3		6	6	6	7	7	7	7
20-34	31	7.1	8	3	3	7	9	11	13	13
35-49	51	6.5	12	2	2	6	9	11	13	17
50-64	59	5.6	9	2	2	5	8	10	11	14
65+	76	7.5	31	2	3	6	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	5	<1	1	2	4	7	7	7
20-34	71	4.0	7	1	1	4	5	7	8	16
35-49	153	4.0	6	2	2	3	5	6	8	15
50-64	364	4.6	8	2	2	4	5	8	10	15
65+	934	6.0	16	2	3	5	7	11	13	20
B. *Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	44	6.2	18	1	2	5	9	11	15	21
35-49	122	8.9	101	2	3	6	10	15	23	74
50-64	375	9.4	75	2	3	7	12	19	23	70
65+	992	10.0	74	3	3	7	12	20	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.8	4	1	2	3	5	6	7	11
B. *Operated*	220	6.7	18	2	3	6	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	1535	5.3	13	2	2	4	6	9	12	18
B. *Operated*	1537	9.6	75	3	3	7	11	19	26	49
1. SINGLE DX	496	5.1	12	2	2	4	6	9	11	16
2. MULTIPLE DX	3072	7.5	49	2	3	5	9	14	20	37
A. NOT OPERATED	1811	5.1	12	2	2	4	6	9	11	18
B. OPERATED	1757	9.3	69	2	3	7	11	18	24	45
TOTAL 0-19 YRS	27	3.7	4	1	2	3	6	7	7	7
20-34	179	5.0	11	1	2	4	7	9	11	17
35-49	387	5.8	41	2	2	4	7	11	14	26
50-64	871	6.7	42	2	2	5	8	13	19	33
65+	2104	7.8	48	2	3	6	9	15	20	38
GRAND TOTAL	**3568**	**7.2**	**44**	**2**	**2**	**5**	**8**	**13**	**18**	**36**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.9	3	1	1	3	4	5	7	7
20-34	154	2.8	4	1	1	2	4	5	6	11
35-49	151	2.8	2	1	1	3	4	5	5	7
50-64	94	2.8	2	1	1	3	4	5	6	7
65+	71	3.5	5	<1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS										
20-34	35	7.1	9	3	4	6	8	9	13	19
35-49	62	7.6	12	3	4	7	9	11	14	19
50-64	32	7.2	10	<1	3	7	9	11	11	16
65+	11	5.5	13	<1	<1	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	5	1	2	3	4	8	8	9
20-34	261	3.8	10	1	1	3	5	7	9	20
35-49	354	3.7	8	1	1	3	4	7	8	16
50-64	365	4.1	6	1	2	4	5	7	9	14
65+	618	4.8	20	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	7	9.1	41	3	3	7	15	18	18	18
20-34	55	6.4	16	1	2	6	8	12	16	18
35-49	129	8.4	37	2	3	8	10	14	17	32
50-64	148	8.4	63	1	2	7	11	15	21	54
65+	161	8.2	32	2	3	7	10	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	2.9	3	1	1	3	4	5	6	10
B. *Operated*	140	7.2	11	2	3	7	9	11	12	19
2. MULTIPLE DX										
A. *Not Operated*	1632	4.2	12	1	2	3	5	7	9	15
B. *Operated*	500	8.1	41	2	3	7	10	14	18	30
1. SINGLE DX	644	3.8	8	1	1	3	5	8	9	12
2. MULTIPLE DX	2132	5.2	22	1	2	4	6	10	13	21
A. NOT OPERATED	2136	3.9	11	1	1	3	5	7	9	14
B. OPERATED	640	7.9	34	2	3	7	10	14	17	29
TOTAL 0-19 YRS	75	3.7	10	1	1	3	4	8	9	17
20-34	505	4.0	10	1	1	3	5	8	9	18
35-49	696	4.8	17	1	1	4	6	9	12	19
50-64	639	5.1	23	1	1	4	6	9	12	26
65+	861	5.4	23	2	2	4	6	10	13	19
GRAND TOTAL	**2776**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	3	1	1	3	4	6	7	7
20-34	152	3.1	2	1	1	3	4	5	6	7
35-49	176	3.5	3	1	2	3	4	6	7	10
50-64	207	3.7	3	1	2	4	5	6	7	9
65+	149	4.0	3	2	2	4	5	6	7	10
B. *Operated*										
0-19 YRS	5	6.2	21	1	1	4	10	12	12	12
20-34	59	7.0	10	2	3	7	9	11	12	18
35-49	91	7.0	8	2	3	7	9	10	13	15
50-64	83	7.5	12	3	4	7	9	12	15	19
65+	62	9.4	53	3	4	8	11	14	17	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	3	1	2	3	4	6	7	9
20-34	209	3.4	3	1	2	3	4	6	6	9
35-49	371	4.1	9	1	2	4	5	7	8	13
50-64	516	4.7	8	2	2	4	6	8	10	16
65+	1201	5.8	17	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	8	6.5	8	2	2	[illegible]	9	10	10	10
20-34	68	8.1	29	2	3	8	10	15	16	31
35-49	169	9.8	66	2	3	8	11	18	24	48
50-64	326	10.9	81	3	4	9	13	20	26	45
65+	704	12.6	111	3	4	10	15	22	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	3.6	3	1	2	3	4	6	7	9
B. *Operated*	300	7.6	20	2	3	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	2329	5.0	13	2	2	4	6	9	11	19
B. *Operated*	1275	11.5	94	3	4	9	14	20	29	56
1. SINGLE DX	1000	4.8	11	1	2	4	6	9	10	16
2. MULTIPLE DX	3604	7.3	51	2	2	5	9	14	19	38
A. NOT OPERATED	3029	4.7	11	2	2	4	6	8	10	18
B. OPERATED	1575	10.8	82	3	4	8	13	19	26	51
TOTAL 0-19 YRS	61	4.0	6	1	2	3	5	8	9	12
20-34	488	4.4	11	1	2	4	5	8	10	16
35-49	807	5.5	25	2	2	4	7	10	13	25
50-64	1132	6.5	37	2	2	5	8	12	16	29
65+	2116	8.0	59	2	3	6	9	15	20	42
GRAND TOTAL	**4604**	**6.8**	**44**	**2**	**2**	**5**	**8**	**13**	**17**	**35**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	14	3.2	1	2	2	3	4	4	5	5
35-49	14	4.6	9	1	2	4	6	10	11	11
50-64	20	3.7	3	1	1	4	5	6	7	7
65+	14	4.6	6	1	1	4	6	8	10	10
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	9.7	51	1	1	9	12	21	22	22
35-49	17	9.8	9	6	7	9	11	12	16	18
50-64	34	11.0	54	3	5	10	13	18	22	42
65+	29	10.1	34	5	5	8	12	16	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	15	5.1	23	<1	1	3	7	9	17	20
35-49	33	5.5	31	2	2	4	6	12	14	30
50-64	38	4.7	12	1	2	4	5	8	11	20
65+	124	7.1	26	2	3	6	9	12	16	29
B. *Operated*										
0-19 YRS	2	21.5	613	4	4	21	39	39	39	39
20-34	21	14.6	378	4	4	8	13	27	60	94
35-49	43	13.5	91	3	5	10	16	26	30	50
50-64	118	16.2	199	5	5	11	19	33	44	77
65+	236	14.9	116	3	5	12	18	29	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.0	5	1	2	4	5	7	9	11
B. *Operated*	87	10.4	37	4	5	9	12	17	19	39
2. MULTIPLE DX										
A. *Not Operated*	211	6.3	25	2	2	5	8	12	15	28
B. *Operated*	420	15.1	150	4	5	11	18	29	39	76
1. SINGLE DX	152	7.6	33	2	2	6	10	14	17	34
2. MULTIPLE DX	631	12.2	125	2	3	9	15	25	33	70
A. NOT OPERATED	276	5.8	21	2	2	4	7	11	14	26
B. OPERATED	507	14.3	133	4	5	11	17	28	37	74
TOTAL 0-19 YRS	7	11.4	163	3	3	5	13	34	39	39
20-34	56	8.7	173	1	2	5	9	18	23	90
35-49	107	9.3	63	2	2	7	11	20	26	40
50-64	210	12.1	148	2	3	9	15	23	35	71
65+	403	11.8	92	3	3	9	14	23	31	62
GRAND TOTAL	**783**	**11.3**	**110**	**2**	**3**	**9**	**14**	**23**	**31**	**65**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	1.9	2	1	1	1	2	4	4	9
20-34	317	2.3	6	<1	1	2	3	4	5	9
35-49	212	2.4	2	<1	1	2	3	4	5	9
50-64	130	2.4	2	<1	1	2	3	4	5	8
65+	99	2.8	4	1	1	2	3	6	7	10
B. *Operated*										
0-19 YRS	5	2.2	1	<1	<1	2	3	3	3	3
20-34	39	3.6	6	<1	<1	3	5	8	8	9
35-49	37	4.1	8	<1	<1	3	6	8	10	12
50-64	47	3.7	9	<1	<1	3	6	9	10	12
65+	16	3.6	13	<1	<1	3	4	8	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	2.5	2	1	1	2	3	4	5	9
20-34	897	3.2	8	1	1	3	4	6	7	14
35-49	1010	3.6	7	1	1	3	5	7	8	14
50-64	1119	4.1	12	1	1	3	5	8	10	17
65+	1748	4.6	11	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	23	4.2	9	1	1	4	7	8	10	11
20-34	152	6.1	38	<1	1	5	7	14	17	37
35-49	216	6.1	35	<1	1	4	8	11	18	36
50-64	314	6.4	25	<1	2	5	8	13	17	25
65+	485	7.7	68	2	3	6	9	13	18	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	2.4	4	<1	1	2	3	4	5	9
B. *Operated*	144	3.7	8	<1	<1	3	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	5077	3.9	10	1	1	3	5	7	9	15
B. *Operated*	1190	6.8	46	1	2	5	8	13	17	33
1. SINGLE DX	1033	2.5	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	6267	4.5	18	1	1	3	5	8	11	20
A. NOT OPERATED	5966	3.7	9	1	1	3	5	7	9	15
B. OPERATED	1334	6.5	43	<1	2	5	8	12	17	31
TOTAL 0-19 YRS	462	2.4	3	1	1	2	3	4	5	10
20-34	1405	3.4	12	1	1	3	4	6	8	16
35-49	1475	3.8	11	1	1	3	5	7	9	17
50-64	1610	4.4	15	1	1	3	5	9	11	20
65+	2348	5.2	24	1	2	4	6	9	12	21
GRAND TOTAL	**7300**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.5	4	<1	1	2	3	5	9	9
20-34	57	2.7	4	<1	1	2	3	5	7	12
35-49	52	3.2	14	1	1	2	4	6	10	24
50-64	37	3.0	4	1	1	2	4	5	8	10
65+	36	2.4	2	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	39	3.3	3	1	1	3	4	5	7	9
20-34	14	6.2	30	2	3	5	7	10	21	24
35-49	20	8.3	29	1	2	7	11	17	19	20
50-64	17	7.0	14	1	2	8	9	11	14	15
65+	9	8.6	48	1	1	8	13	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	8.5	162	1	1	3	6	30	36	56
20-34	238	9.9	205	1	1	4	8	39	43	62
35-49	236	4.7	51	1	1	3	5	8	12	45
50-64	223	4.1	15	1	1	3	5	8	10	20
65+	414	5.0	15	1	2	4	6	10	13	22
B. *Operated*										
0-19 YRS	38	9.2	164	1	2	5	10	22	26	74
20-34	59	10.2	74	2	3	8	13	21	33	95
35-49	96	12.4	99	2	3	10	16	30	39	99+
50-64	130	14.3	177	2	3	10	18	28	39	71
65+	212	15.5	197	2	3	11	21	31	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	2.8	6	1	1	2	3	5	8	12
B. *Operated*	99	5.8	22	1	2	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	1230	6.1	77	1	1	4	6	11	24	49
B. *Operated*	535	13.6	162	2	3	10	18	29	41	76
1. SINGLE DX	326	3.7	13	1	1	3	4	8	10	20
2. MULTIPLE DX	1765	8.4	115	1	1	5	9	21	32	59
A. NOT OPERATED	1457	5.6	68	1	1	3	5	10	19	46
B. OPERATED	634	12.4	148	2	2	9	16	27	38	74
TOTAL 0-19 YRS	241	6.6	114	1	1	3	5	19	31	55
20-34	368	8.7	153	1	1	4	8	30	40	61
35-49	404	6.5	68	1	1	4	8	15	22	46
50-64	407	7.4	89	1	1	4	8	17	24	47
65+	671	8.3	97	1	2	5	10	19	26	57
GRAND TOTAL	**2091**	**7.6**	**102**	**1**	**1**	**4**	**8**	**18**	**29**	**56**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	1	<1	<1	2	3	4	4	5
20-34	19	2.0	1	<1	1	2	3	4	5	5
35-49	8	3.3	6	1	1	2	5	7	8	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	3912	2.9	1	1	2	3	3	4	5	7
20-34	3149	3.1	2	2	2	3	4	4	5	7
35-49	991	3.4	2	2	2	3	4	5	6	8
50-64	334	3.9	3	2	2	4	5	6	7	10
65+	97	4.7	4	2	3	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	6	<1	<1	1	2	6	8	8
20-34	9	2.9	10	<1	<1	2	3	8	10	10
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+	5	6.2	53	<1	<1	3	8	19	19	19
B. *Operated*										
0-19 YRS	676	3.8	4	2	2	3	4	6	8	11
20-34	757	4.1	6	2	2	4	5	7	8	14
35-49	332	4.7	7	2	2	4	6	8	9	15
50-64	202	5.5	12	2	3	4	6	9	12	20
65+	119	6.2	12	3	3	5	7	11	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	8483	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	28	3.1	15	<1	<1	2	3	7	11	19
B. *Operated*	2086	4.4	7	2	2	4	5	7	9	15
1. SINGLE DX	8533	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX	2114	4.3	7	2	2	4	5	7	9	15
A. NOT OPERATED	78	2.5	7	<1	1	2	3	5	7	16
B. OPERATED	10569	3.3	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4616	3.0	2	1	2	3	4	4	5	8
20-34	3934	3.3	3	2	2	3	4	5	6	9
35-49	1335	3.7	4	2	2	3	4	6	7	10
50-64	541	4.4	7	2	2	4	5	7	9	16
65+	221	5.5	10	2	3	5	7	9	11	18
GRAND TOTAL	**10647**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	5	3	3	6	9	9	9	9
20-34	8	7.0	14	2	2	8	10	11	11	11
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	8	4.0	5	1	1	4	5	7	8	8
65+	3	7.7	4	6	6	7	9	10	10	10
B. *Operated*										
0-19 YRS	845	6.1	12	2	3	6	7	9	11	14
20-34	557	5.9	8	2	3	6	7	10	11	14
35-49	290	5.9	6	3	3	5	7	9	11	14
50-64	234	6.9	8	3	4	7	8	10	12	17
65+	106	8.0	10	4	5	7	10	12	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	36	5	5	11	15	17	17	17
20-34	9	6.2	13	1	1	6	9	11	12	12
35-49	1	24.0		24	24	24	24	24	24	24
50-64	4	6.3	7	4	4	5	8	10	10	10
65+	8	9.3	34	<1	1	9	11	18	21	21
B. *Operated*										
0-19 YRS	626	8.6	29	3	4	7	10	14	18	29
20-34	386	8.1	20	3	4	7	10	13	16	25
35-49	334	9.3	45	4	5	8	11	14	17	39
50-64	314	9.8	50	4	5	8	11	16	19	34
65+	329	11.3	42	5	6	10	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.8	10	1	2	6	9	10	10	11
B. *Operated*	2032	6.2	10	3	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	25	8.5	32	1	2	7	10	17	22	24
B. *Operated*	1989	9.2	36	4	4	8	11	15	19	33
1. SINGLE DX	2058	6.2	10	3	3	6	8	10	11	15
2. MULTIPLE DX	2014	9.2	36	4	4	8	11	15	19	33
A. NOT OPERATED	51	7.1	22	1	2	6	10	11	17	24
B. OPERATED	4021	7.7	25	3	3	7	9	12	16	27
TOTAL 0-19 YRS	1480	7.1	21	3	3	6	8	11	14	24
20-34	960	6.8	14	3	3	6	8	11	13	21
35-49	626	7.7	30	3	4	7	9	12	15	29
50-64	560	8.4	34	3	4	7	10	13	17	29
65+	446	10.5	36	4	5	9	12	18	21	35
GRAND TOTAL	**4072**	**7.7**	**25**	**3**	**3**	**7**	**9**	**12**	**16**	**27**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.6	1	<1	1	1	2	3	4	5
20-34	33	1.9	1	<1	1	2	2	3	5	5
35-49	10	2.5	5	<1	<1	2	4	6	7	7
50-64	3	2.7	2	1	1	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	234	3.0	1	2	2	3	4	4	5	7
20-34	194	3.6	3	2	2	3	4	5	7	10
35-49	60	4.0	3	2	2	4	5	6	7	9
50-64	20	3.7	1	2	2	4	4	5	5	6
65+	10	5.7	8	2	2	5	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	28	<1	1	1	3	4	13	26
20-34	22	2.0	2	<1	1	2	2	3	5	7
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	6	3.7	4	2	2	3	5	7	7	7
65+	6	4.2	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	107	4.3	5	2	2	4	5	7	9	11
20-34	152	4.6	5	2	2	4	6	7	9	13
35-49	40	4.9	4	2	3	4	6	7	8	13
50-64	23	6.7	11	3	3	6	9	11	13	15
65+	23	6.4	15	2	3	6	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	1.9	2	<1	1	2	2	4	5	7
B. *Operated*	518	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	61	2.7	12	1	1	2	3	5	7	24
B. *Operated*	345	4.8	6	2	3	4	6	8	10	13
1. SINGLE DX	585	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	406	4.5	8	1	2	4	6	8	10	14
A. NOT OPERATED	128	2.3	7	<1	1	2	3	5	6	11
B. OPERATED	863	4.0	4	2	2	3	5	6	8	11
TOTAL 0-19 YRS	384	3.3	4	1	2	3	4	5	7	10
20-34	401	3.7	1	1	2	3	4	6	8	11
35-49	115	4.1	4	1	2	4	5	7	8	11
50-64	52	5.0	8	2	2	4	6	10	11	15
65+	39	5.9	12	1	2	5	7	10	12	19
GRAND TOTAL	**991**	**3.7**	**5**	**1**	**2**	**3**	**4**	**6**	**8**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	9	1.4	1	<1	<1	1	2	3	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	6	1.7	1	1	1	2	2	3	3	3
65+	11	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1570	1.3		<1	<1	1	1	2	3	4
20-34	2292	2.1	1	1	1	2	3	3	4	5
35-49	2132	2.2	1	1	1	2	3	4	4	5
50-64	2896	2.3	2	1	1	2	3	4	4	6
65+	2347	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	1.3	1	<1	<1	<1	1	2	3	6
20-34	17	2.5	6	<1	<1	1	3	7	8	9
35-49	21	1.9	4	<1	<1	1	2	4	7	9
50-64	47	2.1	3	<1	<1	1	2	4	6	10
65+	73	2.6	6	<1	<1	2	4	5	7	14
B. *Operated*										
0-19 YRS	974	1.4	1	<1	<1	1	2	2	3	5
20-34	741	2.4	2	1	1	2	3	4	5	7
35-49	1114	2.7	3	1	1	2	3	5	5	9
50-64	2388	2.9	3	1	1	3	4	5	6	10
65+	3645	3.6	7	1	1	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	11237	2.1	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	204	2.1	4	<1	<1	1	2	5	6	10
B. *Operated*	8862	3.0	5	<1	1	3	4	5	7	11
1. SINGLE DX	11275	2.1	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	9066	2.9	5	<1	1	3	4	5	7	11
A. NOT OPERATED	242	2.0	4	<1	<1	1	2	4	6	9
B. OPERATED	20099	2.5	3	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	2597	1.4	1	<1	<1	1	1	2	3	4
20-34	3059	2.1	1	1	1	2	3	4	4	6
35-49	3272	2.3	2	1	1	2	3	4	5	6
50-64	5337	2.6	2	1	1	2	3	4	5	8
65+	6076	3.2	5	1	1	3	4	5	7	12
GRAND TOTAL	**20341**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	8	2.4	5	<1	<1	1	3	6	7	7
B. *Operated*										
0-19 YRS	243	1.4	1	<1	<1	1	1	2	3	5
20-34	93	2.4	2	1	1	2	3	4	4	7
35-49	87	2.4	2	1	1	2	3	4	5	8
50-64	123	3.0	3	1	1	2	3	5	6	10
65+	163	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34										
35-49										
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	25	3.4	5	<1	1	3	4	7	8	9
B. *Operated*										
0-19 YRS	154	1.9	2	<1	<1	1	2	3	5	7
20-34	56	3.0	5	1	1	2	4	6	8	10
35-49	53	3.3	3	1	1	3	4	5	7	8
50-64	127	4.9	22	1	2	4	5	9	10	23
65+	535	6.0	22	2	2	5	7	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.8	3	<1	<1	1	1	5	6	7
B. *Operated*	709	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	34	3.0	5	<1	1	2	4	7	8	9
B. *Operated*	925	4.8	19	1	1	4	6	9	13	21
1. SINGLE DX	727	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	959	4.8	19	1	1	4	6	9	13	21
A. NOT OPERATED	52	2.6	4	<1	<1	2	4	6	7	9
B. OPERATED	1634	3.8	14	1	1	3	5	8	10	18
TOTAL 0-19 YRS	407	1.6	1	<1	<1	1	2	3	3	7
20-34	151	2.6	3	1	1	2	3	5	6	9
35-49	141	2.7	3	1	1	2	4	5	6	8
50-64	256	3.9	13	1	1	3	5	7	9	15
65+	731	5.3	19	1	2	4	7	10	13	22
GRAND TOTAL	**1686**	**3.7**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	177	1.1		<1	<1	<1	1	1	2	3
20-34	98	1.8	1	<1	<1	1	2	3	4	6
35-49	155	1.7	1	<1	1	1	2	3	4	6
50-64	122	2.0	1	<1	1	2	3	3	4	7
65+	48	2.4	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	17	<1	<1	<1	1	10	12	[illegible]
20-34	1	1.0		1	1	1	1	1	1	[illegible]
35-49	6	1.3		<1	<1	1	2	2	2	[illegible]
50-64	6	1.7	1	<1	<1	1	3	3	3	3
65+	7	2.9	8	<1	<1	2	4	8	9	9
B. *Operated*										
0-19 YRS	40	1.6	2	<1	<1	1	2	4	5	5
20-34	57	2.9	3	1	1	3	4	5	7	8
35-49	138	2.8	3	1	1	2	4	5	6	8
50-64	160	3.3	9	1	1	3	4	6	8	19
65+	121	3.8	9	1	1	3	5	6	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	600	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	27	2.1	7	<1	<1	1	2	4	9	12
B. *Operated*	516	3.1	6	<1	1	3	4	5	7	14
1. SINGLE DX	604	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	543	3.0	6	<1	1	2	4	5	7	14
A. NOT OPERATED	31	2.0	6	<1	<1	1	2	4	9	12
B. OPERATED	1116	2.3	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	226	1.2	1	<1	<1	<1	1	2	2	5
20-34	157	2.2	2	<1	<1	2	3	4	5	8
35-49	300	2.2	2	<1	1	2	3	4	5	7
50-64	288	2.7	6	<1	1	2	3	5	7	13
65+	176	3.3	7	<1	1	2	4	6	9	15
GRAND TOTAL	**1147**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	5	2.0	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	60	1.7	2	<1	<1	1	2	3	4	10
20-34	195	2.5	3	<1	<1	2	4	4	5	9
35-49	385	3.2	3	1	1	3	4	5	7	10
50-64	403	3.7	5	1	1	3	5	7	8	11
65+	302	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	2.3	5	<1	<1	1	3	6	8	8
35-49	12	3.3	8	<1	<1	2	4	8	9	9
50-64	29	2.3	3	<1	<1	2	3	5	6	8
65+	50	3.4	5	<1	1	3	5	6	7	11
B. *Operated*										
0-19 YRS	31	3.1	5	<1	<1	3	4	7	7	9
20-34	158	4.1	7	1	2	3	5	7	9	14
35-49	429	4.6	7	1	2	4	6	8	9	12
50-64	670	5.6	24	1	2	5	7	9	12	18
65+	804	6.1	19	2	2	5	8	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	1	2	2	3	3	3
B. *Operated*	1345	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	103	2.9	5	<1	<1	2	4	6	8	10
B. *Operated*	2092	5.4	17	1	2	5	7	9	11	18
1. SINGLE DX	1361	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	2195	5.3	17	1	2	5	7	9	11	18
A. NOT OPERATED	119	2.8	5	<1	<1	2	4	6	7	10
B. OPERATED	3437	4.6	13	1	1	4	6	8	10	16
TOTAL 0-19 YRS	93	2.2	4	<1	<1	1	3	4	7	10
20-34	366	3.2	5	<1	1	3	4	6	7	12
35-49	829	3.9	6	1	1	3	5	7	8	11
50-64	1107	4.8	17	1	2	4	6	8	10	17
65+	1161	5.4	16	1	2	5	7	9	11	19
GRAND TOTAL	**3556**	**4.6**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**16**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	12	1	1	1	4	9	9	9
35-49	23	2.4	2	<1	1	2	3	4	5	6
50-64	26	2.3	2	1	1	2	3	4	6	7
65+	32	2.8	3	<1	<1	2	4	5	7	8
B. *Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	7	5.6	14	1	1	4	9	10	10	10
35-49	9	4.8	10	1	1	6	7	9	10	10
50-64	27	6.6	6	1	3	7	8	10	11	12
65+	15	7.5	6	3	4	7	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	43	3.5	4	<1	1	3	5	6	7	9
35-49	145	3.3	4	1	1	3	4	6	7	10
50-64	262	3.2	5	1	1	3	4	6	7	12
65+	471	4.1	7	1	2	4	5	7	9	14
B. *Operated*										
0-19 YRS	7	8.6	13	5	5	7	11	14	15	15
20-34	56	6.4	9	3	4	6	7	9	11	20
35-49	157	7.4	23	2	3	7	8	11	15	28
50-64	262	7.8	24	2	3	7	9	13	17	28
65+	206	9.0	38	2	3	8	11	16	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	61	6.3	8	1	2	7	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	924	3.7	6	1	1	3	5	6	8	13
B. *Operated*	688	8.0	27	2	3	7	9	14	18	29
1. SINGLE DX	147	4.1	8	1	1	3	7	8	10	12
2. MULTIPLE DX	1612	5.5	20	1	2	4	7	10	13	22
A. NOT OPERATED	1010	3.6	6	1	1	3	4	6	8	12
B. OPERATED	749	7.8	26	2	3	7	9	13	17	29
TOTAL 0-19 YRS	13	5.8	18	<1	1	5	8	12	14	15
20-34	111	5.1	9	1	2	5	7	9	10	18
35-49	334	5.2	17	1	1	5	7	9	11	18
50-64	577	5.4	19	1	1	4	7	10	13	23
65+	724	5.5	21	1	2	4	7	11	14	22
GRAND TOTAL	**1759**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	11	2.1	2	<1	<1	1	3	4	5	5
20-34	61	2.3	2	1	1	2	3	4	5	6
35-49	62	2.5	3	1	1	2	3	5	6	9
50-64	75	2.6	2	1	1	2	3	5	6	7
65+	42	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	3.8	7	1	1	5	6	7	7	7
50-64	5	2.8	4	1	1	3	4	6	6	6
65+	8	3.0	3	<1	<1	3	4	6	6	6
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	19	2.4	2	1	1	2	3	4	6	6
35-49	49	4.6	36	1	1	3	5	8	10	43
50-64	50	3.9	5	1	1	4	5	7	8	9
65+	115	4.3	14	1	2	3	5	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	251	2.5	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	20	3.0	4	<1	1	2	5	6	7	7
B. *Operated*	236	4.1	16	1	1	3	5	8	10	16
1. SINGLE DX	256	2.5	2	1	1	2	3	5	5	7
2. MULTIPLE DX	256	4.0	15	1	1	3	5	8	9	14
A. NOT OPERATED	25	2.8	4	<1	<1	2	4	6	6	7
B. OPERATED	487	3.3	10	1	1	3	4	6	8	12
TOTAL 0-19 YRS	14	2.1	2	<1	<1	2	3	4	5	5
20-34	83	2.2	2	1	1	2	3	4	5	6
35-49	118	3.4	18	1	1	3	4	6	8	21
50-64	131	3.1	4	1	1	3	4	6	7	9
65+	166	3.9	11	1	1	3	4	7	10	14
GRAND TOTAL	**512**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	8	4.6	7	2	2	4	6	9	10	10
B. *Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
20-34	96	2.7	4	1	1	2	3	6	7	10
35-49	161	3.3	6	<1	1	3	4	7	8	12
50-64	158	3.7	6	1	1	3	5	7	9	12
65+	179	4.9	11	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7		2	2	3	3	3	3	3
35-49	8	3.0	6	<1	<1	2	4	7	8	8
50-64	23	2.6	12	<1	<1	2	3	4	9	18
65+	76	4.2	13	1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	14	4.5	15	<1	1	4	6	10	14	15
20-34	77	4.9	24	1	1	4	5	9	12	32
35-49	159	6.0	27	1	2	5	8	11	16	30
50-64	310	7.0	34	1	2	6	9	14	18	32
65+	651	9.0	64	2	3	7	11	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.9	6	<1	<1	2	4	6	8	10
B. *Operated*	625	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	110	3.7	13	1	1	3	5	8	10	20
B. *Operated*	1211	7.8	50	1	2	6	10	14	20	34
1. SINGLE DX	646	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1321	7.4	48	1	2	6	9	14	19	33
A. NOT OPERATED	131	3.6	12	<1	1	3	4	7	10	19
B. OPERATED	1836	6.4	39	1	1	5	8	13	16	30
TOTAL 0-19 YRS	45	2.4	7	<1	<1	1	3	5	7	15
20-34	182	3.6	13	1	1	3	4	7	9	17
35-49	332	4.6	18	1	1	3	6	9	11	25
50-64	494	5.7	27	1	1	4	7	11	15	29
65+	914	7.7	52	1	2	6	10	14	20	33
GRAND TOTAL	**1967**	**6.2**	**38**	**1**	**1**	**5**	**8**	**12**	**16**	**30**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.3	3	<1	1	2	3	4	6	9
20-34	199	3.1	4	1	1	3	4	5	6	11
35-49	284	3.3	5	1	1	3	4	6	8	10
50-64	373	3.5	5	1	1	3	4	6	7	12
65+	415	3.7	6	1	1	3	5	6	8	12
B. *Operated*										
0-19 YRS	149	5.6	8	2	3	5	7	9	11	14
20-34	142	7.7	13	3	4	7	9	12	15	22
35-49	179	7.6	10	3	4	7	9	12	14	19
50-64	165	9.5	30	4	5	8	10	14	18	36
65+	172	10.5	21	6	6	9	12	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.0	7	1	1	2	4	6	8	15
20-34	271	4.1	10	1	1	3	5	8	10	14
35-49	457	4.8	14	1	2	4	6	9	12	19
50-64	865	5.0	14	1	2	4	6	9	12	19
65+	2397	5.6	17	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	161	8.9	96	3	3	7	10	14	20	67
20-34	278	11.5	81	4	5	9	13	21	27	46
35-49	409	13.2	93	5	6	10	15	25	32	55
50-64	639	14.3	117	5	6	11	16	26	37	62
65+	1559	15.4	119	5	7	12	18	28	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1409	3.3	5	1	1	3	4	6	8	11
B. *Operated*	807	8.3	19	3	4	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	4102	5.2	16	1	2	4	6	10	13	21
B. *Operated*	3046	14.2	114	4	6	11	17	26	35	62
1. SINGLE DX	2216	5.1	16	1	1	4	7	10	12	20
2. MULTIPLE DX	7148	9.0	77	2	2	7	11	18	25	48
A. NOT OPERATED	5511	4.7	14	1	1	4	6	9	11	19
B. OPERATED	3853	12.9	100	4	5	10	15	23	32	58
TOTAL 0-19 YRS	560	5.2	39	1	1	4	7	10	13	23
20-34	890	6.8	44	1	2	5	9	13	17	35
35-49	1329	7.5	52	1	2	6	9	15	20	35
50-64	2042	8.0	66	1	2	6	10	16	22	47
65+	4543	9.0	74	2	2	6	11	18	24	45
GRAND TOTAL	**9364**	**8.1**	**66**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1545	2.1	2	1	1	2	3	4	4	7
20-34	956	2.0	2	<1	1	2	2	4	5	7
35-49	442	2.3	3	<1	1	2	3	4	5	8
50-64	295	2.4	3	1	1	2	3	4	5	9
65+	264	2.6	4	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS	65	3.1	6	1	1	3	4	5	6	16
20-34	84	4.1	7	1	2	3	5	7	10	15
35-49	46	3.9	7	<1	1	3	5	8	9	13
50-64	26	4.5	9	<1	1	4	6	10	10	11
65+	10	5.2	18	<1	<1	4	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3693	2.9	8	1	1	2	3	5	6	11
20-34	1587	2.7	7	1	1	2	3	5	6	11
35-49	1131	3.2	6	1	1	3	4	6	7	11
50-64	1353	3.7	8	1	1	3	4	7	9	15
65+	2960	4.6	17	1	2	4	5	8	11	21
B. *Operated*										
0-19 YRS	111	4.3	12	1	2	4	5	9	13	99+
20-34	155	5.7	33	1	2	4	7	11	14	20
35-49	145	7.6	78	1	2	5	9	13	21	66
50-64	176	8.3	83	1	2	5	10	17	22	50
65+	382	9.9	72	2	3	7	12	21	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3502	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	231	3.9	8	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	10724	3.4	11	1	1	3	4	6	8	16
B. *Operated*	969	8.0	66	2	2	5	10	16	23	54
1. SINGLE DX	3733	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	11693	3.8	17	1	1	3	4	7	10	20
A. NOT OPERATED	14226	3.1	9	1	1	2	4	6	7	14
B. OPERATED	1200	7.2	57	1	2	5	9	15	20	43
TOTAL 0-19 YRS	5414	2.7	6	1	1	2	3	4	6	10
20-34	2782	2.7	8	1	1	2	3	5	7	12
35-49	1764	3.4	13	1	1	3	4	6	8	15
50-64	1850	3.9	17	1	1	3	5	7	10	18
65+	3616	5.0	25	1	2	4	6	9	13	27
GRAND TOTAL	**15426**	**3.4**	**14**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	34	3.8	3	1	2	4	5	5	7	8
35-49	208	4.4	9	1	2	4	6	7	8	10
50-64	347	4.4	6	1	2	4	5	7	8	13
65+	373	4.1	7	1	1	3	6	7	9	14
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	33	6.0	5	1	3	6	7	8	9	12
35-49	90	8.7	14	3	4	8	10	13	16	22
50-64	134	9.1	16	3	5	9	11	14	17	21
65+	98	9.7	27	1	2	9	12	16	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	133	3	3	8	21	25	25	25
20-34	23	4.5	7	1	2	4	6	8	11	12
35-49	215	4.7	7	1	2	4	6	8	10	14
50-64	706	4.8	10	1	2	4	6	8	10	17
65+	2567	5.4	14	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	5	10.2	14	7	7	8	13	16	16	16
20-34	50	9.7	55	3	4	8	10	19	26	99+
35-49	254	10.6	36	3	6	9	12	17	23	35
50-64	585	11.6	74	4	5	10	13	19	25	56
65+	1142	13.3	90	3	5	11	16	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	4.2	7	1	2	4	5	7	8	13
B. *Operated*	356	8.9	18	2	4	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	3514	5.2	13	2	2	4	7	9	12	18
B. *Operated*	2036	12.4	79	3	5	10	15	22	28	49
1. SINGLE DX	1321	5.5	14	1	2	5	7	10	12	19
2. MULTIPLE DX	5550	7.9	49	2	2	6	10	15	20	36
A. NOT OPERATED	4479	5.0	12	1	2	4	6	9	11	17
B. OPERATED	2392	11.9	71	3	5	10	14	21	26	47
TOTAL 0-19 YRS	12	8.8	40	3	3	7	10	19	24	25
20-34	140	6.5	29	2	2	6	8	10	14	54
35-49	767	7.1	26	2	2	6	9	12	16	27
50-64	1772	7.3	41	2	2	6	9	13	17	29
65+	4180	7.5	48	2	2	6	10	14	20	35
GRAND TOTAL	**6871**	**7.4**	**43**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	13	3.4	4	<1	<1	4	5	6	7	7
35-49	16	2.4	4	<1	<1	2	3	6	7	7
50-64	17	2.2	2	<1	<1	2	3	4	5	6
65+	3	3.7	14	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	71	2.0	3	<1	<1	2	2	3	5	12
20-34	553	2.1	2	<1	1	2	3	4	5	7
35-49	659	2.3	3	<1	1	2	3	4	5	8
50-64	294	2.4	2	1	1	2	3	4	5	8
65+	112	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	9	1	1	3	8	9	9	9
20-34	29	4.6	15	<1	1	4	6	11	12	13
35-49	34	3.2	4	1	1	3	4	5	7	9
50-64	29	4.9	18	<1	<1	3	7	11	14	18
65+	30	4.9	22	<1	<1	4	6	10	16	22
B. *Operated*										
0-19 YRS	45	3.0	12	<1	<1	2	4	5	8	22
20-34	483	3.0	7	1	1	2	4	6	7	11
35-49	731	3.2	7	1	1	3	4	6	7	16
50-64	567	3.9	13	1	1	3	5	7	10	17
65+	360	5.5	56	1	1	4	5	11	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.6	4	<1	<1	2	4	5	7	8
B. *Operated*	1689	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	132	4.4	14	<1	1	3	5	9	12	19
B. *Operated*	2186	3.7	17	1	1	3	4	7	9	21
1. SINGLE DX	1741	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	2318	3.8	17	1	1	3	4	7	10	21
A. NOT OPERATED	184	3.9	12	<1	<1	3	5	8	11	17
B. OPERATED	3875	3.1	11	1	1	2	4	5	7	16
TOTAL 0-19 YRS	129	2.6	7	<1	<1	2	3	5	8	15
20-34	1078	2.6	5	1	1	2	3	5	6	11
35-49	1440	2.8	5	1	1	2	3	5	6	11
50-64	907	3.4	10	1	1	3	4	6	9	15
65+	505	4.8	43	1	1	3	5	9	14	32
GRAND TOTAL	**4059**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	2.7	36	<1	1	2	3	4	5	11
20-34	387	4.2	15	1	1	3	5	8	11	23
35-49	314	3.7	9	1	1	3	5	7	9	13
50-64	205	3.4	11	<1	1	3	4	6	8	18
65+	277	3.2	7	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	121	5.0	69	<1	<1	3	6	8	10	45
20-34	312	6.1	32	<1	1	5	8	12	15	30
35-49	261	6.2	31	<1	1	5	8	12	16	27
50-64	199	6.0	23	<1	1	5	8	11	15	26
65+	167	5.7	19	<1	1	4	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	3.7	11	1	1	3	5	8	10	16
20-34	742	4.7	20	1	1	4	6	8	12	26
35-49	817	4.8	17	1	1	4	6	9	12	21
50-64	912	5.2	21	1	1	4	7	10	13	22
65+	2413	5.2	23	1	1	4	6	10	14	24
B. *Operated*										
0-19 YRS	214	8.1	94	<1	1	6	10	17	24	45
20-34	743	9.3	101	1	2	7	10	18	31	57
35-49	831	9.7	101	1	2	7	11	20	30	54
50-64	981	10.6	109	2	2	8	13	22	30	58
65+	1746	12.2	132	2	3	9	15	25	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1401	3.5	15	<1	1	3	4	7	9	15
B. *Operated*	1060	5.9	32	<1	1	5	8	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	5162	5.0	21	1	1	4	6	10	13	22
B. *Operated*	4515	10.7	116	1	2	8	13	22	32	58
1. SINGLE DX	2461	4.6	24	<1	1	3	6	9	12	25
2. MULTIPLE DX	9677	7.7	73	1	2	5	9	16	23	48
A. NOT OPERATED	6563	4.7	20	1	1	3	6	9	12	22
B. OPERATED	5575	9.8	104	1	2	7	12	21	30	57
TOTAL 0-19 YRS	831	4.8	51	<1	1	3	5	9	14	33
20-34	2184	6.4	53	1	1	4	8	12	18	40
35-49	2223	6.6	55	1	1	4	8	13	19	40
50-64	2297	7.4	66	1	1	5	9	15	21	47
65+	4603	7.8	76	1	2	5	9	16	23	48
GRAND TOTAL	**12138**	**7.0**	**65**	**1**	**1**	**5**	**8**	**14**	**21**	**45**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	9.4	75	2	3	7	9	22	32	34
35-49	21	7.9	212	1	1	4	7	11	39	70
50-64	26	5.6	16	1	1	5	6	14	15	16
65+	7	4.6	11	1	1	4	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34	5	2.4	3	<1	<1	2	3	5	5	5
35-49	27	3.7	9	1	1	3	5	8	9	12
50-64	9	3.6	14	<1	<1	2	4	10	11	11
65+	10	3.1	8	<1	<1	2	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	100	6.4	34	1	1	5	8	14	18	31
35-49	385	7.7	45	2	2	6	10	15	19	39
50-64	536	9.1	63	2	3	7	11	18	23	49
65+	324	9.0	49	2	3	7	11	17	23	37
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	49	11.6	135	1	2	7	14	31	35	51
35-49	134	13.6	204	1	2	9	17	38	46	66
50-64	221	11.3	94	1	2	9	15	24	33	47
65+	113	12.2	117	1	2	9	17	27	33	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	6.9	87	1	2	5	7	13	16	64
B. *Operated*	51	3.4	9	<1	<1	2	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1346	8.5	53	2	2	7	11	17	22	40
B. *Operated*	518	12.1	132	1	2	9	16	26	37	56
1. SINGLE DX	118	5.4	56	<1	1	4	6	9	14	45
2. MULTIPLE DX	1864	9.5	78	2	2	7	12	19	25	48
A. NOT OPERATED	1413	8.4	55	2	2	7	10	17	22	40
B. OPERATED	569	11.3	127	1	1	8	15	25	35	55
TOTAL 0-19 YRS	3	13.0	301	2	2	4	26	33	33	33
20-34	166	8.0	71	1	1	5	9	18	29	38
35-49	567	8.9	94	1	2	6	11	18	25	53
50-64	792	9.5	72	2	3	7	12	20	25	47
65+	454	9.6	67	1	2	7	12	19	25	47
GRAND TOTAL	**1982**	**9.3**	**77**	**1**	**2**	**7**	**11**	**19**	**25**	**48**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	27	1	1	1	8	10	10	10
20-34	8	4.3	20	1	1	2	6	12	14	14
35-49	11	4.2	10	<1	<1	4	6	9	11	11
50-64	16	3.8	6	<1	1	3	5	6	10	11
65+	5	5.6	6	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	10	2.0	5	1	1	1	2	5	8	8
20-34	60	1.7	3	<1	<1	1	1	3	5	11
35-49	81	1.5	2	<1	<1	1	2	2	2	8
50-64	82	1.8	4	<1	<1	1	2	4	5	12
65+	44	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.1	5	2	2	3	6	8	8	8
20-34	45	6.2	49	1	1	5	8	10	13	46
35-49	87	6.0	24	1	1	5	7	13	14	28
50-64	167	6.6	19	2	2	6	9	12	15	23
65+	263	7.8	33	2	3	6	10	15	19	27
B. *Operated*										
0-19 YRS	12	12.3	413	1	1	3	16	38	67	72
20-34	78	4.4	32	<1	1	2	5	12	19	23
35-49	120	6.6	76	1	1	3	9	18	23	45
50-64	218	6.5	58	1	1	3	9	16	19	33
65+	228	8.4	66	1	1	6	11	18	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.2	10	<1	1	3	6	9	11	14
B. *Operated*	277	1.7	3	<1	<1	1	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*	571	7.0	29	1	2	5	9	13	17	27
B. *Operated*	656	7.0	68	1	1	4	10	17	21	41
1. SINGLE DX	320	2.1	5	<1	<1	1	2	5	7	11
2. MULTIPLE DX	1227	7.0	50	1	1	5	9	15	20	32
A. NOT OPERATED	614	6.8	28	1	2	5	9	13	17	26
B. OPERATED	933	5.4	55	<1	1	2	7	14	19	37
TOTAL 0-19 YRS	34	6.4	162	1	1	2	7	14	22	72
20-34	191	3.9	29	<1	<1	2	5	9	14	23
35-49	299	4.9	43	1	1	2	6	12	18	35
50-64	483	5.6	37	1	1	4	8	13	17	25
65+	540	7.6	47	1	1	6	10	16	20	32
GRAND TOTAL	**1547**	**6.0**	**45**	**1**	**1**	**4**	**8**	**14**	**18**	**29**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	3	1	1	2	4	5	6	7
20-34	77	3.7	7	1	1	3	5	7	9	14
35-49	30	4.0	7	2	2	3	5	7	7	15
50-64	39	4.4	32	<1	1	3	5	8	17	30
65+	23	4.0	5	1	1	4	6	7	8	9
B. *Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	25	3.4	7	<1	1	2	6	7	8	9
35-49	26	4.1	17	1	1	2	6	9	14	16
50-64	21	4.0	27	<1	<1	2	6	9	16	23
65+	17	5.1	42	<1	<1	3	5	16	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	24	1	1	3	4	10	17	23
20-34	125	4.5	10	1	2	4	6	7	10	19
35-49	179	6.6	39	2	2	5	8	13	20	31
50-64	413	7.5	54	2	2	6	9	15	20	38
65+	475	8.1	51	2	3	7	10	14	20	35
B. *Operated*										
0-19 YRS	9	10.4	260	1	1	5	9	37	52	52
20-34	48	9.9	172	1	1	5	10	28	37	64
35-49	89	9.0	125	1	1	7	12	19	29	65
50-64	140	13.1	180	1	2	9	17	27	39	73
65+	180	13.6	177	1	2	10	17	32	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.8	11	1	1	3	5	7	8	19
B. *Operated*	92	4.0	20	<1	1	2	6	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	1230	7.2	46	2	2	5	9	14	19	35
B. *Operated*	466	12.1	171	1	1	8	15	29	37	68
1. SINGLE DX	293	3.9	14	1	1	3	5	7	9	22
2. MULTIPLE DX	1696	8.5	85	1	2	6	10	17	25	50
A. NOT OPERATED	1431	6.7	43	1	2	5	8	13	18	32
B. OPERATED	558	10.8	155	1	1	7	14	25	35	67
TOTAL 0-19 YRS	82	4 4	43	1	1	3	4	7	14	43
20-34	275	5.1	42	1	1	3	6	9	12	36
35-49	324	6.8	60	1	1	4	8	15	20	37
50-64	613	8.5	87	1	2	6	10	17	24	50
65+	695	9.3	89	1	2	7	11	18	28	51
GRAND TOTAL	**1989**	**7.8**	**78**	**1**	**2**	**5**	**9**	**16**	**23**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	3	<1	<1	1	3	5	6	6
20-34	182	2.4	8	<1	1	2	3	5	6	6
35-49	193	2.2	3	<1	<1	2	3	4	5	8
50-64	187	2.2	3	<1	1	2	3	4	6	8
65+	144	2.9	5	<1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	204	4.9	3	3	3	5	6	7	8	9
20-34	2247	5.1	3	3	3	5	6	7	8	10
35-49	1974	5.4	3	3	4	5	6	7	8	12
50-64	1682	5.7	4	3	4	5	7	8	9	12
65+	802	6.7	7	4	4	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	6	1	1	2	4	7	9	10
20-34	189	2.8	3	1	1	2	4	5	6	9
35-49	245	3.4	18	<1	1	2	4	6	7	23
50-64	420	3.7	9	1	1	3	5	7	9	14
65+	986	4.7	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	173	6.6	17	3	4	6	7	9	16	25
20-34	1927	6.3	11	3	4	6	7	9	11	18
35-49	2535	6.6	12	3	4	6	7	10	12	20
50-64	3524	7.5	20	4	4	7	9	11	14	22
65+	4313	9.8	34	5	5	8	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	6909	5.5	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1858	4.1	11	1	1	3	5	8	10	15
B. *Operated*	12472	7.9	24	4	4	7	9	13	16	27
1. SINGLE DX	7635	5.2	5	2	3	5	6	8	9	12
2. MULTIPLE DX	14330	7.4	24	2	4	6	9	12	15	26
A. NOT OPERATED	2584	3.6	10	1	1	3	5	7	9	14
B. OPERATED	19381	7.1	18	3	4	6	8	11	14	24
TOTAL 0-19 YRS	415	5.4	10	2	3	5	6	8	9	23
20-34	4545	5.4	8	2	3	5	6	8	9	14
35-49	4947	5.8	10	2	3	5	7	9	10	18
50-64	5813	6.6	16	2	3	6	8	10	12	19
65+	6245	8.4	31	2	4	7	10	14	18	30
GRAND TOTAL	21965	6.7	18	2	3	6	8	11	14	22

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	12	1	1	2	3	9	12	12
20-34	104	2.2	2	<1	1	2	3	4	5	8
35-49	101	2.5	4	<1	<1	2	3	5	7	10
50-64	82	3.0	3	1	1	3	4	5	6	8
65+	71	2.9	4	<1	1	2	4	6	6	11
B. *Operated*										
0-19 YRS	15	5.7	4	3	4	5	7	8	10	10
20-34	185	5.2	4	3	3	5	6	7	9	13
35-49	181	5.9	6	3	4	5	7	9	10	14
50-64	122	5.9	3	4	4	6	7	8	9	12
65+	57	7.2	7	4	4	7	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	7	<1	1	3	4	6	10	11
20-34	108	3.2	6	1	1	3	4	6	7	14
35-49	97	4.0	6	2	2	3	5	7	9	12
50-64	156	3.9	6	1	1	3	5	8	9	12
65+	335	5.3	17	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	25	6.6	22	2	3	5	7	13	18	21
20-34	286	6.6	15	3	4	6	7	10	13	20
35-49	370	7.3	20	4	4	6	8	12	14	29
50-64	358	8.6	45	4	4	7	10	13	17	32
65+	449	11.4	64	5	5	9	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.6	4	<1	1	2	4	5	6	9
B. *Operated*	560	5.8	5	3	4	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	710	4.5	12	1	1	4	6	8	10	15
B. *Operated*	1488	8.7	42	4	4	7	10	14	19	35
1. SINGLE DX	927	4.5	7	1	1	4	6	8	9	12
2. MULTIPLE DX	2198	7.3	36	2	2	6	9	13	17	30
A. NOT OPERATED	1077	3.8	10	1	1	3	5	8	9	14
B. OPERATED	2048	7.9	33	3	4	6	9	13	17	31
TOTAL 0-19 YRS	63	5.2	14	1	1	4	7	10	12	20
20-34	683	5.0	11	1	1	5	6	8	10	17
35-49	749	5.9	16	1	2	5	7	10	12	23
50-64	718	6.5	30	1	2	6	8	11	13	23
65+	912	8.2	49	2	2	7	10	15	20	37
GRAND TOTAL	3125	6.5	29	1	2	5	8	11	14	27

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	3.3	6	<1	<1	3	4	6	9	11
35-49	19	2.2	2	<1	1	2	3	4	5	6
50-64	20	3.5	11	1	1	2	5	7	11	14
65+	35	2.7	2	1	1	3	3	5	6	6
B. *Operated*										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	92	6.2	7	2	3	6	7	9	11	16
35-49	61	5.1	6	1	2	5	7	8	9	11
50-64	95	6.4	12	1	2	6	8	11	12	17
65+	119	6.9	19	1	1	7	10	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	5.0	146	<1	1	2	4	6	25	60
35-49	24	4.1	12	1	1	3	6	10	11	14
50-64	57	4.2	12	<1	1	3	6	9	10	17
65+	149	5.9	11	2	2	5	7	10	12	15
B. *Operated*										
0-19 YRS	16	7.4	5	4	5	7	9	11	12	12
20-34	112	7.9	23	3	4	7	9	13	18	26
35-49	114	9.4	43	3	4	8	11	16	21	40
50-64	228	10.0	44	3	4	9	12	17	21	38
65+	657	11.6	51	3	4	10	14	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.9	5	<1	1	2	4	6	6	13
B. *Operated*	370	6.3	12	1	2	6	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	254	5.3	23	1	1	5	7	9	12	17
B. *Operated*	1127	10.6	47	3	4	9	13	18	24	38
1. SINGLE DX	463	5.6	13	1	1	5	8	10	12	16
2. MULTIPLE DX	1381	9.6	47	2	3	8	12	17	23	37
A. NOT OPERATED	347	4.6	20	1	1	4	6	9	11	15
B. OPERATED	1497	9.6	42	2	3	8	12	17	22	35
TOTAL 0-19 YRS	21	6.8	7	2	3	7	9	10	11	12
20-34	245	6.7	28	1	2	6	8	10	14	25
35-49	218	7.0	33	1	2	6	9	13	16	35
50-64	400	8.0	36	1	2	7	10	15	18	32
65+	960	9.8	46	2	3	9	12	17	23	35
GRAND TOTAL	**1844**	**8.6**	**41**	**1**	**2**	**7**	**11**	**16**	**21**	**33**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	17	2.8	4	1	1	2	4	6	6	6
35-49	18	2.8	3	<1	1	2	4	6	7	7
50-64	19	4.3	10	1	1	4	7	8	11	13
65+	20	3.8	8	<1	<1	3	5	7	9	11
B. *Operated*										
0-19 YRS	3	9.3	72	1	1	9	16	18	18	18
20-34	14	4.1	11	<1	<1	3	7	9	10	10
35-49	17	5.5	12	1	1	6	8	10	11	11
50-64	27	6.3	24	<1	1	7	10	13	15	16
65+	29	5.6	27	1	1	4	8	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	10.0	55	3	4	8	12	19	27	36
20-34	36	6.0	17	1	1	5	9	12	15	18
35-49	62	5.0	31	1	1	4	6	8	10	38
50-64	71	5.8	33	1	1	4	8	11	15	31
65+	186	6.3	17	2	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	26	18.1	370	3	4	13	17	54	71	75
20-34	53	9.7	78	1	2	7	12	20	30	43
35-49	78	8.9	49	1	1	8	12	19	23	32
50-64	124	10.9	67	1	2	9	15	20	28	43
65+	242	13.1	89	2	3	11	17	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.4	6	<1	1	3	5	7	8	12
B. *Operated*	90	5.7	22	<1	1	5	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	405	6.4	28	1	2	5	8	12	16	30
B. *Operated*	523	11.9	94	1	2	10	15	22	30	50
1. SINGLE DX	167	4.6	16	<1	1	3	7	10	11	18
2. MULTIPLE DX	928	9.5	73	1	2	7	12	19	25	43
A. NOT OPERATED	482	5.9	26	1	1	5	7	11	15	29
B. OPERATED	613	11.0	88	1	2	9	15	21	28	47
TOTAL 0-19 YRS	82	12.2	168	1	3	9	15	21	34	73
20-34	120	7.0	48	1	1	5	9	14	20	37
35-49	175	6.5	39	1	1	5	9	13	20	32
50-64	241	8.4	54	1	1	7	11	17	22	37
65+	477	9.6	67	2	2	8	12	20	25	43
GRAND TOTAL	**1095**	**8.7**	**67**	**1**	**2**	**7**	**11**	**18**	**23**	**41**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	8	1	1	3	5	7	8	18
20-34	280	4.2	9	1	1	4	5	8	10	14
35-49	343	4.4	7	1	2	4	6	8	9	13
50-64	193	4.7	8	1	2	4	6	9	10	15
65+	109	4.5	6	1	2	4	6	8	9	12
B. *Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	33	7.5	74	<1	1	6	9	12	19	49
35-49	52	7.7	33	1	2	7	10	13	21	27
50-64	43	9.5	106	1	1	8	12	17	26	61
65+	16	9.3	163	<1	<1	5	10	32	42	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.7	33	1	2	4	7	10	13	38
20-34	692	6.0	32	1	2	5	7	11	15	27
35-49	1162	6.0	21	1	2	5	7	11	14	24
50-64	810	6.5	24	2	2	5	8	11	16	25
65+	835	6.7	25	2	3	6	8	12	16	29
B. *Operated*										
0-19 YRS	18	11.8	128	1	2	8	13	30	39	43
20-34	176	14.1	228	2	3	10	15	29	53	82
35-49	262	14.9	195	3	4	11	19	35	47	99+
50-64	322	14.2	200	2	3	10	17	30	45	91
65+	334	16.7	262	2	4	11	20	40	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	990	4.4	8	1	2	4	6	8	10	14
B. *Operated*	147	8.3	77	1	1	7	10	16	24	49
2. MULTIPLE DX										
A. *Not Operated*	3564	6.3	25	2	2	5	8	11	15	26
B. *Operated*	1112	15.1	221	2	3	11	18	33	51	93
1. SINGLE DX	1137	4.9	18	1	2	4	6	9	11	21
2. MULTIPLE DX	4676	8.4	86	2	2	6	10	16	24	56
A. NOT OPERATED	4554	5.9	22	2	2	5	7	11	14	24
B. OPERATED	1259	14.3	209	2	3	10	17	32	48	90
TOTAL 0-19 YRS	151	5.7	38	1	1	4	7	11	13	41
20-34	1181	6.8	66	1	2	5	8	12	18	45
35-49	1819	7.0	55	1	2	5	8	13	19	43
50-64	1368	8.2	77	2	2	6	9	16	23	50
65+	1294	9.2	106	2	3	6	10	17	29	66
GRAND TOTAL	**5813**	**7.7**	**74**	**2**	**2**	**5**	**9**	**14**	**21**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	5	<1	1	2	3	5	6	13
20-34	78	2.4	2	1	1	2	3	4	5	8
35-49	99	2.7	3	<1	1	2	3	5	6	11
50-64	85	2.8	3	<1	1	2	4	5	6	9
65+	142	3.6	12	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	7	3.4	5	1	1	3	5	7	7	7
20-34	10	4.8	14	1	1	4	7	10	13	13
35-49	10	5.2	5	2	2	6	7	8	8	8
50-64	15	4.7	36	<1	1	3	5	15	20	22
65+	26	5.2	13	1	1	4	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	3.2	6	1	1	3	4	6	8	15
20-34	367	3.0	4	1	1	3	4	5	7	11
35-49	553	3.8	7	1	1	3	5	7	9	14
50-64	1077	4.7	15	1	2	4	6	8	11	23
65+	3345	5.6	19	2	2	4	7	10	14	23
B. *Operated*										
0-19 YRS	13	6.5	47	2	2	4	7	16	24	26
20-34	63	5.8	27	1	2	4	7	12	16	31
35-49	127	8.2	72	2	2	6	9	16	25	42
50-64	329	8.3	61	2	2	6	10	17	24	43
65+	900	9.1	72	2	3	7	11	18	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	2.9	6	1	1	2	4	6	7	13
B. *Operated*	68	4.9	16	1	1	4	7	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	5467	5.0	17	1	2	4	6	9	12	22
B. *Operated*	1432	8.7	68	2	3	6	10	17	24	46
1. SINGLE DX	534	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	6899	5.8	29	1	2	4	7	11	15	28
A. NOT OPERATED	5933	4.8	16	1	2	4	6	9	12	21
B. OPERATED	1500	8.5	66	2	2	6	10	17	23	45
TOTAL 0-19 YRS	207	3.2	9	1	1	2	4	6	8	15
20-34	518	3.3	8	1	1	3	4	6	7	16
35-49	789	4.4	20	1	1	3	5	8	12	21
50-64	1506	5.4	27	1	2	4	6	10	15	27
65+	4413	6.2	32	2	2	5	7	12	16	30
GRAND TOTAL	**7433**	**5.6**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	8	<1	1	2	3	5	10	12
20-34	5	3.0	3	1	1	3	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	4	8.3	57	1	1	7	14	17	17	17
B. *Operated*										
0-19 YRS	4	9.5	112	1	1	6	16	25	25	25
20-34	4	3.3	4	1	1	3	5	6	6	6
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	7.0	3	5	5	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.0	20	1	1	2	4	9	11	28
20-34	13	6.8	21	2	2	6	10	14	16	16
35-49	25	6.9	23	1	1	5	12	13	14	18
50-64	31	6.5	46	2	2	4	6	13	27	31
65+	45	7.1	23	1	2	6	10	13	15	24
B. *Operated*										
0-19 YRS	12	12.8	328	1	1	6	17	36	61	65
20-34	17	7.6	26	2	3	6	9	17	19	20
35-49	11	11.1	62	4	5	8	13	22	31	32
50-64	25	13.2	152	3	4	8	15	32	40	57
65+	50	17.1	240	3	3	12	23	39	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.1	18	<1	1	3	5	12	13	17
B. *Operated*	15	6.1	32	1	1	5	7	8	21	25
2. MULTIPLE DX										
A. *Not Operated*	162	6.0	28	1	1	4	8	12	15	28
B. *Operated*	115	13.8	187	2	3	9	17	35	44	67
1. SINGLE DX	42	4.8	23	1	1	3	6	12	14	25
2. MULTIPLE DX	277	9.3	108	1	2	6	11	20	31	57
A. NOT OPERATED	189	5.7	27	1	1	4	8	12	14	28
B. OPERATED	130	13.0	175	2	3	8	16	32	40	66
TOTAL 0-19 YRS	79	5.3	76	1	1	2	6	12	22	54
20-34	39	6.3	21	1	2	5	8	13	17	20
35-49	40	7.9	35	1	2	6	12	13	17	32
50-64	59	9.4	99	2	2	6	10	21	32	55
65+	102	12.1	153	2	3	8	14	26	39	64
GRAND TOTAL	**319**	**8.7**	**99**	**1**	**2**	**6**	**11**	**18**	**28**	**57**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.8	27	<1	1	3	6	10	12	35
20-34	9	2.9	3	<1	<1	2	4	6	6	6
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	3	4.0	7	1	1	5	6	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	52	2.5	4	1	1	2	3	5	7	11
20-34	39	2.6	9	<1	1	2	2	5	8	18
35-49	35	2.1	3	<1	1	2	2	4	6	8
50-64	25	2.8	7	1	1	2	3	7	9	12
65+	14	2.4	6	<1	<1	2	3	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.7	14	1	2	4	5	10	12	20
20-34	26	3.8	11	1	1	3	4	6	11	17
35-49	22	5.9	34	1	2	4	6	15	20	24
50-64	45	6.3	28	1	2	5	7	13	15	32
65+	59	5.8	17	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	58	5.1	36	1	1	3	5	13	20	28
20-34	75	4.3	18	1	1	3	5	11	15	18
35-49	92	4.8	20	1	1	3	7	10	16	20
50-64	106	7.3	95	1	1	3	10	19	28	50
65+	93	10.2	156	1	2	7	12	22	33	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.5	22	<1	1	3	6	9	11	31
B. *Operated*	165	2.5	5	1	1	2	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	221	5.3	20	1	1	4	7	11	14	23
B. *Operated*	424	6.6	75	1	1	3	8	16	21	44
1. SINGLE DX	239	3.1	12	<1	1	2	4	7	9	15
2. MULTIPLE DX	645	6.1	56	1	1	4	8	14	19	36
A. NOT OPERATED	295	5.1	20	1	1	4	6	10	13	23
B. OPERATED	589	5.4	59	1	1	3	6	12	19	38
TOTAL 0-19 YRS	236	4.3	21	1	1	3	5	10	12	25
20-34	149	3.7	14	1	1	2	4	8	13	18
35-49	153	4.3	19	1	1	3	5	10	15	21
50-64	179	6.3	67	1	1	3	7	15	22	42
65+	167	8.0	100	1	1	5	10	16	23	46
GRAND TOTAL	**884**	**5.3**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**33**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.1	4	1	2	4	5	7	8	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	6.8	31	1	1	7	11	12	12	12
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	8.0	72	2	2	8	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.7	12	<1	1	3	7	9	12	14
20-34	9	4.3	7	<1	<1	4	6	8	9	9
35-49	5	3.8	5	2	2	3	5	7	7	7
50-64	6	5.3	16	2	2	4	6	12	13	13
65+	20	7.2	25	1	2	6	9	13	18	22
B. *Operated*										
0-19 YRS	9	6.4	28	2	2	5	9	15	16	16
20-34	11	3.2	10	1	1	2	5	8	10	10
35-49	10	15.9	491	2	2	10	13	50	76	76
50-64	10	8.8	27	2	2	8	12	16	18	18
65+	18	14.2	116	1	2	10	23	27	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.9	4	1	2	4	5	7	8	9
B. *Operated*	10	5.5	24	1	1	3	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	83	5.3	15	1	1	4	7	10	13	19
B. *Operated*	58	10.3	145	1	1	7	13	24	27	73
1. SINGLE DX	42	4.3	9	1	2	4	5	8	11	14
2. MULTIPLE DX	141	7.3	74	1	1	5	9	15	23	40
A. NOT OPERATED	115	4.9	12	1	2	4	7	9	12	17
B. OPERATED	68	9.6	129	1	1	7	12	23	26	69
TOTAL 0-19 YRS	81	4.6	11	1	1	4	6	9	12	15
20-34	25	4.1	12	<1	1	3	6	10	11	12
35-49	19	10.2	286	2	2	5	10	20	53	76
50-64	19	7.3	26	2	2	6	11	15	17	18
65+	39	10.4	78	1	2	7	14	24	27	37
GRAND TOTAL	**183**	**6.6**	**60**	**1**	**1**	**4**	**8**	**13**	**22**	**34**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	4	2.8	4	<1	<1	2	4	5	5	5
35-49	5	3.0	4	<1	<1	4	4	5	5	5
50-64	3	3.7	9	1	1	3	6	7	7	7
65+	4	5.3	36	<1	<1	3	9	14	14	14
B. *Operated*										
0-19 YRS	8	7.6	44	<1	1	6	10	18	21	21
20-34	35	7.6	53	<1	1	4	11	20	22	25
35-49	46	4.5	26	<1	<1	3	4	11	18	19
50-64	48	4.1	27	1	1	3	4	9	16	29
65+	33	3.7	32	1	1	2	3	7	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	7.8	258	<1	1	3	6	18	30	87
20-34	39	4.0	19	<1	<1	2	5	12	15	17
35-49	37	4.9	31	<1	<1	2	6	15	19	21
50-64	65	5.8	27	1	1	4	7	13	15	26
65+	225	7.5	40	1	2	6	9	15	20	34
B. *Operated*										
0-19 YRS	95	13.3	184	1	2	8	19	28	43	67
20-34	281	11.1	110	1	1	9	15	22	32	50
35-49	330	10.3	119	1	1	7	14	23	34	58
50-64	431	9.0	74	1	2	6	12	20	27	42
65+	412	10.1	97	1	2	7	13	22	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.3	18	<1	<1	4	5	13	15	15
B. *Operated*	170	5.0	35	<1	1	3	5	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	398	6.7	53	1	1	5	8	14	19	32
B. *Operated*	1549	10.2	104	1	2	7	14	22	30	49
1. SINGLE DX	187	4.9	34	<1	1	3	5	14	19	28
2. MULTIPLE DX	1947	9.5	96	1	2	6	13	21	28	48
A. NOT OPERATED	415	6.6	52	1	1	5	8	14	19	32
B. OPERATED	1719	9.7	99	1	1	6	13	21	29	48
TOTAL 0-19 YRS	136	11.7	196	1	1	6	17	27	37	74
20-34	359	9.9	99	<1	1	7	14	21	27	48
35-49	418	9.1	105	1	1	5	12	21	27	52
50-64	547	8.2	67	1	1	5	11	18	24	40
65+	674	8.9	77	1	2	6	11	19	26	43
GRAND TOTAL	**2134**	**9.1**	**92**	**1**	**1**	**6**	**12**	**20**	**27**	**46**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	9	3.2	8	<1	<1	3	4	8	9	9
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	10	1.5	1	1	1	1	2	3	4	4
65+	3	8.3	72	2	2	5	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.5	20	3	3	6	11	12	17	18
20-34	23	6.5	34	1	2	5	8	14	19	26
35-49	36	5.7	17	1	1	5	9	12	14	18
50-64	88	7.9	24	2	3	7	11	15	17	27
65+	532	9.0	55	2	3	7	11	16	24	46
B. *Operated*										
0-19 YRS	12	16.1	130	1	4	14	22	35	36	36
20-34	55	11.8	85	2	3	9	15	22	32	50
35-49	63	11.2	95	2	3	9	14	19	26	62
50-64	124	13.4	187	2	3	9	17	28	45	62
65+	283	17.1	205	3	4	14	21	34	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.2	5	<1	<1	3	4	6	8	9
B. *Operated*	16	3.1	18	1	1	2	4	5	14	18
2. MULTIPLE DX										
A. *Not Operated*	694	8.6	48	2	3	7	11	16	22	43
B. *Operated*	537	15.0	179	2	3	12	18	30	40	72
1. SINGLE DX	31	3.2	11	<1	1	2	4	6	9	18
2. MULTIPLE DX	1231	11.4	115	2	3	8	14	22	32	64
A. NOT OPERATED	709	8.5	48	2	3	7	11	15	22	42
B. OPERATED	553	14.6	178	2	3	11	18	29	39	71
TOTAL 0-19 YRS	30	10.5	82	2	3	8	13	23	35	36
20-34	80	10.0	75	2	2	8	14	21	28	45
35-49	101	9.1	72	1	2	7	12	18	20	49
50-64	224	10.7	124	1	2	7	13	23	31	55
65+	827	11.7	121	2	3	9	14	23	33	72
GRAND TOTAL	**1262**	**11.2**	**114**	**2**	**3**	**8**	**14**	**22**	**31**	**63**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	3.3	3	1	1	3	4	6	6	9
20-34	310	3.4	2	1	2	3	4	5	6	7
35-49	84	3.8	3	1	2	3	5	6	7	10
50-64	40	3.7	3	1	2	3	4	6	7	10
65+	36	4.6	4	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	9	5.1	21	2	2	4	5	13	17	17
20-34	12	6.0	16	3	3	5	6	11	17	18
35-49	7	6.1	23	2	2	5	7	14	16	16
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	3.7	5	1	2	3	4	6	8	12
20-34	742	4.0	4	2	2	4	5	6	7	12
35-49	328	4.9	9	2	2	4	6	8	10	15
50-64	393	5.6	10	2	2	5	7	9	11	17
65+	679	6.5	17	2	3	5	8	12	15	23
B. *Operated*										
0-19 YRS	54	5.5	14	2	2	4	7	9	12	24
20-34	68	6.7	18	2	3	5	8	14	17	18
35-49	40	9.2	86	2	3	7	10	17	25	55
50-64	67	11.2	154	3	4	8	14	18	23	87
65+	137	10.7	42	3	5	9	13	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	3.5	3	1	2	3	4	6	6	9
B. *Operated*	31	5.7	16	2	3	5	6	11	17	18
2. MULTIPLE DX										
A. *Not Operated*	2501	5.0	11	2	2	4	6	9	11	17
B. *Operated*	366	9.1	63	2	3	7	12	17	21	33
1. SINGLE DX	655	3.6	4	1	2	3	4	6	7	9
2. MULTIPLE DX	2867	5.5	19	2	2	4	7	10	13	22
A. NOT OPERATED	3125	4.7	9	2	2	4	6	8	10	17
B. OPERATED	397	8.8	60	2	3	7	11	17	20	32
TOTAL 0-19 YRS	576	3.8	6	1	2	3	4	6	8	13
20-34	1132	4.0	5	1	2	4	5	6	8	14
35-49	459	5.1	16	2	2	4	6	8	11	20
50-64	502	6.2	33	2	2	5	7	11	14	24
65+	853	7.1	23	2	3	6	9	13	17	24
GRAND TOTAL	**3522**	**5.2**	**17**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.0	2	1	2	3	4	4	5	8
20-34	211	3.2	2	1	1	3	4	5	6	7
35-49	57	3.9	7	1	2	3	5	7	9	14
50-64	38	3.6	5	1	1	3	4	6	9	12
65+	19	3.9	3	1	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	19	3.2	3	<1	<1	3	4	6	7	7
20-34	21	5.4	11	2	2	4	7	10	12	15
35-49	11	6.1	18	1	1	5	8	12	15	15
50-64	10	5.5	10	<1	1	5	9	10	10	10
65+	5	3.4	11	<1	<1	1	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	3.5	3	1	2	3	4	6	7	10
20-34	500	4.6	20	2	2	4	5	8	9	16
35-49	220	4.8	10	2	2	4	6	9	11	16
50-64	210	6.0	15	2	3	5	7	11	14	21
65+	442	6.5	20	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	54	6.5	28	<1	1	5	9	13	17	26
20-34	85	7.9	26	2	3	7	11	14	18	24
35-49	62	11.0	86	2	3	8	14	26	32	41
50-64	86	14.1	202	3	4	9	17	29	40	82
65+	103	14.3	102	3	5	11	19	29	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.3	3	1	2	3	4	5	6	10
B. *Operated*	66	4.7	11	<1	1	4	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	1613	5.2	17	2	2	4	6	9	12	20
B. *Operated*	390	11.3	103	2	3	8	14	23	30	47
1. SINGLE DX	519	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	2003	6.4	39	2	2	5	7	12	17	31
A. NOT OPERATED	2066	4.8	14	2	2	4	6	8	11	19
B. OPERATED	456	10.3	95	1	2	8	13	22	29	47
TOTAL 0-19 YRS	442	3.7	7	1	1	3	4	6	8	14
20-34	817	4.6	18	1	2	4	5	8	11	18
35-49	350	5.8	29	2	2	4	7	11	15	30
50-64	344	7.7	74	2	2	5	8	15	21	45
65+	569	7.8	44	2	3	6	9	15	20	36
GRAND TOTAL	**2522**	**5.8**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	1	<1	<1	1	2	3	4	5
20-34	249	1.5	1	<1	<1	1	2	3	3	4
35-49	322	1.6	1	<1	<1	1	2	3	3	6
50-64	220	1.8	1	<1	1	1	2	3	4	7
65+	53	1.9	2	1	1	2	2	3	4	9
B. *Operated*										
0-19 YRS	20	5.2	28	1	1	4	6	11	17	23
20-34	145	4.9	8	1	2	5	7	8	10	14
35-49	214	5.4	10	1	2	5	7	9	11	18
50-64	162	5.3	12	1	1	5	7	10	12	16
65+	83	5.7	10	1	2	6	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	34	1	1	3	4	9	16	30
20-34	204	2.5	7	<1	1	2	3	5	6	12
35-49	227	2.3	3	<1	1	2	3	4	6	9
50-64	243	2.4	3	1	1	2	3	5	5	8
65+	204	3.1	8	1	1	2	4	6	8	17
B. *Operated*										
0-19 YRS	27	9.6	122	2	3	7	11	14	21	62
20-34	190	7.0	20	1	2	6	8	11	16	24
35-49	274	6.7	22	1	2	6	9	11	16	20
50-64	305	8.0	50	1	2	7	10	14	18	43
65+	292	8.3	30	2	2	7	10	16	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	624	5.3	11	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	908	2.6	7	1	1	2	3	5	7	14
B. *Operated*	1088	7.6	35	1	2	7	10	13	17	29
1. SINGLE DX	1492	3.2	8	<1	1	2	5	7	9	13
2. MULTIPLE DX	1996	5.3	28	1	1	4	7	11	14	24
A. NOT OPERATED	1776	2.1	4	<1	1	2	2	4	5	10
B. OPERATED	1712	6.8	27	1	2	6	9	12	16	25
TOTAL 0-19 YRS	101	5.3	56	1	1	3	7	11	14	46
20-34	788	3.7	13	<1	1	2	5	8	10	18
35-49	1037	3.9	14	<1	1	3	6	8	11	17
50-64	930	4.6	27	1	1	3	6	10	13	22
65+	632	5.8	25	1	1	4	8	12	16	24
GRAND TOTAL	**3488**	**4.4**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	1.7	1	<1	1	1	2	3	4	6
20-34	1008	1.6	2	<1	<1	1	2	3	4	5
35-49	1347	1.6	1	<1	1	1	2	3	3	5
50-64	795	1.7	1	<1	1	1	2	3	4	6
65+	235	1.9	1	1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	48	3.4	9	<1	1	2	5	7	10	12
20-34	602	3.9	7	1	1	3	5	7	9	14
35-49	773	4.1	9	1	1	3	6	8	10	13
50-64	567	4.6	9	1	1	4	6	8	11	13
65+	210	4.6	10	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.2	2	<1	1	2	3	5	5	7
20-34	426	2.0	2	<1	1	2	2	4	5	7
35-49	602	1.9	3	1	1	1	2	3	5	7
50-64	547	2.2	2	1	1	2	3	4	5	8
65+	390	2.7	5	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	30	5.3	16	1	1	4	7	10	11	19
20-34	335	5.6	12	1	2	5	8	10	12	17
35-49	498	5.5	14	1	1	5	8	10	12	17
50-64	559	6.5	24	1	2	6	8	12	15	24
65+	535	7.4	27	1	2	7	10	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3481	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	2200	4.2	9	1	1	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2008	2.2	3	1	1	2	3	4	5	8
B. *Operated*	1957	6.3	21	1	2	5	8	12	14	22
1. SINGLE DX	5681	2.6	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	3965	4.2	16	1	1	3	6	9	12	18
A. NOT OPERATED	5489	1.8	2	<1	1	1	2	3	4	7
B. OPERATED	4157	5.2	15	1	1	4	7	10	12	18
TOTAL 0-19 YRS	217	2.6	6	<1	1	2	3	6	8	12
20-34	2371	2.8	7	<1	1	2	4	6	8	12
35-49	3220	2.9	8	1	1	2	4	7	9	13
50-64	2468	3.6	12	1	1	2	5	8	10	15
65+	1370	4.7	19	1	1	3	6	10	13	19

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	4	1	1	2	4	6	7	7
20-34	14	2.9	7	1	1	2	3	7	9	10
35-49	20	1.7	1	1	1	1	2	3	4	5
50-64	10	1.6		<1	<1	1	2	3	3	3
65+	8	2.1	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	289	5.0	7	<1	1	5	7	8	10	12
20-34	96	5.6	12	<1	1	6	8	10	11	16
35-49	85	4.6	12	1	1	4	7	9	11	14
50-64	73	3.5	10	<1	<1	2	6	9	10	12
65+	60	3.5	11	<1	<1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	5	<1	1	3	4	6	7	10
20-34	70	2.6	4	1	1	2	3	6	8	10
35-49	63	3.4	8	<1	1	3	4	6	11	14
50-64	83	4.6	12	1	1	4	6	9	12	18
65+	209	5.8	23	1	2	5	7	11	14	27
B. *Operated*										
0-19 YRS	317	6.2	18	<1	1	6	8	12	14	21
20-34	241	7.1	35	1	2	6	8	12	16	29
35-49	237	7.3	36	1	2	6	9	13	20	31
50-64	354	7.4	48	1	1	6	10	14	19	44
65+	433	7.8	42	1	2	6	10	16	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.2	3	1	1	2	3	4	6	10
B. *Operated*	603	4.7	10	<1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	479	4.5	16	1	1	3	6	9	12	20
B. *Operated*	1582	7.2	37	1	2	6	9	14	18	32
1. SINGLE DX	666	4.5	10	<1	1	4	6	9	10	14
2. MULTIPLE DX	2061	6.6	33	1	1	5	8	13	17	31
A. NOT OPERATED	542	4.2	15	1	1	3	5	8	11	20
B. OPERATED	2185	6.5	30	1	1	6	8	12	16	29
TOTAL 0-19 YRS	671	5.4	13	<1	1	5	7	10	12	20
20-34	421	5.9	26	1	1	5	8	10	14	26
35-49	405	5.8	28	1	1	5	8	11	14	27
50-64	520	6.3	38	1	1	5	8	13	17	36
65+	710	6.8	35	1	1	5	9	14	19	29

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	3	3	3	3
20-34	49	1.4	1	<1	<1	1	2	2	3	7
35-49	56	1.4	1	<1	<1	1	2	2	3	6
50-64	25	1.6	1	<1	<1	1	2	4	4	5
65+	11	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	4	5.8	16	<1	<1	6	9	10	10	10
20-34	27	3.1	6	<1	1	2	5	7	8	10
35-49	19	3.6	10	1	1	2	5	7	11	14
50-64	36	3.0	6	<1	1	2	4	7	8	12
65+	36	3.0	7	1	1	2	4	5	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	42	2.7	3	1	1	2	4	4	5	10
35-49	43	2.6	7	<1	1	2	3	5	6	17
50-64	38	2.8	4	1	1	2	3	6	8	9
65+	31	2.9	1	1	2	3	3	4	5	6
B. *Operated*										
0-19 YRS	8	3.1	14	<1	<1	1	5	9	10	10
20-34	44	6.0	42	1	1	4	8	13	15	37
35-49	44	4.2	17	1	1	3	5	7	10	[illegible]
50-64	89	4.4	14	1	1	3	6	9	10	22
65+	208	5.2	14	1	1	4	7	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	122	3.2	7	<1	1	2	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	158	2.7	4	1	1	2	3	5	6	10
B. *Operated*	393	5.0	18	1	1	4	6	10	13	20
1. SINGLE DX	269	2.3	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	551	4.3	15	1	1	[illegible]	6	9	11	19
A. NOT OPERATED	305	2.1	3	<1	1	2	3	4	5	8
B. OPERATED	515	4.5	16	1	1	3	6	9	12	19
TOTAL 0-19 YRS	22	3.2	9	<1	<1	2	4	9	10	10
20-34	162	3.3	16	<1	1	2	4	7	10	18
35-49	162	2.8	9	<1	1	2	3	6	7	17
50-64	188	3.4	10	<1	1	2	5	7	9	14
65+	286	4.5	13	1	1	3	6	9	12	17
GRAND TOTAL	820	3.6	12	<1	1	2	5	8	10	17

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	1	1	1	2	3	3	4	4
20-34	16	2.9	3	<1	<1	3	4	6	6	6
35-49	9	2.0	1	1	1	2	3	3	3	3
50-64	6	2.0	1	1	1	2	2	4	4	4
65+	9	3.6	6	1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	25	1.7	2	<1	<1	1	2	4	5	6
20-34	39	1.9	5	<1	<1	1	2	4	5	14
35-49	50	2.2	3	<1	<1	2	3	4	7	8
50-64	69	2.3	3	<1	<1	2	3	4	5	12
65+	90	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	2	1	1	3	3	5	5	9
20-34	70	4.0	32	<1	1	3	4	7	11	39
35-49	53	3.8	5	1	1	3	5	7	8	10
50-64	70	4.5	11	1	2	4	6	7	11	20
65+	281	5.4	16	1	2	4	6	11	14	19
B. *Operated*										
0-19 YRS	51	2.4	5	<1	<1	1	2	6	7	11
20-34	98	3.2	9	<1	1	2	5	7	9	15
35-49	104	3.7	15	<1	1	2	5	8	10	21
50-64	175	4.5	31	1	1	3	5	10	12	26
65+	471	5.5	47	1	1	4	7	11	16	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.6	2	1	1	2	3	4	6	9
B. *Operated*	273	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	513	4.7	16	1	2	4	6	9	12	19
B. *Operated*	899	4.7	35	1	1	3	6	10	13	28
1. SINGLE DX	326	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1412	4.7	28	1	1	3	6	10	13	26
A. NOT OPERATED	566	4.5	15	1	1	4	5	9	11	18
B. OPERATED	1172	4.1	28	<1	1	2	5	9	12	26
TOTAL 0-19 YRS	128	2.3	3	<1	<1	2	3	5	6	10
20-34	223	3.2	16	<1	<1	2	4	7	9	14
35-49	216	3.3	9	<1	1	2	4	7	8	17
50-64	320	4.0	21	<1	1	3	5	9	11	23
65+	851	5.1	33	1	1	4	6	10	14	28
GRAND TOTAL	1738	4.2	24	<1	1	3	5	9	12	23

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.4		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.4	1	<1	<1	<1	1	2	4	6
20-34	131	1.9	3	<1	<1	1	2	4	6	9
35-49	103	1.7	2	<1	<1	1	2	3	4	8
50-64	82	2.1	14	<1	<1	1	2	3	4	25
65+	95	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	3	8.7	74	<1	<1	7	15	18	18	18
65+	22	3.8	10	<1	1	3	5	8	11	14
B. *Operated*										
0-19 YRS	151	1.4	1	<1	<1	1	1	2	4	8
20-34	142	2.7	12	<1	<1	2	3	5	7	17
35-49	133	3.0	7	<1	1	2	4	6	9	12
50-64	192	3.1	6	<1	1	2	4	6	8	14
65+	472	4.3	12	1	1	3	5	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6		1	1	2	2	2	2	2
B. *Operated*	563	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.9	16	<1	<1	2	5	8	14	18
B. *Operated*	1090	3.3	10	<1	<1	2	4	7	9	15
1. SINGLE DX	570	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1121	3.3	10	<1	<1	2	4	7	9	16
A. NOT OPERATED	38	3.4	13	<1	<1	2	4	8	12	18
B. OPERATED	1653	2.8	8	<1	<1	2	3	6	8	14
TOTAL 0-19 YRS	307	1.4	1	<1	<1	1	1	2	4	7
20-34	278	2.3	7	<1	<1	1	2	5	6	12
35-49	240	2.4	5	<1	<1	2	3	5	7	10
50-64	277	2.9	10	<1	1	2	3	5	7	17
65+	589	3.9	11	1	1	3	5	8	10	16
GRAND TOTAL	**1691**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.5	2	1	1	2	3	5	5	7
20-34	95	2.2	1	<1	1	2	3	4	4	6
35-49	40	2.3	2	1	1	2	3	4	5	7
50-64	55	3.0	5	<1	1	3	4	6	8	11
65+	99	4.1	8	1	1	3	6	9	10	13
B. *Operated*										
0-19 YRS	123	2.0	4	<1	<1	1	2	4	7	9
20-34	117	2.4	4	<1	<1	2	3	5	6	11
35-49	86	2.2	5	<1	<1	1	2	4	5	14
50-64	183	2.4	4	<1	<1	2	3	4	6	12
65+	241	2.6	4	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	573	3.3	6	1	1	3	4	6	8	12
20-34	550	3.9	24	1	1	3	5	7	9	14
35-49	428	4.3	8	1	1	4	6	8	10	16
50-64	727	5.7	34	1	2	4	7	10	13	29
65+	3382	6.6	29	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	280	3.0	11	<1	<1	1	4	7	10	16
20-34	266	5.1	48	<1	1	3	6	11	15	34
35-49	350	4.9	48	<1	<1	3	6	11	15	26
50-64	676	5.8	63	<1	1	4	7	12	19	41
65+	2015	7.0	48	1	2	5	8	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.8	4	1	1	2	4	5	7	11
B. *Operated*	750	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	5660	5.7	27	1	2	4	7	11	14	24
B. *Operated*	3587	6.1	49	<1	1	4	7	13	18	35
1. SINGLE DX	1179	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX	9247	5.9	36	1	1	4	7	12	15	29
A. NOT OPERATED	6089	5.5	26	1	2	4	7	10	14	24
B. OPERATED	4337	5.5	44	<1	1	4	7	12	16	33
TOTAL 0-19 YRS	1116	3.0	7	<1	<1	2	4	6	8	13
20-34	1028	3.8	27	<1	1	3	5	7	10	20
35-49	904	4.3	24	<1	1	3	5	9	11	20
50-64	1641	5.3	43	1	1	4	6	10	14	35
65+	5737	6.5	35	1	2	5	8	12	16	30
GRAND TOTAL	**10426**	**5.5**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	2.0	3	<1	<1	1	3	5	5	5
65+	16	2.6	5	<1	<1	2	4	5	8	9
B. *Operated*										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	56	3.0	5	<1	<1	3	4	5	6	15
50-64	1093	3.8	4	<1	1	4	5	6	7	10
65+	1750	4.3	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	4	2.5	3	<1	<1	2	4	4	4	4
50-64	50	3.9	24	1	1	3	5	7	9	34
65+	284	3.7	28	<1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	12	5.9	14	2	3	5	7	12	15	15
20-34	15	3.8	5	1	1	4	5	9	73	99+
35-49	89	4.2	7	<1	1	4	5	8	10	14
50-64	2618	4.8	9	2	2	4	6	8	9	16
65+	8032	5.8	15	2	3	5	7	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	4	<1	<1	1	3	5	7	9
B. *Operated*	2904	4.1	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	339	3.7	27	<1	1	3	4	7	9	18
B. *Operated*	10766	5.6	14	2	3	5	6	9	12	19
1. SINGLE DX	2927	4.1	4	1	1	4	5	6	7	10
2. MULTIPLE DX	11105	5.5	14	2	3	5	6	9	12	19
A. NOT OPERATED	362	3.6	26	<1	1	3	4	7	9	16
B. OPERATED	13670	5.3	12	2	2	5	6	9	11	17
TOTAL 0-19 YRS	18	4.9	13	<1	1	4	7	10	13	15
20-34	16	3.6	5	1	1	3	5	9	68	99+
35-49	150	3.7	6	<1	<1	4	5	6	9	15
50-64	3766	4.5	8	1	2	4	5	7	9	13
65+	10082	5.5	14	2	2	5	6	9	11	19
GRAND TOTAL	**14032**	**5.2**	**12**	**1**	**2**	**5**	**6**	**9**	**11**	**17**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	23	3.0	2	1	1	3	4	5	6	6
35-49	31	3.3	3	2	2	3	4	7	7	7
50-64	31	3.2	5	1	1	3	4	6	8	10
65+	14	3.3	2	1	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	1.8	3	<1	<1	<1	2	4	6	6
35-49	14	1.6	1	<1	<1	1	2	3	4	4
50-64	17	2.9	8	<1	<1	2	4	6	10	12
65+	21	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	42	3.4	2	1	2	3	4	5	6	7
35-49	66	3.7	6	1	2	3	5	6	7	17
50-64	103	4.2	4	2	2	4	5	7	8	10
65+	146	4.9	9	2	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	22	5.4	64	<1	<1	2	6	16	27	32
35-49	42	3.5	5	<1	<1	3	4	6	9	11
50-64	90	4.6	31	<1	1	3	6	8	10	36
65+	166	5.4	19	1	1	4	7	11	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.2	3	1	1	3	4	6	7	9
B. *Operated*	63	2.2	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	361	4.3	7	1	2	4	5	7	9	14
B. *Operated*	323	4.9	23	<1	1	4	6	10	13	28
1. SINGLE DX	163	2.8	4	<1	<1	2	4	5	6	10
2. MULTIPLE DX	684	4.6	15	1	1	4	6	8	11	21
A. NOT OPERATED	461	4.1	6	1	2	4	5	7	8	14
B. OPERATED	386	4.4	21	<1	1	3	5	9	12	26
TOTAL 0-19 YRS	10	2.4	3	<1	<1	2	4	5	5	5
20-34	96	3.6	17	<1	<1	3	4	6	7	28
35-49	153	3.4	5	<1	1	3	4	6	7	11
50-64	241	4.2	15	1	1	3	5	7	9	18
65+	347	4.9	14	1	2	4	6	9	12	19
GRAND TOTAL	**847**	**4.2**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	166	1.3		<1	<1	1	1	2	3	4
20-34	71	1.7	1	<1	1	1	2	3	3	5
35-49	78	1.6	1	<1	<1	1	2	3	4	5
50-64	124	1.8	1	1	1	2	2	3	4	5
65+	97	1.9	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	4	3.3	7	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	133	1.4	1	<1	<1	1	2	2	2	5
20-34	45	2.5	4	1	1	2	3	4	6	12
35-49	59	2.1	2	<1	1	2	3	4	5	6
50-64	133	3.0	4	1	1	3	4	5	7	12
65+	152	2.9	4	1	1	2	3	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	536	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	17	1.6	2	<1	<1	1	2	3	6	7
B. *Operated*	522	2.4	3	<1	1	2	3	4	6	10
1. SINGLE DX	539	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	539	2.4	3	<1	<1	2	3	4	6	10
A. NOT OPERATED	20	1.5	2	<1	<1	1	1	3	5	7
B. OPERATED	1058	2.0	2	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	308	1.3	1	<1	<1	1	1	2	2	4
20-34	119	2.0	2	<1	1	2	2	3	4	11
35-49	138	1.8	1	<1	<1	1	2	3	4	5
50-64	259	2.4	3	1	1	2	3	4	5	9
65+	254	2.5	3	1	1	2	3	4	6	10
GRAND TOTAL	1078	2.0	2	<1	<1	2	2	3	4	9

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	6	1	1	3	4	6	8	14
20-34	101	4.0	6	1	1	4	5	7	9	11
35-49	52	3.7	4	1	1	3	5	7	8	9
50-64	28	4.5	5	2	2	4	6	8	9	11
65+	16	4.4	2	1	3	4	6	6	7	7
B. *Operated*										
0-19 YRS	29	2.7	5	<1	<1	2	4	7	7	9
20-34	63	2.4	3	1	1	2	3	5	6	10
35-49	40	2.4	3	<1	1	2	3	5	6	8
50-64	24	2.4	3	<1	1	2	3	5	6	6
65+	20	3.0	3	<1	<1	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	4	1	1	3	4	5	7	9
20-34	63	4.5	7	1	2	4	5	8	10	14
35-49	57	4.7	7	2	2	4	6	8	9	16
50-64	75	5.5	13	2	3	5	7	9	10	21
65+	121	6.3	11	2	3	6	8	12	13	15
B. *Operated*										
0-19 YRS	18	3.8	8	<1	1	3	4	9	10	10
20-34	42	4.3	11	1	1	3	5	9	12	15
35-49	48	5.7	45	1	1	4	7	14	21	36
50-64	56	4.7	14	1	1	4	6	10	13	17
65+	82	6.0	33	1	1	4	8	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.9	5	1	1	4	5	7	8	11
B. *Operated*	176	2.5	3	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	341	5.3	10	2	2	5	7	9	12	16
B. *Operated*	246	5.2	26	1	1	4	7	11	14	28
1. SINGLE DX	410	3.3	5	1	1	3	4	6	8	10
2. MULTIPLE DX	587	5.3	17	1	2	4	7	10	12	21
A. NOT OPERATED	575	4.7	9	1	2	4	6	8	10	15
B. OPERATED	422	4.1	18	1	1	3	5	9	11	21
TOTAL 0-19 YRS	109	3.2	6	1	1	3	4	7	9	12
20-34	269	3.8	7	1	1	3	5	7	9	13
35-49	197	4.2	16	1	1	3	5	8	9	22
50-64	183	4.7	12	1	1	4	6	9	10	18
65+	239	5.8	18	1	2	5	7	11	13	22
GRAND TOTAL	997	4.5	13	1	1	4	6	8	11	17

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	1.1		<1	<1	<1	1	2	2	3
20-34	18	1.2		<1	<1	1	1	2	2	2
35-49	23	1.1		<1	<1	1	1	2	2	2
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	4	1.3		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	194	1.1		<1	<1	<1	1	1	2	3
20-34	29	1.1		<1	<1	1	1	1	2	2
35-49	27	1.2		<1	<1	<1	1	2	2	3
50-64	19	1.2		<1	<1	<1	1	2	2	2
65+	16	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.2		<1	<1	1	1	2	2	3
20-34	7	1.1		<1	<1	1	1	2	2	2
35-49	11	1.5	1	<1	<1	1	2	3	3	3
50-64	10	1.7	1	<1	<1	1	2	3	3	3
65+	15	4.0	15	<1	<1	2	6	11	13	14
B. *Operated*										
0-19 YRS	51	1.3	1	<1	<1	1	1	2	2	6
20-34	12	1.3	1	<1	<1	<1	1	2	4	4
35-49	27	1.8	3	<1	<1	1	2	4	6	8
50-64	44	2.1	3	<1	<1	1	3	4	5	11
65+	55	2.6	5	<1	1	2	3	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	285	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	63	2.0	5	<1	<1	1	2	4	6	14
B. *Operated*	189	1.9	3	<1	<1	1	2	4	5	11
1. SINGLE DX	446	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX	252	1.9	4	<1	<1	1	2	4	6	11
A. NOT OPERATED	224	1.4	2	<1	<1	<1	1	2	3	7
B. OPERATED	474	1.4	1	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	375	1.1		<1	<1	<1	1	2	2	3
20-34	66	1.1		<1	<1	1	1	2	2	4
35-49	88	1.4	1	<1	<1	1	1	2	3	7
50-64	79	1.7	2	<1	<1	1	2	3	4	9
65+	90	2.5	6	<1	<1	2	3	6	7	13
GRAND TOTAL	**698**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	2	<1	<1	1	3	4	5	6
20-34	21	2.0	3	1	1	1	2	4	6	9
35-49	13	1.8	1	<1	<1	1	2	4	4	4
50-64	8	1.6	1	<1	<1	1	2	3	3	3
65+	6	2.7	1	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	418	1.4	1	<1	<1	1	1	2	3	5
20-34	241	1.9	11	<1	<1	1	2	3	4	9
35-49	143	2.0	3	<1	<1	1	2	3	5	8
50-64	215	2.2	2	<1	1	2	3	4	5	7
65+	122	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.8	2	<1	<1	1	2	3	6	7
20-34	25	2.6	5	<1	<1	1	4	6	7	9
35-49	24	2.5	4	<1	1	2	3	4	7	9
50-64	29	3.0	15	<1	<1	2	4	5	8	21
65+	46	5.5	32	<1	1	4	6	14	19	25
B. *Operated*										
0-19 YRS	187	2.1	9	<1	<1	1	2	4	6	22
20-34	172	2.8	11	<1	1	2	4	5	7	21
35-49	217	3.4	11	<1	1	3	4	6	8	21
50-64	378	3.3	9	1	1	3	4	6	7	18
65+	330	4.3	41	1	1	3	4	7	11	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.0	2	<1	<1	1	2	4	4	8
B. *Operated*	1139	1.8	4	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	150	3.4	16	<1	<1	2	4	7	10	21
B. *Operated*	1284	3.4	18	<1	1	2	4	6	8	22
1. SINGLE DX	1211	1.8	4	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1434	3.4	18	<1	1	2	4	6	8	22
A. NOT OPERATED	222	2.9	12	<1	<1	2	3	6	9	20
B. OPERATED	2423	2.6	12	<1	1	2	3	5	6	18
TOTAL 0-19 YRS	655	1.6	3	<1	<1	1	2	3	4	7
20-34	459	2.3	10	<1	<1	1	2	4	6	14
35-49	397	2.8	8	<1	<1	2	3	5	7	19
50-64	630	2.9	7	1	1	2	3	5	6	17
65+	504	3.9	31	1	1	3	4	6	10	27
GRAND TOTAL	**2645**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**6**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	9	2.0	3	<1	<1	1	2	5	6	6
50-64	6	2.0	4	<1	<1	1	2	6	6	6
65+										
B. Operated										
0-19 YRS	26	1.3	1	<1	<1	1	1	2	3	4
20-34	266	1.9	3	<1	<1	1	2	4	5	7
35-49	758	1.7	2	<1	<1	1	2	4	5	6
50-64	493	1.6	1	<1	<1	1	2	3	4	6
65+	230	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	6	1.8	1	<1	<1	1	2	4	4	4
50-64	7	1.4	1	<1	<1	<1	2	3	3	3
65+	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	184	2.6	4	<1	<1	2	4	5	6	8
35-49	568	2.7	4	<1	<1	2	4	5	7	10
50-64	459	2.5	4	<1	<1	2	3	5	6	10
65+	284	2.4	4	<1	<1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.9	3	<1	<1	1	2	5	6	6
B. Operated	1773	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	16	1.6	1	<1	<1	1	2	3	4	4
B. Operated	1502	2.6	4	<1	<1	2	4	5	6	10
1. SINGLE DX	1790	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1518	2.6	4	<1	<1	2	4	5	6	10
A. NOT OPERATED	33	1.8	2	<1	<1	1	2	4	6	6
B. OPERATED	3275	2.1	3	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	33	1.3		<1	<1	1	1	2	3	4
20-34	452	2.2	3	<1	<1	1	3	5	6	7
35-49	1341	2.2	3	<1	<1	1	3	5	6	8
50-64	965	2.0	3	<1	<1	1	2	4	5	8
65+	517	2.1	3	<1	<1	2	2	4	5	9
GRAND TOTAL	**3308**	**2.1**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	1	3	3	4	5	5	5	5
20-34	29	2.8	2	<1	1	3	4	5	5	6
35-49	13	3.6	7	1	1	3	4	6	10	11
50-64	7	2.1	3	<1	<1	1	3	5	5	5
65+	3	1.3		<1	<1	1	2	2	2	2
B. Operated										
0-19 YRS	195	2.3	2	<1	<1	2	3	4	5	6
20-34	450	2.3	2	<1	<1	2	3	4	5	6
35-49	293	2.3	2	<1	<1	2	3	4	5	8
50-64	230	2.4	2	<1	<1	2	3	4	5	7
65+	101	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.4	1	<1	1	2	3	4	4	4
20-34	37	3.6	7	<1	1	3	5	7	10	12
35-49	40	3.1	6	<1	<1	2	4	7	8	10
50-64	23	2.3	4	<1	<1	1	4	5	7	8
65+	17	3.3	11	<1	<1	1	5	8	11	12
B. Operated										
0-19 YRS	66	2.6	2	<1	1	2	3	4	5	6
20-34	253	3.2	6	<1	1	3	4	5	6	11
35-49	359	3.3	6	<1	1	3	4	6	8	12
50-64	300	3.2	4	<1	1	3	4	6	7	10
65+	205	3.3	6	<1	1	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.9	3	<1	<1	3	4	5	5	11
B. Operated	1269	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	129	3.0	6	<1	<1	2	4	7	8	12
B. Operated	1183	3.2	5	<1	1	3	4	6	7	11
1. SINGLE DX	1326	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX	1312	3.2	5	<1	1	3	4	6	7	11
A. NOT OPERATED	186	3.0	5	<1	<1	3	4	6	8	11
B. OPERATED	2452	2.8	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	278	2.4	2	<1	<1	2	3	4	5	6
20-34	769	2.7	4	<1	<1	2	3	5	5	10
35-49	705	2.9	5	<1	<1	3	4	5	6	11
50-64	560	2.9	3	<1	<1	3	4	5	6	9
65+	326	2.9	5	<1	<1	2	4	5	7	11
GRAND TOTAL	**2638**	**2.8**	**4**	**<1**	**<1**	**2**	**4**	**5**	**6**	**10**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	1.7	2	<1	1	1	2	3	4	6
20-34	398	1.7	1	<1	1	1	2	3	4	7
35-49	81	1.9	1	1	1	1	2	4	4	6
50-64	4	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	301	3.2	3	1	1	3	4	5	6	8
20-34	1035	3.3	3	<1	1	3	4	5	6	9
35-49	237	4.2	4	<1	1	4	5	6	7	11
50-64	44	5.2	2	3	3	5	6	6	7	9
65+	13	6.2	1	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	2.0	2	<1	1	2	3	4	5	8
20-34	271	2.2	2	<1	1	2	3	4	5	7
35-49	54	2.6	3	<1	1	2	4	5	6	7
50-64	4	2.8		2	2	3	3	3	3	3
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	315	3.8	5	1	1	4	5	6	7	12
20-34	2098	4.3	5	1	1	4	5	7	8	10
35-49	965	5.3	6	2	3	5	6	8	9	14
50-64	136	5.8	6	3	4	5	6	8	10	17
65+	94	7.2	11	4	5	7	8	10	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	1630	3.5	4	<1	1	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	443	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	3608	4.6	6	1	2	5	6	7	8	13
1. SINGLE DX	2273	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	4051	4.4	6	1	1	4	6	7	8	12
A. NOT OPERATED	1086	1.9	2	<1	1	2	2	4	4	7
B. OPERATED	5238	4.3	5	1	1	4	5	7	8	11
TOTAL 0-19 YRS	887	3.0	4	1	1	3	4	5	6	9
20-34	3802	3.6	5	1	1	4	5	6	7	10
35-49	1337	4.8	6	1	2	5	6	7	9	13
50-64	188	5.5	5	2	3	5	6	8	9	15
65+	110	7.0	10	4	4	7	7	10	11	24

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	3.4	3	1	1	3	4	5	6	9
20-34	1166	3.6	4	1	1	3	4	6	7	10
35-49	140	4.3	4	2	2	4	5	7	8	11
50-64	11	3.5	2	2	2	4	5	5	5	5
65+	4	6.3	41	<1	<1	4	11	15	15	15
B. *Operated*										
0-19 YRS	134	4.4	7	<1	1	4	5	8	10	13
20-34	761	3.8	6	<1	<1	4	5	7	8	11
35-49	203	4.2	8	<1	1	4	5	7	9	13
50-64	22	5.4	7	1	2	5	6	8	11	13
65+	11	4.5	6	<1	2	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	3.9	4	1	2	4	5	6	7	12
20-34	954	4.0	5	1	2	4	5	7	8	11
35-49	181	4.8	5	1	2	4	6	8	9	13
50-64	12	6.7	7	1	3	7	9	10	10	10
65+	13	8.5	25	1	2	7	12	16	17	17
B. *Operated*										
0-19 YRS	285	5.4	18	1	1	5	7	10	11	18
20-34	3027	4.9	8	1	1	5	6	8	10	14
35-49	1088	5.6	9	1	3	5	6	9	11	17
50-64	99	9.4	118	3	4	7	9	18	26	73
65+	42	11.0	65	2	4	9	14	22	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1775	3.6	4	1	2	3	5	6	7	10
B. *Operated*	1131	4.0	6	<1	<1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1516	4.1	5	1	2	4	5	7	9	11
B. *Operated*	4541	5.3	13	1	2	5	6	8	11	17
1. SINGLE DX	2906	3.8	5	<1	1	3	5	6	8	11
2. MULTIPLE DX	6057	5.0	11	1	2	5	6	8	10	16
A. NOT OPERATED	3291	3.8	5	1	2	3	5	7	8	10
B. OPERATED	5672	5.0	12	<1	1	5	6	8	10	16
TOTAL 0-19 YRS	1229	4.1	8	1	2	4	5	7	9	12
20-34	5908	4.4	7	1	1	4	6	7	9	13
35-49	1612	5.2	8	1	2	5	6	8	11	15
50-64	144	8.1	87	2	3	6	8	13	20	60
65+	70	9.2	52	1	2	7	12	17	23	40

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	27	1.9	1	<1	<1	2	2	3	4	6
35-49	7	2.7	4	<1	<1	2	4	6	6	6
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	31	2.8	3	<1	<1	3	4	5	6	6
20-34	547	3.6	4	<1	<1	4	5	6	6	8
35-49	296	4.3	4	<1	<1	5	5	6	7	9
50-64	22	5.1	3	1	2	5	6	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	72	<1	<1	6	13	13	13	13
20-34	51	2.8	5	<1	<1	2	4	5	6	13
35-49	27	3.0	3	<1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	59	4.0	6	<1	<1	4	5	7	9	11
20-34	2789	4.7	5	1	1	5	6	7	8	10
35-49	3193	5.5	5	3	4	5	6	7	8	12
50-64	349	5.9	5	4	4	6	6	8	9	13
65+	56	7.1	13	5	5	6	7	9	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.2	3	<1	<1	2	3	5	6	9
B. *Operated*	897	3.9	4	<1	<1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	80	3.0	5	<1	<1	2	4	5	6	13
B. *Operated*	6446	5.2	5	1	3	5	6	7	8	11
1. SINGLE DX	933	3.8	4	<1	<1	4	5	6	7	8
2. MULTIPLE DX	6526	5.1	5	1	3	5	6	7	8	12
A. NOT OPERATED	116	2.8	5	<1	<1	2	4	5	6	13
B. OPERATED	7343	5.0	5	1	2	5	6	7	8	11
TOTAL 0-19 YRS	93	3.7	7	<1	<1	4	5	6	9	12
20-34	3414	4.5	5	<1	1	5	6	7	7	10
35-49	3523	5.3	5	2	3	5	6	7	8	12
50-64	371	5.9	5	4	4	6	6	8	9	13
65+	58	6.9	13	3	5	6	7	9	17	20
GRAND TOTAL	**7459**	**5.0**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	2.5	3	<1	<1	2	4	5	5	6
35-49	16	1.9	3	<1	<1	1	3	5	6	6
50-64	6	1.5		<1	<1	1	2	2	2	2
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.1	4	1	1	2	4	6	7	7
35-49	7	3.4	6	<1	<1	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	190	4.5	5	<1	1	5	6	7	8	10
35-49	204	4.5	7	<1	<1	5	6	7	8	13
50-64	39	3.5	7	<1	<1	2	6	7	8	9
65+	18	4.8	9	1	1	5	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	50	2.2	2	<1	<1	1	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	15	3.3	5	<1	1	2	5	7	7	7
B. *Operated*	455	4.4	6	<1	<1	5	6	7	8	11
1. SINGLE DX	51	2.2	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX	470	4.3	6	<1	<1	5	6	7	8	11
A. NOT OPERATED	16	3.2	4	<1	1	2	5	7	7	7
B. OPERATED	505	4.1	6	<1	<1	4	6	7	8	11
TOTAL 0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	222	4.2	5	<1	1	4	6	7	8	10
35-49	227	4.2	7	<1	<1	5	6	7	8	12
50-64	45	3.2	7	<1	<1	2	5	7	8	9
65+	21	4.4	8	1	1	5	6	9	10	10
GRAND TOTAL	**521**	**4.1**	**6**	**<1**	**<1**	**4**	**6**	**7**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.3	2	<1	1	2	3	4	5	5
20-34	63	2.8	2	1	1	3	4	5	5	6
35-49	20	4.4	14	<1	1	3	5	11	12	13
50-64	6	5.0	23	1	1	3	8	12	13	13
65+										
B. *Operated*										
0-19 YRS	33	1.8	2	<1	<1	1	2	4	6	6
20-34	163	1.7	2	<1	<1	1	2	4	5	6
35-49	81	1.4	1	<1	<1	1	1	2	3	5
50-64	31	1.7	1	<1	<1	1	2	3	4	6
65+	12	1.9	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.9	4	1	1	2	3	6	7	11
20-34	110	3.9	4	1	2	4	5	6	7	12
35-49	24	3.8	4	1	2	4	5	7	7	8
50-64	10	4.6	10	<1	1	4	6	9	12	12
65+	20	6.8	15	1	2	7	9	13	14	14
B. *Operated*										
0-19 YRS	26	3.1	9	<1	1	2	5	6	8	14
20-34	189	3.8	10	<1	1	3	5	7	7	11
35-49	110	4.0	8	<1	<1	4	6	7	8	14
50-64	33	4.8	86	<1	<1	2	5	9	10	54
65+	30	7.2	87	1	1	3	8	17	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.0	5	1	1	3	4	5	7	13
B. *Operated*	320	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	206	4.0	6	1	2	3	5	7	9	14
B. *Operated*	388	4.2	22	<1	1	3	6	7	9	27
1. SINGLE DX	442	2.0	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX	594	4.1	17	<1	1	3	5	7	9	16
A. NOT OPERATED	328	3.6	6	1	1	3	5	7	9	13
B. OPERATED	708	3.0	14	<1	<1	2	4	6	7	15
TOTAL 0-19 YRS	134	2.5	4	<1	1	2	3	5	6	11
20-34	525	3.1	6	<1	<1	3	4	6	7	9
35-49	235	3.1	7	<1	<1	2	5	7	8	13
50-64	80	3.6	40	<1	<1	2	4	8	10	42
65+	62	6.1	51	<1	1	4	8	14	17	39
GRAND TOTAL	1036	3.2	12	<1	<1	2	4	6	8	14

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	215	4.7	3	2	3	5	6	7	7	9
35-49	361	4.8	3	2	3	5	6	7	8	11
50-64	511	5.3	3	3	3	5	6	7	8	11
65+	410	5.6	4	3	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.2	21	<1	<1	1	3	11	15	15
35-49	22	2.7	6	<1	<1	1	5	7	8	8
50-64	16	2.0	3	<1	1	1	3	4	5	6
65+	40	2.4	6	<1	1	2	3	5	8	13
B. *Operated*										
0-19 YRS	9	6.0	3	3	3	6	7	8	8	8
20-34	975	5.2	4	3	3	5	6	7	8	13
35-49	2230	5.7	3	3	4	5	7	8	9	11
50-64	1815	6.1	8	3	4	6	7	8	9	13
65+	1882	6.6	12	4	4	6	8	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	8	1	1	2	5	7	7	7
B. *Operated*	1499	5.2	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	88	2.4	7	<1	<1	1	3	6	8	14
B. *Operated*	6911	6.0	7	3	4	6	7	8	10	13
1. SINGLE DX	1503	5.2	3	2	3	5	6	7	8	11
2. MULTIPLE DX	6999	5.9	7	3	4	6	7	8	10	13
A. NOT OPERATED	92	2.5	7	<1	<1	1	3	6	8	14
B. OPERATED	8410	5.8	7	3	4	6	7	8	9	13
TOTAL 0-19 YRS	12	5.0	6	1	2	5	7	8	8	8
20-34	1200	5.1	4	2	3	5	6	7	8	12
35-49	2614	5.5	4	3	3	5	6	8	9	11
50-64	2342	5.9	7	3	4	6	7	8	9	12
65+	2334	6.4	11	3	4	6	7	9	10	15
GRAND TOTAL	8502	5.8	7	3	4	6	7	8	9	13

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	32	1.8	3	<1	<1	<1	2	5	7	7
35-49	65	1.5	1	<1	<1	<1	1	4	5	5
50-64	10	1.3		<1	<1	<1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	80	3.0	5	<1	<1	2	5	6	7	9
35-49	110	3.6	6	<1	<1	4	5	7	8	10
50-64	11	2.9	5	<1	<1	2	5	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	113	1.6	2	<1	<1	<1	1	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	206	3.3	5	<1	<1	3	5	6	7	9
1. SINGLE DX	121	1.6	2	<1	<1	<1	1	3	5	7
2. MULTIPLE DX	222	3.2	5	<1	<1	3	5	6	7	9
A. NOT OPERATED	24	1.6	1	<1	<1	1	2	3	4	4
B. OPERATED	319	2.7	5	<1	<1	1	4	6	7	9
TOTAL 0-19 YRS	16	1.9	1	<1	1	2	2	3	4	5
20-34	123	2.6	4	<1	<1	1	4	6	7	8
35-49	182	2.8	5	<1	<1	1	5	6	7	9
50-64	22	2.1	3	<1	<1	1	2	6	6	6
65+										
GRAND TOTAL	**343**	**2.6**	**4**	**<1**	**<1**	**1**	**4**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.5	1	<1	<1	1	2	3	3	5
20-34	46	1.5	1	<1	<1	1	2	2	3	4
35-49	17	1.9	7	<1	<1	1	2	3	9	12
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	56	1.5	1	<1	<1	1	2	3	4	5
20-34	660	1.9	3	<1	<1	1	2	5	5	7
35-49	894	1.9	3	<1	<1	1	2	5	6	7
50-64	103	1.8	3	<1	<1	1	1	5	6	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	1.7	1	1	1	2	2	3	3	4
20-34	128	1.8	2	<1	<1	1	2	3	5	8
35-49	98	2.3	12	<1	<1	1	3	4	5	21
50-64	9	2.1	2	<1	<1	1	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	70	2.3	3	<1	<1	2	3	5	5	9
20-34	1728	3.9	6	<1	<1	4	5	6	7	10
35-49	3274	4.3	6	<1	<1	5	6	7	8	11
50-64	316	4.2	8	<1	<1	5	6	7	8	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	1.6	2	<1	<1	1	2	3	3	9
B. *Operated*	1713	1.9	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	286	1.9	5	<1	<1	1	2	4	5	9
B. *Operated*	5388	4.1	6	<1	<1	4	6	7	8	11
1. SINGLE DX	1810	1.9	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX	5674	4.0	6	<1	<1	4	6	7	7	10
A. NOT OPERATED	383	1.8	4	<1	<1	1	2	3	4	9
B. OPERATED	7101	3.6	6	<1	<1	4	5	6	7	10
TOTAL 0-19 YRS	209	1.8	2	<1	<1	1	2	4	4	7
20-34	2562	3.3	6	<1	<1	3	5	6	7	9
35-49	4283	3.7	6	<1	<1	4	5	6	7	10
50-64	430	3.5	8	<1	<1	3	6	7	7	10
65+										
GRAND TOTAL	**7484**	**3.5**	**6**	**<1**	**<1**	**4**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	4	1.3		<1	<1	1	1	2	2	2
65+	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	10	1.6	2	<1	<1	1	2	4	5	5
35-49	93	1.2		<1	<1	<1	1	1	2	5
50-64	357	1.2	1	<1	<1	<1	1	2	2	6
65+	129	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	21	3.4	11	<1	<1	2	4	8	11	14
50-64	16	2.0	1	<1	<1	2	3	3	5	5
65+	18	2.3	1	<1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	45	4.6	6	<1	1	5	6	7	7	13
35-49	182	3.5	6	<1	<1	3	5	6	7	9
50-64	572	2.9	14	<1	<1	1	4	6	7	13
65+	354	2.8	13	<1	<1	2	3	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	589	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	58	2.6	5	<1	<1	2	3	5	7	14
B. *Operated*	1155	3.0	12	<1	<1	2	5	6	7	13
1. SINGLE DX	599	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX	1213	3.0	12	<1	<1	2	5	6	7	13
A. NOT OPERATED	68	2.5	5	<1	<1	2	3	5	6	13
B. OPERATED	1744	2.4	9	<1	<1	1	3	6	7	11
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	58	3.9	6	<1	<1	4	6	6	7	13
35-49	299	2.7	5	<1	<1	1	4	6	7	9
50-64	949	2.2	9	<1	<1	1	2	6	7	9
65+	504	2.4	10	<1	<1	1	2	6	7	13
GRAND TOTAL	**1812**	**2.4**	**9**	**<1**	**<1**	**1**	**3**	**6**	**7**	**11**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	2	<1	<1	2	3	4	5	6
20-34	37	2.1	3	<1	<1	1	2	5	5	10
35-49	14	2.0	5	<1	<1	1	2	4	8	9
50-64	5	3.8	11	<1	<1	3	6	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	66	2.3	3	<1	<1	1	3	5	5	7
20-34	710	2.2	3	<1	<1	1	3	5	5	7
35-49	453	2.5	4	<1	<1	1	4	5	6	9
50-64	265	2.3	4	<1	<1	1	4	5	6	10
65+	84	3.4	11	<1	<1	2	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
20-34	56	2.8	10	<1	<1	2	3	7	10	15
35-49	41	2.9	6	<1	<1	2	4	6	8	10
50-64	19	2.8	9	<1	<1	2	3	7	10	12
65+	37	3.8	15	<1	<1	2	4	12	13	14
B. *Operated*										
0-19 YRS	94	3.7	7	<1	1	3	5	6	7	15
20-34	1225	3.9	6	<1	1	4	5	6	7	12
35-49	1603	4.3	8	<1	<1	5	6	7	8	13
50-64	867	4.7	18	<1	<1	5	6	8	9	18
65+	430	5.6	33	<1	1	5	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.1	4	<1	<1	1	3	5	6	10
B. *Operated*	1578	2.4	4	<1	<1	1	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	173	2.9	9	<1	<1	2	3	7	10	14
B. *Operated*	4219	4.4	12	<1	<1	4	6	7	9	16
1. SINGLE DX	1657	2.4	4	<1	<1	1	4	5	6	9
2. MULTIPLE DX	4392	4.3	12	<1	<1	4	6	7	9	16
A. NOT OPERATED	252	2.6	7	<1	<1	1	3	6	9	14
B. OPERATED	5797	3.8	11	<1	<1	4	5	7	8	14
TOTAL 0-19 YRS	202	2.8	5	<1	<1	2	4	5	6	8
20-34	2028	3.2	6	<1	<1	3	5	6	7	11
35-49	2111	3.9	7	<1	<1	4	5	7	8	12
50-64	1156	4.1	16	<1	<1	4	6	7	9	16
65+	552	5.1	29	<1	<1	4	7	11	14	24
GRAND TOTAL	**6049**	**3.8**	**11**	**<1**	**<1**	**4**	**5**	**7**	**8**	**14**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	1.9	2	<1	<1	1	2	4	4	7
20-34	159	1.9	2	<1	<1	1	2	3	4	10
35-49	39	1.9	3	<1	<1	1	2	4	7	8
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	83	2.0	2	<1	<1	1	3	4	5	7
20-34	632	2.6	5	<1	<1	1	4	6	6	9
35-49	423	4.5	5	<1	1	5	6	7	8	10
50-64	287	5.5	5	2	3	5	7	8	9	14
65+	125	6.2	4	3	4	6	8	9	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	1.8	1	<1	1	2	2	3	4	8
20-34	245	2.2	3	<1	<1	2	3	4	6	8
35-49	91	2.6	8	<1	<1	2	3	5	9	17
50-64	19	3.1	12	<1	<1	1	4	6	11	15
65+	19	2.7	5	<1	<1	2	4	6	8	9
B. *Operated*										
0-19 YRS	81	3.2	4	<1	<1	2	5	6	7	9
20-34	2283	4.2	4	<1	1	4	5	7	7	10
35-49	1766	5.3	7	1	3	5	6	8	9	12
50-64	624	6.3	9	3	3	6	7	9	11	17
65+	436	7.3	14	3	4	7	8	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	1.9	2	<1	<1	1	2	4	4	8
B. *Operated*	1550	3.9	7	<1	<1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	440	2.3	4	<1	<1	2	3	4	6	10
B. *Operated*	5190	5.1	7	1	1	5	6	8	9	14
1. SINGLE DX	1828	3.6	6	<1	<1	3	5	7	8	10
2. MULTIPLE DX	5630	4.9	8	1	1	5	6	8	9	13
A. NOT OPERATED	718	2.1	3	<1	<1	1	2	4	6	9
B. OPERATED	6740	4.8	7	<1	1	5	6	8	9	13
TOTAL 0-19 YRS	305	2.3	3	<1	<1	2	3	5	6	8
20-34	3319	3.6	5	<1	<1	4	5	6	7	9
35-49	2319	5.0	7	1	1	5	6	8	9	12
50-64	934	6.0	8	2	3	6	7	9	10	16
65+	581	6.9	12	3	4	6	8	10	12	20
GRAND TOTAL	**7458**	**4.5**	**8**	**<1**	**1**	**5**	**6**	**8**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	25	1.7	1	<1	<1	1	2	3	4	4
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	105	3.7	2	2	2	4	4	5	5	10
20-34	1651	3.8	2	2	3	4	4	5	6	8
35-49	197	4.0	2	2	3	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	10	2.3	5	<1	<1	1	3	6	8	8
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	94	4.1	2	2	3	4	5	6	6	9
20-34	1742	4.1	2	2	3	4	5	6	6	9
35-49	268	4.4	3	3	3	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	1953	3.8	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	15	1.9	4	<1	<1	1	2	4	7	8
B. *Operated*	2104	4.1	2	2	3	4	5	6	6	9
1. SINGLE DX	1983	3.8	2	2	2	4	4	5	6	8
2. MULTIPLE DX	2119	4.1	2	2	3	4	5	6	6	9
A. NOT OPERATED	45	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	4057	4.0	2	2	3	4	5	5	6	8
TOTAL 0-19 YRS	204	3.8	2	2	2	4	4	5	6	10
20-34	3428	3.9	2	2	3	4	5	5	6	8
35-49	470	4.2	3	2	3	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**4102**	**4.0**	**2**	**2**	**3**	**4**	**5**	**5**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	3	1	1	1	1	5	6	6
20-34	41	1.4	1	<1	<1	1	2	3	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	484	1.2		<1	<1	1	1	2	2	3
20-34	994	1.2		<1	<1	1	1	2	2	4
35-49	71	1.2		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	7	<1	<1	2	4	7	8	8
20-34	35	2.1	3	<1	<1	1	3	5	6	6
35-49	12	2.4	16	<1	<1	1	2	6	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	110	1.8	3	<1	<1	1	2	4	5	10
20-34	465	1.9	3	<1	<1	1	2	4	5	8
35-49	141	1.8	2	<1	<1	1	2	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	1.6	2	<1	<1	1	1	4	5	6
B. *Operated*	1549	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	55	2.3	6	<1	<1	1	2	5	6	15
B. *Operated*	716	1.9	3	<1	<1	1	2	4	5	8
1. SINGLE DX	1616	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	771	1.9	3	<1	<1	1	2	4	5	8
A. NOT OPERATED	122	1.9	4	<1	<1	1	2	4	6	10
B. OPERATED	2265	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	624	1.3	1	<1	<1	1	1	2	3	6
20-34	1535	1.4	1	<1	<1	1	1	2	4	6
35-49	228	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	2387	1.4	1	<1	<1	1	1	2	4	6

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	1.8	1	1	1	2	2	3	3	3
1. SINGLE DX	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX	5	1.8	1	1	1	2	2	3	3	3
A. NOT OPERATED										
B. OPERATED	7	2.3	2	1	1	2	3	5	5	5
TOTAL 0-19 YRS										
20-34	7	2.3	2	1	1	2	3	5	5	5
35-49										
50-64										
65+										
GRAND TOTAL	7	2.3	2	1	1	2	3	5	5	5

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	1.2		<1	<1	1	1	2	2	4
20-34	440	1.3		<1	<1	1	1	2	3	4
35-49	45	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	634	1.2		<1	<1	1	1	2	2	3
20-34	4197	1.2	1	<1	<1	1	1	2	2	4
35-49	702	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	2	3	3	4
20-34	144	2.0	4	<1	<1	1	2	4	6	10
35-49	19	2.3	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.7	2	<1	<1	1	2	3	4	7
20-34	934	1.7	2	<1	<1	1	2	3	4	8
35-49	227	1.8	4	<1	<1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	586	1.3		<1	<1	1	1	2	3	4
B. *Operated*	5533	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	194	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*	1313	1.7	3	<1	<1	1	2	3	5	8
1. SINGLE DX	6119	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1507	1.8	3	<1	<1	1	2	3	5	8
A. NOT OPERATED	780	1.4	1	<1	<1	1	1	2	3	6
B. OPERATED	6846	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	918	1.3	1	<1	<1	1	1	2	3	4
20-34	5715	1.3	1	<1	<1	1	1	2	3	5
35-49	993	1.3	1	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	7626	1.3	1	<1	<1	1	1	2	3	5

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	2	<1	<1	2	3	5	5	6
20-34	194	1.8	2	<1	<1	1	2	3	5	7
35-49	36	1.9	2	<1	<1	1	2	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	116	1.5	1	<1	<1	1	2	3	3	6
20-34	1002	1.2	1	<1	<1	1	1	2	2	4
35-49	176	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	16	<1	<1	2	3	5	13	17
20-34	102	2.5	5	<1	<1	2	4	5	7	11
35-49	17	2.2	5	<1	<1	1	2	5	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.1	4	<1	1	1	3	4	6	11
20-34	364	2.6	20	<1	<1	1	3	5	7	12
35-49	94	2.1	3	<1	<1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	1294	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	135	2.5	6	<1	<1	2	3	5	7	14
B. *Operated*	502	2.5	16	<1	<1	1	3	5	7	11
1. SINGLE DX	1575	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	637	2.5	14	<1	<1	1	3	5	7	11
A. NOT OPERATED	416	2.1	3	<1	<1	1	3	4	6	9
B. OPERATED	1796	1.6	5	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS	227	1.9	3	<1	<1	1	2	4	5	9
20-34	1662	1.7	6	<1	<1	1	2	3	4	8
35-49	323	1.6	2	<1	<1	1	2	3	4	10
50-64										
65+										
GRAND TOTAL	2212	1.7	5	<1	<1	1	2	3	4	8

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.5	1	<1	<1	1	2	3	3	5
20-34	359	1.7	1	<1	<1	1	2	3	3	5
35-49	25	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.6		<1	<1	2	2	2	2	2
20-34	30	1.3		<1	<1	1	1	2	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		<1	<1	1	2	2	3	3
20-34	159	2.3	3	<1	<1	2	3	4	5	12
35-49	11	2.1	2	1	1	2	2	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	17	2.9	15	<1	<1	1	3	9	13	15
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	42	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	182	2.2	3	<1	<1	2	3	4	5	11
B. *Operated*	21	3.0	13	<1	<1	1	3	8	12	15
1. SINGLE DX	477	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	203	2.3	4	<1	<1	2	3	4	5	14
A. NOT OPERATED	617	1.8	2	<1	<1	1	2	3	4	6
B. OPERATED	63	1.9	5	<1	<1	1	2	3	5	14
TOTAL 0-19 YRS	75	1.5	1	<1	<1	1	2	2	3	5
20-34	565	1.8	2	<1	<1	1	2	3	4	8
35-49	40	1.8	2	<1	<1	1	2	4	5	6
50-64										
65+										
GRAND TOTAL	680	1.8	2	<1	<1	1	2	3	4	7

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	1	1	1	2	4	4	4
20-34	37	1.7	1	<1	1	1	2	3	3	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	23	2.5	4	1	1	2	3	6	7	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	4.0	9	1	1	3	6	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	25	2.4	4	1	1	1	3	6	7	9
B. *Operated*	5	4.0	9	1	1	3	6	8	8	8
1. SINGLE DX	49	1.7	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	30	2.7	5	1	1	2	3	6	8	9
A. NOT OPERATED	69	2.0	2	1	1	1	2	4	6	8
B. OPERATED	10	2.6	6	<1	<1	2	3	7	8	8
TOTAL 0-19 YRS	9	1.4	1	<1	<1	1	2	3	4	4
20-34	69	2.1	3	1	1	2	3	4	6	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	79	2.1	3	<1	1	1	2	4	6	9

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	2.5	4	<1	1	2	3	4	5	12
20-34	675	2.5	4	<1	1	2	3	5	6	11
35-49	88	3.0	9	<1	<1	2	3	6	7	19
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	4	4
20-34	88	2.9	6	<1	1	2	4	6	8	13
35-49	9	1.9	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.9	4	<1	<1	2	3	7	8	10
20-34	300	2.9	7	<1	1	2	3	6	8	15
35-49	37	3.5	14	<1	<1	2	4	7	11	20
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.1	4	<1	1	3	4	6	8	9
20-34	124	2.5	6	<1	<1	2	3	5	8	14
35-49	13	2.8	8	<1	<1	2	3	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	878	2.6	4	<1	1	2	3	5	6	11
B. *Operated*	109	2.7	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	394	3.0	7	<1	1	2	3	6	8	16
B. *Operated*	156	2.6	6	<1	<1	2	3	5	9	14
1. SINGLE DX	987	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	550	2.9	7	<1	<1	2	3	6	8	14
A. NOT OPERATED	1272	2.7	5	<1	1	2	3	5	7	12
B. OPERATED	265	2.6	6	<1	<1	2	3	5	8	13
TOTAL 0-19 YRS	203	2.6	4	<1	1	2	3	4	7	9
20-34	1187	2.7	5	<1	1	2	3	5	7	12
35-49	147	3.0	9	<1	<1	2	4	6	8	20
50-64										
65+										
GRAND TOTAL	**1537**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.7	4	1	1	2	3	5	6	12
20-34	1460	3.2	5	1	1	3	4	5	7	12
35-49	60	3.0	2	1	1	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.5	11	1	1	4	7	9	9	9
20-34	12	3.9	12	<1	1	3	5	10	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.8	5	1	1	2	3	5	5	15
20-34	557	3.3	6	1	1	3	4	6	8	12
35-49	33	3.3	3	1	2	3	4	6	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.0	3	1	1	3	4	6	7	7
20-34	27	6.9	49	1	2	4	8	15	23	33
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1737	3.2	5	1	1	3	4	5	7	11
B. *Operated*	17	4.1	10	<1	1	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	681	3.3	6	1	1	3	4	6	8	12
B. *Operated*	37	6.0	40	1	1	3	7	13	19	33
1. SINGLE DX	1754	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	718	3.4	8	1	1	3	4	6	8	14
A. NOT OPERATED	2418	3.2	5	1	1	3	4	5	7	12
B. OPERATED	54	5.4	31	1	1	3	7	11	15	33
TOTAL 0-19 YRS	320	2.8	4	1	1	2	3	5	6	12
20-34	2056	3.3	6	1	1	3	4	6	7	12
35-49	96	3.2	3	1	1	3	4	6	6	9
50-64										
65+										
GRAND TOTAL	**2472**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	703	1.1		<1	<1	<1	1	1	2	3
20-34	3314	1.1		<1	<1	<1	1	1	2	4
35-49	219	1.3	3	<1	<1	<1	1	1	2	9
50-64										
65+										
B. *Operated*										
0-19 YRS	120	1.1		<1	<1	<1	1	1	2	4
20-34	434	1.1		<1	<1	<1	1	1	1	4
35-49	32	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	1.4	1	<1	<1	1	1	3	3	6
20-34	375	1.5	11	<1	<1	1	1	2	3	7
35-49	34	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	79	1.9	5	<1	<1	1	2	4	6	14
35-49	8	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4236	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	586	1.1		<1	<1	<1	1	1	1	4
2. MULTIPLE DX										
A. *Not Operated*	500	1.5	8	<1	<1	1	1	2	3	7
B. *Operated*	101	1.7	4	<1	<1	1	2	3	5	12
1. SINGLE DX	4822	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	601	1.5	8	<1	<1	1	1	2	3	7
A. NOT OPERATED	4736	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	687	1.2	1	<1	<1	<1	1	1	2	6
TOTAL 0-19 YRS	928	1.1		<1	<1	<1	1	1	2	4
20-34	4202	1.2	1	<1	<1	<1	1	1	2	4
35-49	293	1.2	2	<1	<1	<1	1	1	2	7
50-64										
65+										
GRAND TOTAL	**5423**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	1	1	2	2	3	4	4
20-34	333	2.6	8	<1	<1	2	3	4	6	17
35-49	37	2.3	3	<1	<1	2	3	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	37	2.2	2	<1	<1	2	3	4	5	8
35-49	6	1.7		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	27	<1	<1	1	3	9	18	20
20-34	131	4.1	25	<1	1	3	4	7	16	27
35-49	26	4.8	30	<1	1	3	6	13	16	25
50-64										
65+										
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	26	4.7	42	<1	1	3	4	7	20	32
35-49	4	8.5	126	1	1	4	15	25	25	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	2.5	7	<1	<1	2	3	4	6	15
B. *Operated*	45	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	170	4.2	26	<1	1	3	5	9	16	26
B. *Operated*	31	5.5	52	<1	1	3	6	16	25	32
1. SINGLE DX	431	2.5	7	<1	<1	2	3	4	6	13
2. MULTIPLE DX	201	4.4	30	<1	1	3	5	10	18	27
A. NOT OPERATED	556	3.0	14	<1	1	2	3	5	9	22
B. OPERATED	76	3.5	25	<1	<1	2	3	7	13	30
TOTAL 0-19 YRS	32	2.9	16	<1	<1	2	3	5	14	20
20-34	527	3.0	14	<1	<1	2	3	5	8	22
35-49	73	3.5	20	<1	1	2	4	7	13	25
50-64										
65+										
GRAND TOTAL	**632**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**5**	**9**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	1.5	1	<1	<1	1	2	3	4	5
20-34	377	1.7	4	<1	<1	1	2	3	4	13
35-49	40	2.7	9	<1	<1	1	3	7	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	55	1.8	3	<1	<1	1	2	3	5	11
35-49	6	1.2		1	1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	9	<1	<1	2	3	5	6	17
20-34	151	2.8	18	<1	<1	2	3	5	9	24
35-49	13	1.7	1	<1	<1	1	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	35	2.6	7	<1	<1	2	4	5	6	15
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	1.8	4	<1	<1	1	2	3	4	12
B. *Operated*	68	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	196	2.7	15	<1	<1	2	3	5	8	21
B. *Operated*	41	2.5	6	<1	<1	2	3	5	6	15
1. SINGLE DX	568	1.8	4	<1	<1	1	2	3	4	12
2. MULTIPLE DX	237	2.7	14	<1	<1	2	3	5	7	18
A. NOT OPERATED	696	2.0	7	<1	<1	1	2	4	5	14
B. OPERATED	109	2.0	4	<1	<1	1	2	4	5	13
TOTAL 0-19 YRS	126	1.8	3	<1	<1	1	2	3	4	9
20-34	618	2.1	7	<1	<1	1	2	4	5	14
35-49	61	2.3	6	<1	<1	1	3	4	8	13
50-64										
65+										
GRAND TOTAL	**805**	**2.0**	**7**	**<1**	**<1**	**1**	**2**	**4**	**5**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.6	3	<1	<1	2	4	5	5	7
20-34	375	2.6	3	<1	<1	2	3	5	6	8
35-49	13	2.4	3	<1	<1	2	3	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.1	5	<1	<1	1	2	6	7	7
20-34	21	2.7	4	<1	<1	2	4	5	6	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.1	3	<1	1	3	4	5	7	9
20-34	597	3.1	3	<1	1	3	4	5	6	9
35-49	26	3.2	2	<1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.1	5	<1	<1	3	6	6	7	7
20-34	64	3.0	6	<1	<1	2	4	6	8	12
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	2.6	3	<1	<1	2	3	5	6	7
B. *Operated*	29	2.6	4	<1	<1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	894	3.1	3	<1	1	3	4	5	6	9
B. *Operated*	82	3.0	6	<1	<1	2	5	6	8	11
1. SINGLE DX	569	2.6	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	976	3.1	3	<1	1	3	4	5	6	10
A. NOT OPERATED	1434	2.9	3	<1	1	3	4	5	6	8
B. OPERATED	111	2.9	5	<1	<1	2	4	6	7	11
TOTAL 0-19 YRS	447	2.9	3	<1	<1	3	4	5	6	8
20-34	1057	2.9	3	<1	1	3	4	5	6	9
35-49	41	3.0	3	<1	<1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**1545**	**2.9**	**3**	**<1**	**<1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	17	<1	1	1	3	5	10	21
20-34	254	3.1	5	<1	1	3	4	6	7	13
35-49	33	4.6	8	1	1	4	6	9	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.0	4	<1	<1	2	4	6	6	6
20-34	21	2.7	4	<1	<1	2	4	6	7	7
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.1	16	<1	<1	2	4	6	9	24
20-34	913	3.1	10	<1	<1	2	4	6	8	17
35-49	125	3.6	12	<1	1	3	4	8	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	22	2.0	2	<1	<1	1	3	4	5	5
20-34	152	3.4	14	<1	<1	2	4	7	10	24
35-49	18	5.3	26	<1	<1	4	6	13	17	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.3	7	<1	1	3	4	7	8	13
B. *Operated*	29	2.6	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1173	3.2	11	<1	<1	2	4	7	8	17
B. *Operated*	192	3.4	14	<1	<1	2	4	7	10	23
1. SINGLE DX	340	3.2	7	<1	1	2	4	7	8	13
2. MULTIPLE DX	1365	3.2	11	<1	<1	2	4	7	9	18
A. NOT OPERATED	1484	3.2	10	<1	<1	2	4	7	8	17
B. OPERATED	221	3.3	13	<1	<1	2	4	6	10	23
TOTAL 0-19 YRS	186	3.0	14	<1	<1	2	4	5	7	22
20-34	1340	3.2	10	<1	<1	2	4	6	8	16
35-49	179	3.9	13	<1	1	3	5	9	11	18
50-64										
65+										
GRAND TOTAL	**1705**	**3.2**	**10**	**<1**	**<1**	**2**	**4**	**7**	**9**	**17**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	761	1.6	2	<1	<1	1	2	3	4	7
20-34	3392	1.9	5	<1	<1	1	2	3	5	12
35-49	219	2.2	11	<1	<1	1	2	4	6	19
50-64										
65+										
B. *Operated*										
0-19 YRS	266	1.7	3	<1	<1	1	2	3	5	8
20-34	1566	1.8	4	<1	<1	1	2	3	5	10
35-49	137	1.8	3	<1	<1	1	2	3	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	2.4	8	<1	<1	2	3	4	7	18
20-34	1742	2.5	13	<1	<1	2	3	5	7	16
35-49	126	3.3	17	<1	<1	2	4	7	11	24
50-64										
65+										
B. *Operated*										
0-19 YRS	143	2.7	10	<1	<1	1	3	6	8	17
20-34	893	2.9	17	<1	<1	1	3	6	8	16
35-49	98	3.2	48	<1	<1	2	3	6	8	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4372	1.8	5	<1	<1	1	2	3	5	12
B. *Operated*	1969	1.8	4	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	2199	2.5	13	<1	<1	2	3	5	7	17
B. *Operated*	1134	2.9	19	<1	<1	1	3	6	8	16
1. SINGLE DX	6341	1.8	5	<1	<1	1	2	3	5	11
2. MULTIPLE DX	3333	2.7	15	<1	<1	2	3	5	7	16
A. NOT OPERATED	6571	2.1	8	<1	<1	1	2	4	6	13
B. OPERATED	3103	2.2	9	<1	<1	1	2	5	6	14
TOTAL 0-19 YRS	1501	1.9	4	<1	<1	1	2	3	5	10
20-34	7593	2.1	8	<1	<1	1	2	4	6	13
35-49	580	2.5	17	<1	<1	1	3	5	7	16
50-64										
65+										
GRAND TOTAL	**9674**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.1	1	1	1	2	3	3	4	4
20-34	391	2.1	2	1	1	2	3	3	3	5
35-49	33	2.2	1	1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.6	2	1	1	2	3	4	4	9
20-34	283	2.8	2	1	1	3	4	5	5	7
35-49	25	3.4	2	1	2	3	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	2.2	2	1	1	2	2	4	5	10
20-34	508	2.2	1	1	1	2	3	3	4	7
35-49	50	2.1	1	1	1	2	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	142	3.6	31	1	1	3	4	5	6	29
20-34	1523	4.1	19	1	2	3	5	6	8	22
35-49	240	4.6	23	2	2	4	5	7	11	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	2.1	1	1	1	2	3	3	3	5
B. *Operated*	349	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	642	2.2	1	1	1	2	3	3	4	7
B. *Operated*	1905	4.1	20	1	2	3	5	6	8	22
1. SINGLE DX	835	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX	2547	3.6	16	1	1	3	4	6	7	20
A. NOT OPERATED	1128	2.2	1	1	1	2	3	3	4	6
B. OPERATED	2254	3.9	18	1	2	3	4	6	7	21
TOTAL 0-19 YRS	329	2.8	15	1	1	2	3	4	5	12
20-34	2705	3.3	12	1	1	3	4	5	6	16
35-49	348	3.9	17	1	2	3	4	6	8	21
50-64										
65+										
GRAND TOTAL	3382	3.3	13	1	1	3	4	5	6	17

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5056	1.8	1	1	1	2	2	3	3	4
20-34	35508	1.8	1	1	1	2	2	3	3	4
35-49	2249	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1370	1.9	1	1	1	2	2	3	3	4
20-34	10118	2.0	1	1	1	2	2	3	3	4
35-49	658	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	1.9	1	1	1	2	2	3	4	5
20-34	987	2.1	1	1	1	2	3	3	4	5
35-49	112	2.5	4	1	1	2	3	4	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	112	2.3	1	1	1	2	3	4	5	5
20-34	3872	2.6	1	1	1	3	3	4	4	5
35-49	621	2.8	4	1	2	3	3	4	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42813	1.8	1	1	1	2	2	3	3	4
B. *Operated*	12146	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1255	2.1	1	1	1	2	3	3	4	6
B. *Operated*	4605	2.6	1	1	1	3	3	4	4	5
1. SINGLE DX	54959	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5860	2.5	1	1	1	2	3	4	4	5
A. NOT OPERATED	44068	1.9	1	1	1	2	2	3	3	4
B. OPERATED	16751	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	6694	1.8	1	1	1	2	2	3	3	4
20-34	50485	1.9	1	1	1	2	2	3	3	4
35-49	3640	2.2	2	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	60819	1.9	1	1	1	2	2	3	3	4

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	23	2.0	1	<1	1	2	3	4	4	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.4	2	<1	1	3	5	5	6	6
20-34	131	6.8	98	3	3	4	5	10	21	64
35-49	21	4.6	10	2	3	4	5	6	12	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	21	5.1	132	<1	1	2	3	10	34	52
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	26	6.3	85	1	2	4	5	12	21	49
20-34	405	7.2	87	2	3	5	6	13	24	61
35-49	95	9.8	203	2	3	5	7	27	45	73
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	166	6.2	80	2	3	4	5	9	18	61
2. MULTIPLE DX										
A. *Not Operated*	31	4.4	90	1	1	2	3	5	19	52
B. *Operated*	526	7.7	109	2	3	5	6	13	27	63
1. SINGLE DX	192	5.6	71	1	2	4	5	6	17	59
2. MULTIPLE DX	557	7.5	108	2	3	5	6	13	27	62
A. NOT OPERATED	57	3.3	50	1	1	2	3	3	7	50
B. OPERATED	692	7.3	102	2	3	4	6	12	26	63
TOTAL 0-19 YRS	47	4.8	50	1	2	3	4	8	12	49
20-34	580	6.8	89	2	2	4	6	11	23	61
35-49	122	8.6	164	2	3	5	6	13	40	71
50-64										
65+										
GRAND TOTAL	**749**	**7.0**	**99**	**2**	**2**	**4**	**6**	**11**	**24**	**62**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.8	1	<1	1	1	2	3	4	4
20-34	176	2.2	4	<1	1	2	3	3	4	14
35-49	17	1.8	1	<1	1	2	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.4	1	1	1	4	4	4	5	6
20-34	178	3.1	3	1	1	3	4	5	6	8
35-49	18	3.1	3	<1	1	3	4	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.5	2	1	1	2	3	5	6	7
20-34	163	2.4	4	1	1	2	3	4	7	12
35-49	19	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	95	3.4	5	1	1	3	4	5	7	14
20-34	696	3.9	13	1	1	4	5	6	8	17
35-49	84	5.5	57	1	2	4	5	7	11	50
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.1	3	<1	1	2	3	3	4	10
B. *Operated*	224	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	218	2.4	4	1	1	2	3	4	6	12
B. *Operated*	875	4.0	16	1	1	4	5	6	8	19
1. SINGLE DX	444	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1093	3.7	14	1	1	3	4	6	8	16
A. NOT OPERATED	438	2.3	3	1	1	2	3	4	5	12
B. OPERATED	1099	3.9	14	1	1	3	4	6	7	16
TOTAL 0-19 YRS	186	3.0	4	1	1	3	4	5	5	12
20-34	1213	3.4	9	1	1	3	4	5	7	15
35-49	138	4.3	37	1	1	3	5	6	8	47
50-64										
65+										
GRAND TOTAL	**1537**	**3.4**	**11**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	1	1	2	2	3	3	3
20-34	52	1.8	1	<1	1	2	2	3	3	4
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	70	1.9	1	1	1	2	2	3	3	5
20-34	548	1.9	1	1	1	2	2	3	3	4
35-49	36	2.2	1	1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	2.1	1	<1	1	2	2	4	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.3	2	1	1	2	3	4	5	8
20-34	438	2.7	7	1	1	2	3	4	5	10
35-49	47	2.9	2	1	2	3	3	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	654	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	18	1.9	1	<1	1	2	2	4	5	5
B. *Operated*	526	2.7	6	1	1	2	3	4	5	9
1. SINGLE DX	718	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	544	2.6	6	1	1	2	3	4	5	9
A. NOT OPERATED	82	1.8	1	<1	1	2	2	3	3	5
B. OPERATED	1180	2.3	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	120	2.0	1	1	1	2	2	3	3	7
20-34	1053	2.2	4	1	1	2	3	3	4	7
35-49	89	2.6	1	1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**1262**	**2.2**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.1	1	<1	1	2	3	3	4	5
20-34	288	2.0	1	1	1	2	3	3	3	4
35-49	16	2.2		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.0	1	1	1	2	2	3	4	4
20-34	188	2.1	1	1	1	2	3	3	4	4
35-49	13	2.5	2	1	1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.3	1	1	1	2	3	3	4	4
20-34	208	2.3	1	1	1	2	3	4	4	6
35-49	16	2.5	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.4	1	1	1	2	3	4	4	5
20-34	282	2.6	3	1	1	2	3	4	4	9
35-49	24	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.0	1	1	1	2	3	3	3	4
B. *Operated*	226	2.1	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	261	2.3	1	1	1	2	3	4	4	6
B. *Operated*	356	2.6	3	1	1	2	3	4	4	8
1. SINGLE DX	577	2.1	1	1	1	2	3	3	4	4
2. MULTIPLE DX	617	2.5	2	1	1	2	3	4	4	7
A. NOT OPERATED	612	2.2	1	1	1	2	3	3	4	5
B. OPERATED	582	2.4	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	159	2.2	1	1	1	2	3	3	4	5
20-34	966	2.3	2	1	1	2	3	3	4	6
35-49	69	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**1194**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	3	3	3
20-34	89	2.5	1	1	1	3	3	4	4	6
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.7	1	1	1	3	3	4	4	4
20-34	80	3.5	2	2	2	3	4	5	6	7
35-49	6	3.2	2	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	25	<1	1	3	4	7	18	21
20-34	106	3.2	4	1	1	3	4	5	6	13
35-49	10	2.9	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.8	20	2	2	4	5	6	12	27
20-34	638	4.7	20	2	2	4	5	7	9	16
35-49	73	5.4	27	2	3	4	6	7	10	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	2.5	1	1	1	3	3	4	4	6
B. *Operated*	93	3.4	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	130	3.3	6	1	1	3	4	5	5	18
B. *Operated*	761	4.7	21	2	2	4	5	7	9	21
1. SINGLE DX	194	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	891	4.5	19	1	2	4	5	7	9	19
A. NOT OPERATED	231	2.9	4	1	1	3	3	5	5	12
B. OPERATED	854	4.6	19	2	2	4	5	7	9	17
TOTAL 0-19 YRS	79	4.2	18	1	1	3	4	6	10	26
20-34	913	4.2	15	1	2	4	5	6	7	15
35-49	93	4.9	23	2	2	4	5	7	9	33
50-64										
65+										
GRAND TOTAL	**1085**	**4.2**	**16**	**1**	**2**	**4**	**5**	**6**	**8**	**17**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6		<1	<1	2	2	2	2	2
20-34	128	1.9	1	<1	1	2	2	3	3	5
35-49	9	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	177	3.8	1	2	2	4	4	5	6	7
20-34	1573	3.8	1	2	3	4	5	5	5	6
35-49	103	3.9	1	2	2	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	59	2.3	3	<1	1	2	3	4	6	11
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	225	4.5	6	2	2	4	5	7	8	15
20-34	1978	4.2	3	2	2	4	5	6	7	11
35-49	222	4.3	2	2	3	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	1.8	1	<1	1	2	2	3	3	5
B. *Operated*	1853	3.8	1	2	2	4	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	72	2.1	3	<1	<1	2	2	4	5	10
B. *Operated*	2425	4.3	3	2	2	4	5	6	7	11
1. SINGLE DX	2007	3.7	2	1	2	4	4	5	5	6
2. MULTIPLE DX	2497	4.2	4	2	2	4	5	6	7	11
A. NOT OPERATED	226	1.9	1	<1	1	2	2	3	4	7
B. OPERATED	4278	4.1	3	2	2	4	5	5	6	9
TOTAL 0-19 YRS	430	4.0	4	1	2	4	5	6	7	10
20-34	3738	3.9	3	1	2	4	5	5	6	9
35-49	336	4.1	2	2	2	4	5	6	6	8
50-64										
65+										
GRAND TOTAL	**4504**	**4.0**	**3**	**1**	**2**	**4**	**5**	**5**	**6**	**9**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.9	1	1	1	2	2	3	3	4
20-34	600	1.9	1	1	1	2	2	3	3	4
35-49	53	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	128	2.8	2	1	1	3	4	5	5	6
20-34	1068	2.8	2	1	1	3	4	5	5	6
35-49	92	3.1	2	1	1	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	2	1	1	2	3	4	4	8
20-34	417	2.2	2	1	1	2	3	3	4	6
35-49	27	2.4	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	473	3.4	4	1	2	3	4	5	7	12
20-34	4058	3.4	3	1	2	3	4	5	6	8
35-49	409	3.9	3	2	2	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	711	1.9	1	1	1	2	2	3	3	4
B. *Operated*	1288	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	475	2.2	2	1	1	2	3	3	4	7
B. *Operated*	4940	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	1999	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	5415	3.4	3	1	2	3	4	5	6	9
A. NOT OPERATED	1186	2.0	1	1	1	2	3	3	4	5
B. OPERATED	6228	3.4	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	690	3.1	4	1	1	3	4	5	6	11
20-34	6143	3.1	3	1	1	3	4	5	6	8
35-49	581	3.6	3	1	2	3	5	6	6	8
50-64										
65+										
GRAND TOTAL	**7414**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	25	2.2	1	<1	1	2	3	4	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	242	4.1	1	3	3	4	5	5	6	7
20-34	1493	4.2	1	3	3	4	5	5	6	7
35-49	76	4.4	1	3	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	20	3.5	14	<1	1	3	4	5	12	19
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	758	4.6	3	3	3	4	5	6	8	11
20-34	4960	4.5	2	3	3	4	5	6	6	9
35-49	403	4.8	3	3	3	5	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.2	1	<1	1	2	3	4	5	5
B. *Operated*	1811	4.2	1	3	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	25	3.5	12	1	2	3	4	5	9	19
B. *Operated*	6121	4.5	2	3	3	4	5	6	7	10
1. SINGLE DX	1842	4.2	1	3	3	4	5	5	6	7
2. MULTIPLE DX	6146	4.5	2	3	3	4	5	6	7	10
A. NOT OPERATED	56	2.8	6	<1	1	2	3	4	5	18
B. OPERATED	7932	4.4	2	3	3	4	5	6	6	9
TOTAL 0-19 YRS	1007	4.5	3	3	3	4	5	6	7	11
20-34	6498	4.4	2	3	3	4	5	6	6	9
35-49	483	4.7	3	3	3	5	5	6	7	11
50-64										
65+										
GRAND TOTAL	**7988**	**4.4**	**2**	**3**	**3**	**4**	**5**	**6**	**6**	**9**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.1	1	1	1	2	3	3	4	4
20-34	781	2.1	1	1	1	2	3	3	4	5
35-49	60	2.2	1	<1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	185	2.7	2	1	1	2	4	5	5	6
20-34	1343	3.0	2	1	1	3	4	5	5	7
35-49	95	3.3	2	1	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.3	1	1	1	2	3	3	4	8
20-34	558	2.3	1	1	1	2	3	3	4	5
35-49	41	2.4	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	527	3.3	4	1	1	3	4	5	6	9
20-34	3780	3.4	3	1	2	3	4	5	6	8
35-49	351	3.6	3	1	2	4	5	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	953	2.1	1	1	1	2	3	3	4	4
B. *Operated*	1623	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	672	2.3	1	1	1	2	3	3	4	5
B. *Operated*	4658	3.4	3	1	2	3	4	5	6	8
1. SINGLE DX	2576	2.7	2	1	1	2	3	5	5	6
2. MULTIPLE DX	5330	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1625	2.2	1	1	1	2	3	3	4	5
B. OPERATED	6281	3.3	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	897	2.9	3	1	1	3	4	5	6	8
20-34	6462	3.0	2	1	1	3	4	5	6	7
35-49	547	3.3	3	1	1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**7906**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**6**	**7**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	96	1.9	1	1	1	2	2	3	3	6
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.3	2	1	1	3	4	5	6	7
20-34	321	3.3	2	1	2	3	4	5	5	6
35-49	27	3.4	2	1	1	3	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	64	3.8	70	1	1	2	3	5	6	60
35-49	7	2.9	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	85	4.5	10	1	2	4	5	7	11	19
20-34	891	4.3	12	1	2	4	5	6	7	14
35-49	130	4.7	22	2	2	4	5	6	8	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.0	1	1	1	2	2	3	4	5
B. *Operated*	376	3.3	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	74	3.7	61	1	1	2	3	5	6	55
B. *Operated*	1106	4.4	13	1	2	4	5	6	7	15
1. SINGLE DX	487	3.0	2	1	1	3	4	5	5	6
2. MULTIPLE DX	1180	4.3	16	1	2	4	5	6	7	15
A. NOT OPERATED	185	2.6	25	1	1	2	3	4	5	12
B. OPERATED	1482	4.1	10	1	2	4	5	6	7	14
TOTAL 0-19 YRS	122	4.0	8	1	1	4	5	6	9	16
20-34	1372	3.9	12	1	2	4	5	6	6	13
35-49	173	4.3	18	1	2	4	5	6	7	23
50-64										
65+										
GRAND TOTAL	**1667**	**3.9**	**12**	**1**	**2**	**4**	**5**	**6**	**7**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5		1	1	1	2	3	3	3
20-34	201	2.0	1	1	1	2	3	3	4	5
35-49	18	2.0	1	<1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	237	3.9	1	2	3	4	5	5	6	6
20-34	5716	4.1	1	2	3	4	5	5	6	7
35-49	414	4.4	1	3	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	117	2.7	14	1	1	2	3	4	5	18
35-49	11	2.0	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	186	4.1	3	2	3	4	5	5	6	11
20-34	7740	4.3	2	2	3	4	5	6	6	8
35-49	1035	4.6	2	3	3	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	1.9	1	1	1	2	2	3	4	5
B. *Operated*	[illegible]7	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	131	2.6	12	1	1	2	3	4	4	13
B. *Operated*	8961	4.3	2	2	3	4	5	6	6	9
1. SINGLE DX	6597	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX	9092	4.3	2	2	3	4	5	6	6	9
A. NOT OPERATED	361	2.2	5	1	1	2	3	3	4	5
B. OPERATED	15328	4.2	2	2	3	4	5	6	6	8
TOTAL 0-19 YRS	437	3.9	2	2	3	4	5	5	6	7
20-34	13774	4.2	2	2	3	4	5	6	6	8
35-49	1478	4.5	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**15689**	**4.2**	**2**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.3	4	1	1	2	3	3	4	11
20-34	895	2.1	1	1	1	2	3	3	4	5
35-49	55	2.2	1	<1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	99	2.5	1	1	1	2	3	4	5	6
20-34	859	2.4	3	1	1	2	3	4	4	6
35-49	69	3.0	14	1	1	2	3	4	4	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.4	1	1	1	2	3	4	4	7
20-34	716	2.6	3	1	1	2	3	4	5	9
35-49	68	2.5	2	1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	346	3.6	16	1	1	3	4	5	7	17
20-34	3146	3.4	7	1	1	3	4	5	7	13
35-49	338	3.6	4	1	2	3	4	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1075	2.2	1	1	1	2	3	3	4	5
B. *Operated*	1027	2.5	4	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	878	2.6	2	1	1	2	3	4	5	9
B. *Operated*	3830	3.5	7	1	1	3	4	5	7	13
1. SINGLE DX	2102	2.3	3	1	1	2	3	3	4	6
2. MULTIPLE DX	4708	3.3	7	1	1	3	4	5	6	12
A. NOT OPERATED	1953	2.3	2	1	1	2	3	4	4	7
B. OPERATED	4857	3.3	7	1	1	3	4	5	6	12
TOTAL 0-19 YRS	664	3.0	10	1	1	2	3	5	6	12
20-34	5616	3.0	5	1	1	3	4	5	6	10
35-49	530	3.2	5	1	1	3	4	5	7	9
50-64										
65+										
GRAND TOTAL	**6810**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	597	1.8	1	1	1	2	2	3	3	4
20-34	5013	1.9	3	1	1	2	2	3	3	4
35-49	310	2.0	1	1	1	2	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	314	1.9	1	1	1	2	2	3	3	4
20-34	2740	2.1	1	1	1	2	3	3	3	4
35-49	176	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	1.8	1	1	1	2	2	3	3	4
20-34	1252	2.0	1	1	1	2	3	3	3	4
35-49	116	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	389	2.2	1	1	1	2	3	4	4	5
20-34	3821	2.5	2	1	1	2	3	4	4	6
35-49	418	2.9	3	1	1	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5920	1.9	3	1	1	2	2	3	3	4
B. *Operated*	3230	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1520	2.0	1	1	1	2	3	3	3	4
B. *Operated*	4628	2.5	2	1	1	2	3	4	5	6
1. SINGLE DX	9150	2.0	2	1	1	2	2	3	3	4
2. MULTIPLE DX	6148	2.4	1	1	1	2	3	4	4	6
A. NOT OPERATED	7440	1.9	2	1	1	2	2	3	3	4
B. OPERATED	7858	2.3	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1452	1.9	1	1	1	2	2	3	3	4
20-34	12826	2.1	2	1	1	2	3	3	4	5
35-49	1020	2.4	2	1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**15298**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	1.6		<1	1	2	2	2	3	4
20-34	942	1.8	1	<1	1	2	2	3	3	4
35-49	76	1.7	1	<1	<1	2	2	3	3	3
50-54										
65+										
B. *Operated*										
0-19 YRS	986	1.8	1	1	1	2	2	3	3	4
20-34	9491	1.8	1	<1	1	2	2	3	3	4
35-49	787	2.0	1	1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.2	2	1	1	2	3	3	5	7
20-34	317	1.9	1	<1	1	2	2	3	3	5
35-49	35	2.3	2	<1	1	2	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	552	2.0	1	1	1	2	2	3	4	5
20-34	5961	2.1	3	1	1	2	3	3	4	5
35-49	750	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1153	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	11264	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	388	2.0	1	<1	1	2	2	3	4	6
B. *Operated*	7263	2.1	2	1	1	2	3	3	4	5
1. SINGLE DX	12417	1.8	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	7651	2.1	2	1	1	2	3	3	4	5
A. NOT OPERATED	1541	1.8	1	<1	1	2	2	3	3	4
B. OPERATED	18527	2.0	2	1	1	2	2	3	3	5
TOTAL 0-19 YRS	1709	1.9	1	1	1	2	2	3	3	5
20-34	16711	1.9	2	1	1	2	2	3	3	4
35-49	1648	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**20068**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

35: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.1	2	1	1	2	3	3	4	9
20-34	281	2.1	1	1	1	2	3	3	3	4
35-49	11	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	772	2.0	1	1	1	2	2	3	3	4
20-34	3625	2.1	1	1	1	2	3	3	3	4
35-49	158	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1		<1	1	2	3	3	3	3
20-34	109	2.2	1	1	1	2	3	3	4	4
35-49	7	2.1		<1	<1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	648	2.4	2	1	1	2	3	3	4	7
20-34	3088	2.4	1	1	1	2	3	4	4	6
35-49	163	2.7	2	1	1	2	3	4	5	9
50-64										
65+										
UBTOTALS:										
SINGLE DX										
A. *Not Operated*	355	2.1	1	1	1	2	3	3	3	4
B. *Operated*	4555	2.1	1	1	1	2	3	3	3	4
MULTIPLE DX										
A. *Not Operated*	136	2.2	1	1	1	2	3	3	4	4
B. *Operated*	3899	2.4	2	1	1	2	3	4	4	6
SINGLE DX	4910	2.1	1	1	1	2	3	3	3	4
MULTIPLE DX	4035	2.4	2	1	1	2	3	4	4	6
NOT OPERATED	491	2.1	1	1	1	2	3	3	3	4
OPERATED	8454	2.2	1	1	1	2	3	3	4	5
OTAL 0-19 YRS	1503	2.2	2	1	1	2	3	3	4	6
20-34	7103	2.2	1	1	1	2	3	3	4	5
35-49	339	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
RAND TOTAL	**8945**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	1.8	1	<1	1	2	2	3	3	4
20-34	275	2.0	2	<1	1	2	3	3	3	5
35-49	13	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	265	1.9	1	1	1	2	2	3	3	4
20-34	1412	2.0	1	1	1	2	2	3	3	4
35-49	65	2.1	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	1	1	1	2	3	3	3	4
20-34	119	2.2	1	1	1	2	3	4	5	7
35-49	8	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	244	2.0	1	1	1	2	2	3	4	5
20-34	1606	2.3	1	1	1	2	3	3	4	6
35-49	99	2.9	4	<1	1	2	3	5	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.0	2	<1	1	2	2	3	3	4
B. *Operated*	1742	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	155	2.1	1	1	1	2	3	3	4	6
B. *Operated*	1949	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	2093	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	2104	2.2	1	1	1	2	3	3	4	6
A. NOT OPERATED	506	2.0	2	<1	1	2	2	3	4	6
B. OPERATED	3691	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	600	1.9	1	1	1	2	2	3	3	4
20-34	3412	2.1	1	1	1	2	3	3	4	5
35-49	185	2.5	3	1	1	2	3	4	5	12
50-64										
65+										
GRAND TOTAL	**4197**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	955	1.9	1	1	1	2	2	3	3	5
20-34	5972	2.0	1	1	1	2	2	3	4	5
35-49	467	2.1	1	1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1588	2.3	2	1	1	2	3	4	4	7
20-34	10085	2.5	2	1	1	2	3	4	5	6
35-49	665	2.8	3	1	1	2	3	5	5	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	673	2.3	2	1	1	2	3	4	5	7
20-34	3893	2.3	2	1	1	2	3	4	5	8
35-49	328	2.4	6	1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2780	3.2	6	1	1	3	4	5	7	13
20-34	19200	3.3	7	1	1	3	4	5	7	13
35-49	2122	3.9	9	1	2	3	5	6	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7394	2.0	1	1	1	2	2	3	4	5
B. *Operated*	12338	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	4894	2.3	2	1	1	2	3	4	5	7
B. *Operated*	24102	3.4	7	1	1	3	4	5	7	13
1. SINGLE DX	19732	2.3	2	1	1	2	3	4	4	6
2. MULTIPLE DX	28996	3.2	7	1	1	3	4	5	6	12
A. NOT OPERATED	12288	2.1	2	1	1	2	3	3	4	6
B. OPERATED	36440	3.1	6	1	1	3	4	5	6	11
TOTAL 0-19 YRS	5996	2.7	4	1	1	2	3	5	6	9
20-34	39150	2.8	5	1	1	2	3	5	6	10
35-49	3582	3.3	7	1	1	3	4	6	7	13
50-64										
65+										
GRAND TOTAL	**48728**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	1	2	2	3	4	5	6	7
20-34	172	3.3	2	1	2	3	4	5	6	9
35-49	11	4.9	5	2	2	5	5	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	16	4.7	9	<1	<1	4	6	8	11	13
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.8	5	2	2	4	4	5	11	12
20-34	103	4.4	14	2	2	4	5	7	9	23
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.3	2	1	1	4	4	5	5	5
20-34	35	6.3	24	1	2	5	9	10	19	23
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.4	2	2	2	3	4	5	6	9
B. *Operated*	18	5.3	12	<1	<1	5	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	12	2	2	4	5	7	9	16
B. *Operated*	43	6.0	21	1	2	5	8	10	15	23
1. SINGLE DX	244	3.5	3	1	2	3	4	5	7	10
2. MULTIPLE DX	183	4.6	14	2	2	4	5	8	10	23
A. NOT OPERATED	366	3.7	6	2	2	3	4	6	7	12
B. OPERATED	61	5.8	18	1	1	5	8	10	13	23
TOTAL 0-19 YRS	80	3.5	3	2	2	3	4	5	6	12
20-34	326	4.0	9	1	2	3	5	7	9	16
35-49	21	5.0	7	2	2	5	6	9	11	12
50-64										
65+										
GRAND TOTAL	**427**	**4.0**	**8**	**2**	**2**	**3**	**4**	**7**	**9**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	51	1.2		<1	<1	1	1	2	2	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.2		<1	<1	1	1	2	2	3
20-34	192	1.3		<1	<1	1	1	2	2	4
35-49	8	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	2	3	3	3
20-34	58	1.8	1	<1	1	2	2	3	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.2	1	<1	<1	2	3	4	4	4
20-34	171	2.1	3	<1	1	2	3	4	5	10
35-49	15	3.0	7	<1	<1	2	4	6	10	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.2		<1	<1	1	1	2	2	5
B. *Operated*	220	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	66	1.8	1	<1	1	2	2	3	4	4
B. *Operated*	199	2.2	3	<1	1	2	3	4	5	10
1. SINGLE DX	284	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX	265	2.1	3	<1	1	2	3	4	5	10
A. NOT OPERATED	130	1.5	1	<1	<1	1	2	3	3	5
B. OPERATED	419	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	49	1.5	1	<1	<1	1	2	3	3	4
20-34	472	1.7	2	<1	<1	1	2	3	4	7
35-49	28	2.1	5	<1	<1	1	2	5	6	11
50-64										
65+										
GRAND TOTAL	**549**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	4	1	1	2	5	6	6	6
20-34	94	3.5	8	<1	1	3	5	8	10	12
35-49	8	3.6	8	1	1	3	4	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.8	8	<1	1	2	3	7	10	11
20-34	161	2.8	9	<1	<1	2	3	6	8	17
35-49	22	1.8	2	<1	<1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.4	22	<1	1	3	6	9	16	21
20-34	73	4.4	10	1	1	4	6	9	11	14
35-49	8	4.1	4	1	1	4	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.1	22	1	1	2	2	7	16	18
20-34	131	4.0	19	1	1	2	5	10	13	22
35-49	18	6.1	44	<1	<1	3	9	14	22	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.5	7	<1	1	3	5	7	10	12
B. *Operated*	200	2.7	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	100	4.4	12	1	1	4	6	9	11	17
B. *Operated*	161	4.2	22	<1	1	2	5	10	14	25
1. SINGLE DX	311	3.0	8	<1	<1	2	3	7	9	12
2. MULTIPLE DX	261	4.3	18	1	1	3	5	10	13	21
A. NOT OPERATED	211	3.9	10	<1	1	3	5	8	10	14
B. OPERATED	361	3.4	15	<1	<1	2	4	8	11	20
TOTAL 0-19 YRS	57	3.5	15	1	1	2	4	7	11	21
20-34	459	3.6	12	<1	1	2	5	8	10	17
35-49	56	3.8	19	<1	<1	2	4	9	12	25
50-64										
65+										
GRAND TOTAL	**572**	**3.6**	**13**	**<1**	**1**	**2**	**4**	**8**	**11**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	3.2	3	1	1	3	4	6	7	9
20-34	465	3.6	5	1	2	3	4	6	7	13
35-49	293	4.0	7	1	2	3	5	7	8	14
50-64	178	4.4	5	2	2	4	5	7	8	11
65+	168	4.7	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	184	3.9	9	<1	<1	3	6	8	10	13
20-34	210	4.4	11	1	1	3	6	8	11	18
35-49	150	5.6	31	1	1	4	7	11	16	27
50-64	100	5.8	20	<1	1	4	8	12	15	21
65+	59	6.3	40	1	2	5	8	11	15	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	599	3.8	6	2	2	3	4	6	9	14
20-34	767	4.7	12	1	2	4	6	8	11	16
35-49	768	5.6	14	2	2	5	7	10	13	21
50-64	967	6.4	21	2	3	5	8	11	14	25
65+	1689	7.1	24	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	234	6.0	53	1	1	5	7	11	16	40
20-34	468	7.8	70	2	2	6	9	15	22	42
35-49	437	8.9	67	2	2	6	11	18	26	42
50-64	541	11.3	129	2	3	8	14	23	33	63
65+	736	11.8	103	2	3	9	15	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1518	3.8	5	1	2	3	5	7	8	13
B. *Operated*	703	4.9	19	<1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	4790	5.9	19	2	2	5	7	11	14	23
B. *Operated*	2416	9.8	95	2	2	7	12	20	29	50
1. SINGLE DX	2221	4.1	10	1	1	3	5	7	10	16
2. MULTIPLE DX	7206	7.2	48	2	2	5	9	14	19	37
A. NOT OPERATED	6308	5.4	17	2	2	4	7	10	13	21
B. OPERATED	3119	8.7	82	1	2	6	10	18	25	46
TOTAL 0-19 YRS	1431	4.0	14	1	2	3	5	7	9	17
20-34	1910	5.1	27	1	2	4	6	9	13	26
35-49	1648	6.2	31	1	2	5	7	12	15	33
50-64	1786	7.7	58	2	2	6	9	14	19	41
65+	2652	8.3	50	2	3	6	10	16	21	39
GRAND TOTAL	**9427**	**6.5**	**41**	**2**	**2**	**5**	**8**	**12**	**17**	**34**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.1	3	1	1	3	4	5	6	9
20-34	77	3.3	2	1	2	3	4	6	6	8
35-49	46	3.9	7	1	2	3	6	7	9	13
50-64	27	3.8	5	1	2	3	5	7	9	10
65+	10	6.0	26	2	2	4	6	15	17	17
B. *Operated*										
0-19 YRS	93	2.7	4	<1	<1	2	3	5	7	9
20-34	90	3.9	11	<1	1	3	5	8	10	17
35-49	53	4.2	24	<1	<1	2	5	9	18	23
50-64	38	4.5	60	<1	<1	3	4	8	12	48
65+	20	3.6	21	<1	<1	2	4	7	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	3.9	7	1	1	3	5	7	9	14
20-34	148	4.0	6	1	2	3	5	7	9	13
35-49	112	5.3	27	2	2	4	7	9	10	32
50-64	151	6.3	15	2	2	5	8	11	14	20
65+	189	6.9	29	2	2	6	8	11	14	36
B. *Operated*										
0-19 YRS	122	4.4	10	<1	1	4	6	9	10	15
20-34	132	6.0	24	1	2	5	8	11	14	29
35-49	121	6.5	34	1	1	5	8	16	20	26
50-64	161	9.2	83	1	2	7	11	18	25	43
65+	141	10.9	129	1	2	7	13	22	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.5	5	1	1	3	5	6	7	13
B. *Operated*	294	3.6	18	<1	<1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	777	5.3	18	1	2	4	7	10	12	20
B. *Operated*	677	7.6	64	1	2	5	9	16	22	40
1. SINGLE DX	560	3.6	12	<1	1	3	4	6	8	18
2. MULTIPLE DX	1454	6.4	41	1	2	5	8	12	17	32
A. NOT OPERATED	1043	4.8	15	1	2	4	6	9	11	19
B. OPERATED	971	6.4	54	<1	1	4	8	14	20	39
TOTAL 0-19 YRS	498	3.6	7	1	1	3	5	7	9	13
20-34	447	4.4	12	1	1	4	5	9	10	18
35-49	332	5.4	27	1	1	4	7	10	16	25
50-64	377	7.2	52	1	2	5	9	14	19	37
65+	360	8.3	72	1	2	6	9	17	22	47
GRAND TOTAL	**2014**	**5.6**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	3.1	2	<1	1	3	4	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	315	2.1	2	<1	1	2	3	4	5	6
20-34	581	2.3	3	<1	1	2	3	4	5	9
35-49	91	2.5	5	<1	1	2	3	4	5	15
50-64	24	2.7	7	<1	1	2	3	6	9	13
65+	5	5.0	11	1	1	7	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	5	1.6	2	<1	<1	<1	2	4	4	4
35-49	3	4.7	30	1	1	2	9	11	11	11
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	37	2.2	1	1	1	2	3	4	4	4
20-34	104	3.1	7	1	1	2	4	5	9	13
35-49	31	2.9	3	1	1	3	3	5	6	9
50-64	19	4.0	5	<1	1	4	6	7	8	8
65+	10	6.0	86	1	1	3	5	19	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*	1016	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	14	3.6	12	<1	<1	2	6	9	11	11
B. *Operated*	201	3.1	9	1	1	3	4	5	8	13
1. SINGLE DX	1027	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	215	3.2	9	1	1	3	4	6	8	13
A. NOT OPERATED	25	3.2	7	<1	<1	2	4	7	9	11
B. OPERATED	1217	2.4	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	357	2.1	2	<1	1	2	3	4	5	6
20-34	698	2.5	3	<1	1	2	3	4	6	10
35-49	126	2.7	5	<1	1	2	3	5	6	13
50-64	45	3.4	7	<1	1	3	5	7	8	13
65+	16	5.9	55	1	1	4	7	9	25	32
GRAND TOTAL	**1242**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	61	1.2		<1	<1	<1	1	2	3	3
20-34	78	1.4	1	<1	<1	<1	1	2	4	7
35-49	59	1.2		<1	<1	<1	1	2	2	4
50-64	49	1.3	1	<1	<1	<1	1	2	3	5
65+	25	1.4	1	<1	<1	<1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	5	3.0	9	<1	<1	2	4	8	8	8
B. *Operated*										
0-19 YRS	18	1.8	4	<1	<1	1	2	3	7	9
20-34	24	1.9	3	<1	<1	1	2	3	5	9
35-49	29	2.3	4	<1	<1	2	3	5	7	8
50-64	24	2.0	3	<1	<1	2	2	3	5	9
65+	21	3.2	12	<1	<1	2	4	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	272	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.8	4	<1	<1	2	4	6	8	8
B. *Operated*	116	2.3	5	<1	<1	1	2	5	8	11
1. SINGLE DX	274	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	128	2.3	5	<1	<1	1	3	5	8	11
A. NOT OPERATED	14	2.6	4	<1	<1	2	3	5	7	8
B. OPERATED	388	1.6	2	<1	<1	<1	2	3	4	9
TOTAL 0-19 YRS	80	1.4	1	<1	<1	<1	1	2	3	7
20-34	106	1.5	2	<1	<1	<1	1	3	4	8
35-49	89	1.6	2	<1	<1	<1	2	3	4	8
50-64	76	1.6	2	<1	<1	1	2	3	4	8
65+	51	2.3	7	<1	<1	1	3	5	10	12
GRAND TOTAL	**402**	**1.6**	**2**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**9**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.9	10	<1	1	2	3	5	7	17
20-34	98	3.4	12	1	1	2	4	6	9	22
35-49	59	3.1	4	<1	1	3	4	6	7	10
50-64	46	4.0	12	<1	1	3	4	8	11	17
65+	44	6.4	37	1	2	4	7	14	22	29
B. *Operated*										
0-19 YRS	227	2.2	9	<1	<1	1	2	4	6	17
20-34	300	3.0	20	<1	<1	1	3	6	9	26
35-49	265	3.0	19	<1	<1	2	3	6	10	25
50-64	231	2.9	15	<1	<1	1	3	8	11	21
65+	188	4.1	35	<1	<1	2	4	10	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	4.3	30	1	1	3	5	8	12	26
20-34	229	5.8	41	1	1	4	7	12	17	31
35-49	223	6.5	70	1	1	5	8	13	18	68
50-64	285	7.3	69	1	2	5	8	14	19	53
65+	917	9.2	74	2	2	7	11	18	24	52
B. *Operated*										
0-19 YRS	271	4.8	63	<1	<1	2	5	11	17	42
20-34	530	11.5	229	<1	1	5	14	34	46	71
35-49	570	11.8	251	<1	1	5	15	31	50	84
50-64	688	10.7	223	<1	1	5	13	26	47	80
65+	1305	14.8	230	1	2	10	20	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	3.6	14	1	1	3	4	7	10	23
B. *Operated*	1211	3.0	19	<1	<1	1	3	6	11	23
2. MULTIPLE DX										
A. *Not Operated*	1891	7.6	66	1	2	5	9	15	21	46
B. *Operated*	3364	12.1	226	<1	1	6	16	31	48	84
1. SINGLE DX	1593	3.1	18	<1	<1	2	3	7	10	23
2. MULTIPLE DX	5255	10.5	173	1	1	6	13	25	39	77
A. NOT OPERATED	2273	6.9	59	1	1	5	8	14	20	44
B. OPERATED	4575	9.7	187	<1	<1	4	12	26	40	78
TOTAL 0-19 YRS	870	3.7	33	<1	<1	2	4	7	13	27
20-34	1157	7.5	134	<1	<1	3	7	20	34	61
35-49	1117	8.2	162	<1	1	4	9	22	33	78
50-64	1250	8.2	151	<1	1	4	10	19	30	68
65+	2454	11.7	166	1	2	8	15	27	40	83
GRAND TOTAL	**6848**	**8.8**	**147**	**<1**	**1**	**4**	**10**	**22**	**33**	**69**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	7	1	1	3	4	5	10	12
20-34	32	4.2	6	1	1	4	6	8	10	10
35-49	25	5.1	15	1	2	4	6	8	14	19
50-64	21	5.2	10	2	2	4	7	10	12	13
65+	6	6.7	68	1	1	3	7	21	23	23
B. *Operated*										
0-19 YRS	11	2.3	1	1	1	2	3	4	4	4
20-34	24	3.3	10	<1	1	2	3	9	11	11
35-49	19	2.4	5	<1	<1	2	3	4	8	11
50-64	13	2.5	2	1	1	2	3	5	6	6
65+	6	3.7	12	1	1	2	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	6.0	21	1	1	5	8	13	15	23
20-34	128	5.5	34	1	1	3	7	11	18	31
35-49	173	5.9	33	<1	1	4	8	11	17	35
50-64	160	7.4	43	2	2	5	9	14	20	39
65+	137	8.0	37	2	2	7	10	16	22	29
B. *Operated*										
0-19 YRS	41	14.2	335	1	2	7	15	56	68	99+
20-34	72	13.3	232	1	2	9	18	27	46	80
35-49	76	12.5	185	1	1	8	15	28	39	70
50-64	80	11.0	126	2	2	7	15	25	34	61
65+	85	12.3	96	2	2	10	17	25	37	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.6	13	1	2	4	6	8	12	21
B. *Operated*	73	2.8	6	1	1	2	3	5	10	11
2. MULTIPLE DX										
A. *Not Operated*	663	6.6	36	1	2	5	8	13	18	31
B. *Operated*	354	12.5	176	1	2	8	16	27	41	77
1. SINGLE DX	173	3.9	11	1	1	3	5	8	11	18
2. MULTIPLE DX	1017	8.7	92	1	2	6	10	19	26	56
A. NOT OPERATED	763	6.4	33	1	2	5	8	13	18	29
B. OPERATED	427	10.8	160	1	1	7	14	25	38	75
TOTAL 0-19 YRS	133	7.9	132	1	1	5	8	15	29	79
20-34	256	7.3	98	1	1	4	8	18	24	57
35-49	293	7.3	79	1	1	5	8	16	24	46
50-64	274	8.1	67	2	2	5	10	18	21	45
65+	234	9.4	63	2	2	7	12	21	25	43
GRAND TOTAL	**1190**	**8.0**	**83**	**1**	**2**	**5**	**10**	**18**	**25**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	3.8	8	1	1	3	5	7	10	12
20-34	25	4.5	10	1	1	4	7	8	10	12
35-49	57	5.1	11	1	2	4	6	10	12	17
50-64	72	5.2	15	2	2	4	6	9	13	21
65+	62	5.8	17	2	2	4	7	12	16	19
B. Operated										
0-19 YRS	14	5.1	23	<1	1	3	10	13	14	14
20-34	60	5.3	33	<1	1	3	7	13	15	33
35-49	135	6.5	38	1	1	4	9	13	19	29
50-64	307	6.7	48	1	1	4	9	14	18	34
65+	172	7.3	25	1	2	7	11	13	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	7.1	43	1	2	5	9	17	22	33
20-34	47	5.6	17	1	2	4	8	11	15	17
35-49	130	5.7	33	1	2	4	7	11	12	37
50-64	249	6.3	26	1	2	5	8	11	15	31
65+	414	6.7	26	1	2	5	9	13	16	29
B. Operated										
0-19 YRS	19	6.0	30	<1	1	4	8	13	18	23
20-34	62	7.4	43	1	1	4	12	15	20	30
35-49	186	6.4	26	1	2	5	9	12	15	24
50-64	502	8.0	55	1	2	6	11	16	20	37
65+	509	9.7	62	2	3	8	13	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	5.0	13	1	2	4	6	10	12	18
B. Operated	688	6.6	39	1	1	5	10	13	17	32
2. MULTIPLE DX										
A. Not Operated	895	6.4	28	1	2	5	8	12	16	31
B. Operated	1278	8.4	54	1	2	6	11	17	20	37
1. SINGLE DX	952	6.2	32	1	1	4	9	13	16	28
2. MULTIPLE DX	2173	7.6	44	1	2	6	10	15	19	35
A. NOT OPERATED	1159	6.1	25	1	2	5	8	12	15	28
B. OPERATED	1966	7.8	49	1	2	6	11	16	19	35
TOTAL 0-19 YRS	136	5.6	28	1	1	4	7	12	16	25
20-34	194	5.9	30	1	1	4	8	13	15	28
35-49	508	6.1	29	1	2	5	8	12	15	29
50-64	1130	7.1	45	1	2	5	9	15	18	35
65+	1157	8.1	43	1	2	7	11	16	19	34
GRAND TOTAL	**3125**	**7.1**	**41**	**1**	**2**	**5**	**10**	**14**	**18**	**34**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0		3	3	3	3	3	3	3
35-49	19	3.8	8	<1	<1	3	6	9	9	9
50-64	18	4.7	6	1	1	5	6	8	10	10
65+	54	4.5	17	<1	1	3	5	12	14	18
B. Operated										
0-19 YRS	14	3.9	19	<1	1	2	4	10	15	16
20-34	150	3.1	9	<1	<1	2	4	7	9	15
35-49	358	4.6	16	<1	1	3	7	10	13	17
50-64	1295	7.5	23	1	1	8	11	13	16	20
65+	1913	10.3	20	2	4	10	13	15	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	12.0	98	5	5	12	19	19	19	19
20-34	4	13.8	203	1	1	11	25	32	32	32
35-49	23	5.0	68	<1	<1	4	5	6	19	42
50-64	128	3.9	11	<1	<1	3	5	8	11	16
65+	678	5.5	25	1	1	4	7	11	15	24
B. Operated										
0-19 YRS	26	6.2	26	1	1	4	10	13	16	20
20-34	165	4.2	18	<1	1	3	5	8	11	23
35-49	425	5.4	38	<1	1	4	7	12	15	33
50-64	1660	8.5	43	1	1	8	12	15	18	33
65+	4302	12.0	42	2	5	11	15	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	4.3	12	<1	1	3	6	9	12	17
B. Operated	3730	8.4	25	1	1	9	12	15	16	21
2. MULTIPLE DX										
A. Not Operated	835	5.3	25	<1	1	4	7	11	15	24
B. Operated	6578	10.5	47	1	2	10	14	17	21	34
1. SINGLE DX	3824	8.3	25	1	1	9	12	15	16	21
2. MULTIPLE DX	7413	9.9	47	1	2	10	13	17	21	33
A. NOT OPERATED	929	5.2	24	<1	1	4	7	11	15	23
B. OPERATED	10308	9.7	40	1	2	10	13	16	19	29
TOTAL 0-19 YRS	43	5.7	27	<1	1	3	9	13	17	20
20-34	321	3.8	17	<1	1	2	5	8	11	21
35-49	825	5.0	29	<1	1	3	7	11	14	25
50-64	3101	7.9	34	1	1	8	11	15	17	25
65+	6947	10.8	38	2	3	10	14	17	20	31
GRAND TOTAL	**11237**	**9.4**	**40**	**1**	**2**	**9**	**13**	**16**	**19**	**29**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	7.0	22	2	2	6	9	13	16	23
20-34	58	4.7	11	1	1	4	7	8	11	18
35-49	32	5.4	32	1	1	3	6	14	17	27
50-64	19	3.7	19	1	1	3	4	6	14	21
65+	35	4.6	4	2	2	4	6	7	8	9
B. *Operated*										
0-19 YRS	68	7.9	39	1	2	6	11	16	20	30
20-34	172	3.9	17	<1	1	3	5	8	11	25
35-49	163	3.8	10	<1	1	3	5	8	11	15
50-64	171	5.2	27	1	1	3	7	10	14	22
65+	91	7.6	27	1	2	8	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	8.1	32	2	2	7	10	15	21	28
20-34	85	6.0	19	1	2	5	7	11	17	21
35-49	76	6.2	34	1	2	5	8	13	17	34
50-64	118	6.1	30	1	2	4	7	13	16	32
65+	228	8.2	70	2	2	6	10	16	24	43
B. *Operated*										
0-19 YRS	110	12.1	65	1	3	10	16	22	29	65
20-34	252	6.8	51	1	2	4	8	14	19	36
35-49	237	6.6	45	1	2	4	8	14	20	37
50-64	276	9.4	111	1	1	6	13	21	28	64
65+	302	12.6	112	2	3	10	16	27	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	5.5	18	1	2	4	7	10	14	22
B. *Operated*	665	5.1	24	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	581	7.1	46	1	2	5	9	14	19	36
B. *Operated*	1177	9.4	87	1	2	7	13	21	28	49
1. SINGLE DX	881	5.2	23	1	1	4	7	11	14	22
2. MULTIPLE DX	1758	8.6	74	1	2	6	11	19	25	43
A. NOT OPERATED	797	6.7	39	1	2	5	8	14	18	34
B. OPERATED	1842	7.8	68	1	1	5	10	17	24	42
TOTAL 0-19 YRS	324	9.2	47	1	2	8	12	20	22	32
20-34	567	5.6	33	1	1	4	7	12	15	29
35-49	508	5.6	33	1	1	4	7	12	16	31
50-64	584	7.3	71	1	1	4	9	16	22	43
65+	656	9.9	86	2	2	7	12	20	30	52
GRAND TOTAL	**2639**	**7.5**	**60**	**1**	**2**	**5**	**10**	**16**	**22**	**40**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	14	1.9	2	<1	1	1	2	4	6	6
35-49	9	1.8	1	<1	<1	1	3	3	3	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	562	1.9	2	<1	<1	1	3	4	5	5
20-34	1600	2.1	2	<1	<1	1	3	4	5	8
35-49	815	2.0	2	<1	<1	1	2	4	5	8
50-64	409	1.9	3	<1	<1	1	2	4	5	9
65+	126	2.2	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34	22	1.6	3	<1	<1	1	1	3	6	8
35-49	14	1.7	2	<1	<1	1	2	4	5	5
50-64	12	3.4	11	<1	<1	2		9	9	9
65+	12	3.3	3	1	1	3		6	6	6
B. *Operated*										
0-19 YRS	461	2.3	2	<1	<1	2	3	4	5	7
20-34	1639	2.4	4	<1	<1	2	3	5	6	9
35-49	1092	2.4	5	<1	<1	2	3	5	6	9
50-64	967	2.4	5	<1	<1	2	3	5	6	15
65+	538	3.0	8	<1	1	2	3	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	3512	2.0	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	68	2.2	4	<1	<1	1	2	5	8	9
B. *Operated*	4697	2.5	5	<1	<1	2	3	5	6	11
1. SINGLE DX	3541	2.0	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX	4765	2.5	5	<1	<1	2	3	5	6	11
A. NOT OPERATED	97	2.0	3	<1	<1	1	2	5	6	9
B. OPERATED	8209	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	1034	2.1	2	<1	<1	1	3	4	5	7
20-34	3275	2.3	3	<1	<1	2	3	5	5	8
35-49	1930	2.2	4	<1	<1	2	3	4	6	9
50-64	1390	2.3	5	<1	<1	2	3	4	6	12
65+	677	2.8	7	<1	1	2	3	5	7	16
GRAND TOTAL	**8306**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.7	4	<1	<1	2	4	6	7	9
20-34	52	3.9	14	<1	1	3	4	7	13	19
35-49	37	3.4	13	<1	<1	2	4	8	10	19
50-64	30	3.3	3	<1	<1	3	5	6	6	7
65+	39	4.2	19	1	1	3	5	9	16	20
B. *Operated*										
0-19 YRS	985	2.5	2	<1	1	2	3	4	5	7
20-34	1899	2.8	4	<1	1	2	3	5	6	9
35-49	643	2.6	3	<1	1	2	3	5	6	8
50-64	214	2.9	5	<1	1	2	4	6	8	12
65+	82	4.0	21	<1	<1	2	5	10	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.8	8	<1	<1	2	3	7	9	14
20-34	111	4.0	23	<1	<1	3	4	8	13	27
35-49	94	4.7	23	<1	1	3	5	11	15	26
50-64	126	5.7	43	<1	1	4	7	12	18	40
65+	357	6.8	53	1	2	5	8	14	19	30
B. *Operated*										
0-19 YRS	594	3.4	9	1	1	3	4	6	8	16
20-34	1073	3.3	9	<1	1	3	4	6	8	15
35-49	609	3.8	11	<1	1	3	5	7	10	18
50-64	368	4.9	32	1	1	3	5	11	16	33
65+	300	7.3	58	1	1	5	9	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	3.4	10	<1	1	3	4	6	9	19
B. *Operated*	3823	2.7	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	754	5.6	41	<1	1	4	7	13	17	29
B. *Operated*	2944	4.0	19	<1	1	3	5	8	11	22
1. SINGLE DX	4066	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3698	4.4	24	<1	1	3	5	9	13	23
A. NOT OPERATED	997	5.1	34	<1	1	3	6	11	15	27
B. OPERATED	6767	3.3	11	<1	1	3	4	6	8	17
TOTAL 0-19 YRS	1730	2.8	5	<1	1	2	4	5	6	10
20-34	3135	3.0	7	<1	1	2	4	5	7	13
35-49	1383	3.3	9	<1	1	3	4	6	8	17
50-64	738	4.4	26	<1	1	3	5	9	13	28
65+	778	6.6	51	1	1	5	8	14	19	30
GRAND TOTAL	**7764**	**3.5**	**14**	**<1**	**1**	**3**	**4**	**6**	**9**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.4	22	3	3	4	9	14	14	14
35-49	5	4.2	12	2	2	2	6	10	10	10
50-64	3	3.7	4	2	2	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	1	15.0		15	15	15	15	15	15	15
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	3.4	6	1	1	3	4	7	9	9
35-49	12	5.8	14	2	2	5	8	12	13	13
50-64	21	5.6	14	1	2	4	6	12	15	15
65+	15	5.9	9	1	3	5	9	10	10	10
B. *Operated*										
0-19 YRS										
20-34	7	6.4	6	3	3	6	9	9	9	9
35-49	7	14.0	190	4	4	8	23	37	39	39
50-64	10	12.4	142	3	3	7	15	33	38	38
65+	9	8.6	46	1	2	9	12	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.9	14	2	2	3	6	11	13	14
B. *Operated*	6	7.0	38	1	1	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	57	5.4	12	1	2	4	8	10	12	15
B. *Operated*	33	10.4	96	3	3	8	11	28	37	39
1. SINGLE DX	19	5.6	21	1	2	3	9	14	15	15
2. MULTIPLE DX	90	7.3	48	1	2	5	9	14	21	39
A. NOT OPERATED	70	5.3	12	1	2	4	8	10	13	15
B. OPERATED	39	9.9	88	1	2	8	12	25	34	39
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	21	5.0	11	1	2	4	8	9	11	14
35-49	27	7.4	69	2	2	5	9	13	30	39
50-64	35	7.6	58	1	3	5	8	15	25	38
65+	25	7.1	24	1	3	7	9	13	18	21
GRAND TOTAL	**109**	**7.0**	**43**	**1**	**2**	**5**	**9**	**14**	**17**	**38**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	4.5	7	1	1	4	7	8	9	9
35-49	46	5.1	29	<1	1	4	6	11	16	26
50-64	71	5.0	9	1	1	5	7	9	10	15
65+	83	5.0	9	1	2	4	7	9	11	12
B. *Operated*										
0-19 YRS	6	3.7	7	1	1	3	6	7	7	7
20-34	65	3.4	8	1	1	2	6	8	8	12
35-49	281	3.8	11	1	1	3	5	8	11	16
50-64	402	5.0	27	1	1	4	7	10	13	23
65+	175	5.6	24	1	1	4	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	187	3	3	5	8	35	38	38
20-34	26	5.6	8	1	2	5	8	9	10	10
35-49	113	5.0	14	1	1	4	7	9	12	20
50-64	298	6.0	18	1	2	5	8	11	13	24
65+	864	6.3	23	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	5	9.8	233	2	2	3	13	37	37	37
20-34	66	6.1	15	1	1	6	8	12	14	18
35-49	362	5.9	29	1	1	5	8	12	15	27
50-64	607	7.0	39	1	1	6	9	14	16	30
65+	673	9.7	88	1	1	8	12	20	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	5.0	13	1	1	4	7	9	11	19
B. *Operated*	929	4.6	21	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1307	6.1	22	1	2	5	8	11	15	23
B. *Operated*	1713	7.8	58	1	1	6	10	15	20	37
1. SINGLE DX	1148	4.7	19	1	1	3	7	10	12	19
2. MULTIPLE DX	3020	7.1	43	1	1	6	9	14	18	32
A. NOT OPERATED	1526	6.0	20	1	2	5	8	11	14	22
B. OPERATED	2642	6.7	47	1	1	5	9	14	18	33
TOTAL 0-19 YRS	18	7.5	123	1	1	4	6	28	38	38
20-34	175	4.9	12	1	1	4	7	9	11	15
35-49	802	5.0	21	1	1	4	7	11	13	21
50-64	1378	6.1	30	1	1	5	8	12	15	26
65+	1795	7.4	50	1	2	6	10	15	19	35
GRAND TOTAL	**4168**	**6.4**	**38**	**1**	**1**	**5**	**8**	**13**	**16**	**29**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	6.0	16	1	2	5	9	13	14	15
20-34	649	5.4	13	1	1	5	7	10	11	16
35-49	899	5.8	15	1	1	5	8	10	12	19
50-64	474	5.9	14	1	2	5	8	11	13	16
65+	178	5.9	14	<1	1	5	8	11	13	16
B. *Operated*										
0-19 YRS	149	4.6	16	1	1	4	6	10	13	19
20-34	3707	5.0	18	1	1	4	7	10	13	18
35-49	4861	5.3	18	1	1	5	8	10	13	19
50-64	2155	5.7	21	1	1	5	8	12	15	21
65+	528	6.5	29	1	1	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	58	1	1	4	8	17	27	28
20-34	386	6.0	21	<1	1	5	8	11	14	22
35-49	750	6.6	23	1	2	6	8	12	15	23
50-64	652	6.8	27	1	2	6	8	12	17	30
65+	711	7.2	23	2	2	6	9	12	16	25
B. *Operated*										
0-19 YRS	32	5.9	15	2	2	5	8	12	15	17
20-34	1304	7.4	36	1	1	6	9	15	19	29
35-49	2375	7.8	44	1	1	7	10	15	20	30
50-64	1808	8.4	45	1	1	7	11	17	21	32
65+	1090	10.3	64	1	2	9	14	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	5.7	14	1	1	5	8	10	12	17
B. *Operated*	11400	5.3	19	1	1	4	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	2510	6.7	24	1	2	6	8	12	16	25
B. *Operated*	6609	8.3	47	1	2	7	11	16	21	33
1. SINGLE DX	13629	5.4	18	1	1	5	7	11	13	19
2. MULTIPLE DX	9119	7.9	41	1	2	7	10	15	20	31
A. NOT OPERATED	4739	6.2	19	1	2	5	8	11	14	22
B. OPERATED	18009	6.4	31	1	1	5	9	13	16	26
TOTAL 0-19 YRS	221	5.1	18	1	1	4	6	10	14	20
20-34	6046	5.6	23	1	1	5	8	11	14	22
35-49	8885	6.1	26	1	1	5	8	12	15	24
50-64	5089	6.8	31	1	1	6	9	13	17	27
65+	2507	8.3	45	1	2	7	11	16	21	33
GRAND TOTAL	**22748**	**6.4**	**29**	**1**	**1**	**5**	**8**	**12**	**16**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	9	1	1	6	7	8	8	8
20-34	80	4.7	17	<1	1	4	6	9	13	22
35-49	130	5.1	9	<1	1	5	7	9	10	15
50-64	63	5.5	11	1	2	5	8	10	11	16
65+	20	5.4	12	1	2	4	7	10	12	14
B. *Operated*										
0-19 YRS	6	7.0	11	2	2	8	10	10	10	10
20-34	328	4.5	12	1	1	4	6	9	11	16
35-49	896	4.6	15	1	1	4	6	9	12	19
50-64	434	4.7	15	1	1	4	6	9	12	18
65+	61	5.2	19	1	1	4	8	11	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	49	4.9	9	1	1	4	7	9	11	12
35-49	142	5.3	13	1	1	5	8	9	13	15
50-64	135	5.2	11	1	2	5	7	10	11	14
65+	177	6.5	40	1	2	5	8	11	15	55
B. *Operated*										
0-19 YRS	5	3.4	15	1	1	1	5	10	10	10
20-34	161	5.9	42	1	1	5	7	12	15	24
35-49	551	6.1	32	1	1	5	8	12	16	30
50-64	465	6.9	55	1	1	5	9	13	17	44
65+	148	9.4	96	1	1	7	11	20	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	5.1	11	1	1	5	7	9	11	16
B. *Operated*	1725	4.6	14	1	1	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	507	5.7	22	1	2	5	8	10	12	21
B. *Operated*	1330	6.7	49	1	1	5	8	13	18	36
1. SINGLE DX	2022	4.7	14	1	1	4	6	9	12	17
2. MULTIPLE DX	1837	6.4	42	1	1	5	8	12	16	35
A. NOT OPERATED	804	5.4	18	1	1	5	7	10	12	18
B. OPERATED	3055	5.5	31	1	1	4	7	11	14	26
TOTAL 0-19 YRS	19	5.1	11	1	1	6	8	10	10	10
20-34	618	4.9	20	1	1	4	6	10	12	19
35-49	1719	5.2	20	1	1	4	7	10	13	23
50-64	1097	5.7	32	1	1	5	8	11	14	27
65+	406	7.3	58	1	1	5	9	14	20	45
GRAND TOTAL	**3859**	**5.5**	**28**	**1**	**1**	**5**	**7**	**10**	**14**	**25**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	66	5.5	10	1	2	5	7	9	11	17
35-49	79	5.7	10	1	2	5	7	9	11	18
50-64	25	6.0	13	1	2	5	8	10	14	16
65+	10	8.5	68	2	3	6	7	21	31	31
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	80	4.6	19	1	1	3	8	10	13	20
35-49	96	5.0	23	1	1	3	8	12	15	21
50-64	30	4.6	22	1	1	2	8	13	14	15
65+	3	8.0	43	2	2	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	35	2	2	7	12	16	16	16
20-34	71	7.8	44	2	3	5	9	17	19	40
35-49	108	6.6	21	2	2	6	8	13	19	20
50-64	76	6.5	19	1	2	5	9	12	14	22
65+	60	6.3	13	1	2	5	8	10	13	19
B. *Operated*										
0-19 YRS	2	14.0	162	5	5	14	23	23	23	23
20-34	71	8.0	68	1	1	7	10	14	17	50
35-49	103	7.4	30	1	1	7	10	13	16	29
50-64	38	7.6	25	1	1	8	11	14	16	22
65+	15	10.9	43	2	3	10	15	18	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	5.8	14	1	2	5	7	9	12	18
B. *Operated*	211	4.8	21	1	1	3	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	319	6.8	24	2	2	5	9	13	18	21
B. *Operated*	229	7.9	43	1	1	8	10	14	17	37
1. SINGLE DX	394	5.3	18	1	1	4	7	11	14	20
2. MULTIPLE DX	548	7.3	32	1	2	6	9	14	18	27
A. NOT OPERATED	502	6.5	21	2	2	5	8	11	16	20
B. OPERATED	440	6.4	35	1	1	5	9	13	16	27
TOTAL 0-19 YRS	11	7.5	46	1	2	5	10	19	23	23
20-34	288	6.4	37	1	1	5	8	12	16	34
35-49	386	6.2	22	1	1	5	8	12	15	20
50-64	169	6.3	21	1	1	5	9	13	14	21
65+	88	7.4	27	2	2	6	9	14	17	29
GRAND TOTAL	**942**	**6.4**	**27**	**1**	**1**	**5**	**9**	**12**	**16**	**22**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	52	4.5	8	<1	1	4	6	8	8	13
35-49	54	5.9	14	<1	1	6	8	9	11	21
50-64	41	6.0	25	<1	1	4	9	12	17	21
65+	39	4.0	6	<1	<1	4	6	7	7	10
B. *Operated*										
0-19 YRS										
20-34	60	4.3	19	1	1	2	7	11	14	17
35-49	79	3.6	15	1	1	2	4	9	12	18
50-64	30	3.2	9	1	1	2	4	8	11	12
65+	8	3.9	30	1	1	2	4	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	40	5.9	13	<1	1	5	8	11	13	15
35-49	76	6.7	27	2	3	5	8	15	18	26
50-64	96	6.1	15	1	2	5	8	10	13	23
65+	162	6.8	16	2	3	6	9	12	14	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	34	6.2	29	1	1	5	10	13	15	23
35-49	45	5.4	25	1	1	4	8	13	17	21
50-64	31	6.1	26	1	1	4	11	14	16	17
65+	33	9.0	84	1	1	6	14	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.1	13	<1	1	5	7	9	11	21
B. *Operated*	177	3.8	16	1	1	2	5	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	375	6.5	18	2	2	6	8	11	15	23
B. *Operated*	144	6.5	41	1	1	5	10	14	17	25
1. SINGLE DX	363	4.5	15	<1	1	3	7	9	12	19
2. MULTIPLE DX	519	6.5	24	1	2	5	9	13	16	23
A. NOT OPERATED	561	6.0	17	1	2	5	8	11	14	21
B. OPERATED	321	5.0	29	1	1	3	8	13	15	22
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	186	5.0	17	<1	1	4	8	11	13	16
35-49	254	5.3	21	1	1	4	7	11	16	22
50-64	198	5.7	19	1	1	5	8	12	13	21
65+	242	6.5	26	1	2	6	9	13	15	23
GRAND TOTAL	**882**	**5.7**	**21**	**1**	**1**	[illegible]	**8**	**11**	**14**	**21**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.8	8	<1	1	3	6	8	9	11
20-34	535	5.4	30	1	1	4	7	10	14	19
35-49	742	5.2	16	1	1	4	7	10	12	20
50-64	441	5.3	21	<1	1	4	7	10	13	27
65+	192	4.2	10	<1	<1	4	6	9	11	15
B. *Operated*										
0-19 YRS	36	2.1	3	1	1	1	2	4	6	9
20-34	772	3.3	12	1	1	2	4	8	11	16
35-49	1049	3.6	14	1	1	2	5	8	11	17
50-64	771	4.3	15	1	1	3	7	9	11	17
65+	444	6.1	23	1	1	6	9	12	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	5	<1	1	3	4	6	9	10
20-34	761	6.3	37	1	1	5	8	13	19	31
35-49	1172	6.8	32	1	2	5	9	15	19	26
50-64	1008	6.4	29	1	2	5	8	13	18	29
65+	1178	6.2	24	1	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	41	4.8	17	1	1	3	8	12	13	13
20-34	631	5.4	42	1	1	3	7	11	15	41
35-49	1101	6.0	33	1	1	4	8	12	16	27
50-64	1285	7.1	43	1	1	6	9	14	18	32
65+	1302	9.7	63	1	1	8	13	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1957	5.1	20	<1	1	4	7	10	12	19
B. *Operated*	3072	4.0	16	1	1	2	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	4179	6.4	30	1	2	5	8	12	18	27
B. *Operated*	4360	7.3	49	1	1	6	10	15	19	33
1. SINGLE DX	5029	4.5	18	1	1	3	6	10	12	19
2. MULTIPLE DX	8539	6.9	40	1	1	5	9	14	19	31
A. NOT OPERATED	6136	6.0	27	1	1	5	8	12	17	24
B. OPERATED	7432	6.0	38	1	1	4	8	13	16	29
TOTAL 0-19 YRS	184	3.5	9	1	1	2	5	8	10	13
20-34	2699	5.1	31	1	1	3	7	10	14	23
35-49	4064	5.5	26	1	1	4	7	11	16	24
50-64	3505	6.0	31	1	1	5	8	12	16	30
65+	3116	7.5	43	1	1	6	10	15	19	32
GRAND TOTAL	**13568**	**6.0**	**33**	**1**	**1**	**5**	**8**	**12**	**16**	**27**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.8	3	1	1	2	3	5	6	10
20-34	69	2.7	2	<1	1	3	3	5	5	7
35-49	62	3.5	5	<1	1	3	4	7	8	12
50-64	39	3.8	9	<1	1	3	5	8	11	14
65+	32	3.8	7	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	229	1.8	2	<1	<1	1	2	3	4	7
20-34	685	2.2	3	<1	<1	2	3	4	5	8
35-49	844	2.3	7	<1	<1	2	3	4	5	9
50-64	649	2.3	4	<1	<1	2	3	4	5	10
65+	197	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	10	<1	1	3	4	8	9	19
20-34	79	4.7	14	<1	1	4	6	9	13	19
35-49	127	4.5	13	1	1	3	6	9	11	17
50-64	147	4.6	16	1	1	4	6	9	9	20
65+	211	5.7	22	1	2	4	7	11	14	26
B. *Operated*										
0-19 YRS	98	2.6	8	<1	<1	2	3	6	9	15
20-34	479	2.9	6	<1	1	2	4	6	7	12
35-49	675	3.0	5	1	1	2	4	5	7	12
50-64	749	3.3	8	1	1	3	4	6	8	14
65+	366	5.1	31	1	1	3	6	10	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	3.2	5	1	1	3	4	6	7	12
B. *Operated*	2604	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	612	4.9	17	1	1	4	6	9	12	21
B. *Operated*	2367	3.4	11	<1	1	3	4	6	9	17
1. SINGLE DX	2901	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	2979	3.7	13	<1	1	3	4	7	10	18
A. NOT OPERATED	909	4.3	14	1	1	3	5	8	11	20
B. OPERATED	4971	2.8	8	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	470	2.3	4	<1	<1	2	3	4	6	11
20-34	1312	2.7	5	<1	<1	2	3	5	7	11
35-49	1708	2.8	7	<1	1	2	3	5	7	12
50-64	1584	3.0	8	<1	<1	2	4	6	8	13
65+	806	4.5	23	<1	1	3	5	9	13	23
GRAND TOTAL	**5880**	**3.0**	**9**	**<1**	**<1**	**2**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	150	2.1	1	<1	1	2	3	4	4	5
20-34	359	2.3	2	<1	<1	2	3	4	5	6
35-49	408	2.6	2	<1	1	2	3	5	5	7
50-64	507	2.5	2	<1	1	2	3	4	5	7
65+	256	2.4	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	12	1.3	1	<1	<1	<1	1	2	4	4
50-64	18	1.1		<1	<1	1	1	2	2	2
65+	22	2.8	11	<1	<1	1	3	9	11	11
B. *Operated*										
0-19 YRS	190	2.6	2	1	1	2	3	5	5	6
20-34	567	2.7	3	1	1	2	3	4	5	7
35-49	863	2.9	3	1	1	3	4	5	6	9
50-64	1483	3.1	4	1	1	3	4	5	6	9
65+	1182	3.4	5	1	1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*	1680	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	60	1.8	5	<1	<1	1	1	3	7	11
B. *Operated*	4285	3.1	4	1	1	3	4	5	6	9
1. SINGLE DX	1688	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4345	3.0	4	1	1	3	4	5	6	9
A. NOT OPERATED	68	1.7	4	<1	<1	1	1	4	7	11
B. OPERATED	5965	2.9	3	1	1	3	4	5	6	8
TOTAL 0-19 YRS	345	2.4	2	<1	1	2	3	4	5	6
20-34	933	2.5	3	<1	1	2	3	4	5	7
35-49	1284	2.8	3	1	1	2	4	5	6	8
50-64	2010	3.0	3	1	1	3	4	5	6	8
65+	1461	3.2	4	1	1	3	4	5	7	10
GRAND TOTAL	**6033**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	2.0	2	<1	<1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	2.0	3	1	1	1	2	5	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	170	1.2		<1	<1	<1	1	2	2	3
20-34	348	1.3		<1	<1	<1	1	2	3	5
35-49	218	1.5	1	<1	<1	<1	2	3	3	5
50-64	153	1.7	1	<1	<1	1	2	3	4	6
65+	67	1.9	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	8	2.4	3	1	1	2	4	5	5	5
65+	8	3.9	12	1	1	3	4	10	12	12
B. *Operated*										
0-19 YRS	24	1.8	1	<1	<1	1	2	3	4	4
20-34	85	1.6	1	<1	<1	1	2	4	4	6
35-49	93	2.5	3	<1	1	2	3	4	6	9
50-64	123	2.5	4	<1	<1	2	3	5	6	10
65+	92	3.4	7	<1	<1	3	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	956	1.4	1	<1	<1	<1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	30	2.4	5	<1	<1	2	3	5	5	12
B. *Operated*	417	2.5	4	<1	<1	2	3	5	6	10
1. SINGLE DX	971	1.4	1	<1	<1	<1	2	3	3	5
2. MULTIPLE DX	447	2.5	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	45	2.2	4	<1	<1	2	3	5	5	12
B. OPERATED	1373	1.7	2	<1	<1	1	2	3	5	7
TOTAL 0-19 YRS	198	1.2		<1	<1	<1	1	2	3	4
20-34	444	1.4	1	<1	<1	<1	1	2	3	5
35-49	317	1.8	2	<1	<1	1	2	3	4	7
50-64	291	2.1	3	<1	<1	1	3	4	5	8
65+	168	2.8	6	<1	<1	2	4	5	7	12
GRAND TOTAL	**1418**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**7**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	10.3	59	2	2	9	14	21	25	35
20-34	19	7.6	37	1	2	6	10	19	22	22
35-49	21	7.9	97	2	2	5	7	20	35	41
50-64	16	9.8	49	1	3	8	13	21	24	25
65+	9	11.3	164	5	5	7	10	31	45	45
B. *Operated*										
0-19 YRS	81	9.5	79	1	2	7	12	22	30	40
20-34	78	9.1	58	<1	1	7	13	19	22	38
35-49	40	9.4	110	1	1	5	12	24	34	44
50-64	59	10.8	104	1	2	8	16	22	37	45
65+	36	6.8	31	1	2	5	8	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	11.9	85	1	2	10	15	24	30	43
20-34	53	10.5	167	1	3	6	13	19	31	84
35-49	47	12.1	122	2	3	8	17	28	32	49
50-64	64	13.7	145	2	3	10	16	30	39	58
65+	110	13.8	215	2	3	10	16	25	42	86
B. *Operated*										
0-19 YRS	137	16.2	136	3	4	14	23	32	43	50
20-34	220	16.9	258	2	3	12	23	42	47	89
35-49	209	16.6	225	2	3	12	22	37	46	69
50-64	281	18.2	264	3	4	13	25	43	51	87
65+	333	18.5	256	3	4	13	25	43	51	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	9.6	66	2	2	7	12	21	25	41
B. *Operated*	294	9.3	77	1	1	7	12	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	364	12.6	151	2	3	9	15	26	37	59
B. *Operated*	1180	17.5	239	2	4	13	24	42	49	76
1. SINGLE DX	442	9.4	73	1	2	7	12	21	26	41
2. MULTIPLE DX	1544	16.4	223	2	3	12	22	38	47	75
A. NOT OPERATED	512	11.7	128	2	3	8	15	24	32	55
B. OPERATED	1474	15.9	217	2	3	11	22	38	46	72
TOTAL 0-19 YRS	391	12.6	103	1	2	10	17	26	33	46
20-34	370	13.9	204	1	2	9	17	34	43	81
35-49	317	14.4	195	2	2	10	21	34	45	66
50-64	420	16.2	224	2	3	11	21	38	47	81
65+	488	16.5	240	2	3	11	22	40	49	76
GRAND TOTAL	**1986**	**14.8**	**198**	**2**	**3**	**10**	**19**	**34**	**44**	**70**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.6	36	<1	<1	3	6	9	16	34
20-34	52	2.6	3	1	1	2	3	5	7	9
35-49	60	2.6	3	<1	1	2	3	5	5	11
50-64	58	3.4	7	1	1	3	4	6	10	14
65+	125	4.6	13	1	1	4	6	9	10	19
B. *Operated*										
0-19 YRS	652	3.2	12	<1	<1	2	4	6	9	15
20-34	824	3.1	7	<1	1	2	4	6	8	13
35-49	423	4.3	12	1	1	3	6	9	10	16
50-64	317	5.0	15	1	1	4	7	11	13	16
65+	168	6.9	24	1	1	6	11	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.3	23	<1	<1	3	5	9	11	31
20-34	110	3.7	14	<1	1	3	4	7	9	21
35-49	211	3.8	14	<1	1	3	5	8	10	22
50-64	495	5.6	25	1	1	4	7	11	15	27
65+	2529	7.7	37	2	3	6	10	14	17	29
B. *Operated*										
0-19 YRS	306	4.1	21	1	1	3	5	8	12	25
20-34	620	4.8	28	1	1	3	6	10	14	29
35-49	557	7.3	75	1	1	5	9	14	20	38
50-64	658	8.9	88	1	2	7	11	18	25	55
65+	1078	12.5	91	2	3	11	15	23	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.8	14	<1	1	3	5	7	9	16
B. *Operated*	2384	3.8	12	<1	1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	3408	7.0	34	1	2	6	9	13	17	28
B. *Operated*	3219	8.6	79	1	1	6	11	18	24	43
1. SINGLE DX	2736	3.8	12	<1	1	3	5	8	11	16
2. MULTIPLE DX	6627	7.8	57	1	2	6	10	15	21	37
A. NOT OPERATED	3760	6.7	33	1	2	5	9	13	16	28
B. OPERATED	5603	6.6	56	1	1	4	9	14	19	36
TOTAL 0-19 YRS	1078	3.6	17	<1	1	2	4	7	9	23
20-34	1606	3.8	16	<1	1	3	5	7	10	21
35-49	1251	5.4	43	1	1	4	7	11	15	29
50-64	1528	6.8	53	1	1	5	9	14	18	37
65+	3900	8.9	56	2	3	7	11	17	22	37
GRAND TOTAL	**9363**	**6.6**	**47**	**1**	**1**	**5**	**9**	**14**	**18**	**34**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	175	3.0	10	<1	<1	3	4	5	7	10
20-34	108	2.5	4	<1	<1	2	3	5	7	10
35-49	48	3.9	21	<1	<1	2	5	9	14	21
50-64	38	3.7	7	<1	<1	3	5	8	9	11
65+	24	5.9	30	1	2	4	7	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	2	<1	<1	1	2	4	5	5
20-34	9	3.2	5	<1	<1	3	4	7	8	8
35-49	8	3.6	25	<1	<1	1	5	12	14	14
50-64	16	10.6	69	<1	<1	10	14	22	29	31
65+	25	16.8	87	4	5	16	22	33	35	36
B. *Operated*										
0-19 YRS	338	4.0	24	1	1	3	5	6	8	34
20-34	198	4.5	33	<1	1	3	6	8	10	31
35-49	143	4.5	23	<1	1	3	5	9	13	31
50-64	157	5.1	18	1	2	4	6	10	14	26
65+	101	7.0	38	1	2	5	8	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	393	3.2	11	<1	<1	2	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	68	9.8	89	<1	<1	8	15	23	31	36
B. *Operated*	937	4.7	27	1	1	4	5	8	12	29
1. SINGLE DX	398	3.2	11	<1	<1	2	4	6	9	18
2. MULTIPLE DX	1005	5.0	33	1	1	4	6	10	14	32
A. NOT OPERATED	73	9.2	87	<1	<1	5	14	23	31	36
B. OPERATED	1330	4.3	23	<1	1	3	5	8	11	27
TOTAL 0-19 YRS	526	3.7	19	<1	1	3	4	6	7	29
20-34	316	3.7	23	<1	<1	3	5	7	9	20
35-49	199	4.3	22	<1	<1	2	5	9	13	26
50-64	212	5.3	22	<1	1	4	7	11	15	26
65+	150	8.4	58	1	2	6	12	19	25	35
GRAND TOTAL	**1403**	**4.5**	**27**	**<1**	**1**	**3**	**5**	**9**	**13**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.7	5	1	1	3	5	7	8	8
35-49	17	4.4	8	1	1	4	6	8	9	10
50-64	11	5.7	13	1	2	6	8	11	13	13
65+	5	3.0	4	<1	<1	3	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	15	1.9	1	<1	1	2	2	4	4	4
35-49	16	4.6	16	1	1	3	6	11	14	15
50-64	13	5.5	34	<1	<1	2	11	14	16	16
65+	5	5.0	34	1	1	2	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.2	8	1	1	2	6	8	10	10
35-49	28	4.8	8	1	2	4	7	9	10	11
50-64	27	5.7	23	<1	1	5	8	11	14	22
65+	30	6.1	18	1	2	5	7	12	16	18
B. *Operated*										
0-19 YRS	3	10.3	234	1	1	2	21	28	28	28
20-34	7	9.0	48	1	1	11	14	18	19	19
35-49	15	4.1	20	<1	1	2	6	11	14	15
50-64	24	6.5	27	1	2	6	9	13	19	19
65+	19	7.6	30	1	1	6	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.5	8	1	1	4	6	8	9	13
B. *Operated*	49	4.1	19	1	1	2	5	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	99	5.3	15	1	1	5	7	10	12	20
B. *Operated*	68	6.7	35	1	1	5	11	15	19	26
1. SINGLE DX	89	4.2	14	1	1	3	6	10	13	16
2. MULTIPLE DX	167	5.9	24	1	1	5	8	12	16	22
A. NOT OPERATED	139	5.1	13	1	1	4	7	10	11	18
B. OPERATED	117	5.6	30	1	1	3	8	14	16	22
TOTAL 0-19 YRS	4	8.3	174	1	1	2	15	28	28	28
20-34	42	4.1	16	1	1	2	5	10	13	19
35-49	76	4.5	11	1	1	4	6	10	11	15
50-64	75	5.9	24	<1	1	5	9	12	15	21
65+	59	6.2	22	1	1	5	8	15	16	18
GRAND TOTAL	**256**	**5.3**	**21**	**1**	**1**	**4**	**7**	**11**	**15**	**19**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.4	4	<1	1	2	3	5	7	10
20-34	99	3.7	13	1	1	2	5	8	11	19
35-49	105	4.7	47	1	1	3	5	8	10	42
50-64	82	3.5	10	<1	1	2	5	8	10	16
65+	64	3.5	9	<1	1	3	4	6	10	18
B. *Operated*										
0-19 YRS	357	3.8	14	<1	<1	2	6	9	11	15
20-34	558	3.1	10	<1	<1	2	4	8	10	14
35-49	409	3.0	11	<1	<1	2	3	7	10	15
50-64	459	2.4	6	<1	<1	2	3	5	8	11
65+	308	2.3	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.0	9	<1	1	2	4	6	8	17
20-34	286	4.9	25	<1	1	3	6	11	14	26
35-49	358	5.2	41	1	1	3	6	11	19	31
50-64	380	5.3	37	1	1	4	7	11	15	32
65+	575	5.7	26	1	1	4	7	11	15	25
B. *Operated*										
0-19 YRS	475	3.9	25	<1	1	2	4	9	13	27
20-34	812	3.9	33	<1	1	2	4	9	13	27
35-49	659	4.9	32	1	1	3	6	11	16	30
50-64	718	5.0	35	1	1	3	6	11	16	32
65+	577	5.9	48	1	1	3	8	14	18	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.8	20	1	1	3	5	7	10	19
B. *Operated*	2091	2.9	9	<1	<1	2	3	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1666	5.3	31	1	1	4	7	11	15	28
B. *Operated*	3241	4.7	35	1	1	3	6	11	15	31
1. SINGLE DX	2488	3.1	11	<1	<1	2	4	7	10	14
2. MULTIPLE DX	4907	4.9	34	1	1	3	6	11	15	30
A. NOT OPERATED	2063	5.0	29	1	1	4	6	10	14	26
B. OPERATED	5332	4.0	26	<1	1	2	5	10	13	26
TOTAL 0-19 YRS	946	3.7	19	<1	<1	2	4	9	11	19
20-34	1755	3.8	24	<1	1	2	5	9	12	25
35-49	1531	4.4	30	<1	1	3	5	10	14	29
50-64	1639	4.3	28	<1	1	2	5	10	13	27
65+	1524	5.0	31	<1	1	3	6	11	14	29
GRAND TOTAL	**7395**	**4.3**	**27**	**<1**	**1**	**2**	**5**	**10**	**13**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	9	4.6	7	1	1	5	6	8	9	9
50-64	3	5.3	24	2	2	3	9	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	6.3	12	2	2	6	9	11	11	11
35-49	19	3.5	3	1	1	3	5	5	6	7
50-64	13	4.8	14	1	1	4	6	9	13	14
65+	8	4.6	6	3	3	3	6	8	9	9
B. *Operated*										
0-19 YRS										
20-34	10	6.7	30	1	1	6	8	15	19	19
35-49	11	7.1	20	1	2	6	11	13	14	14
50-64	4	8.8	148	2	2	3	15	27	27	27
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	9	1	1	3	6	9	10	11
B. *Operated*	8	3.6	9	2	2	3	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	54	4.6	9	1	2	4	6	9	11	14
B. *Operated*	26	7.0	38	1	2	5	11	14	21	27
1. SINGLE DX	24	4.0	9	1	2	3	5	9	11	11
2. MULTIPLE DX	80	5.4	19	1	2	4	7	11	13	25
A. NOT OPERATED	70	4.5	9	1	1	4	6	9	11	13
B. OPERATED	34	6.2	33	1	2	3	8	13	18	27
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	28	5.8	18	2	2	4	8	11	13	19
35-49	44	4.5	10	1	2	4	6	9	12	14
50-64	20	5.7	37	1	1	4	7	12	20	27
65+	10	5.0	10	2	2	3	7	10	11	11
GRAND TOTAL	**104**	**5.1**	**17**	**1**	**2**	**4**	**7**	**11**	**12**	**23**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.0	1	1	1	2	3	4	4	4
20-34	5	1.8		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	51	4.7	8	1	2	4	6	8	8	17
20-34	17	5.8	14	1	2	5	9	12	12	12
35-49	8	5.6	20	1	1	4	10	12	12	12
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.3	25	1	1	2	4	10	16	27
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	9	2.6	3	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	86	8.7	94	1	1	5	11	23	31	48
20-34	20	10.4	62	2	3	8	13	23	27	30
35-49	16	12.2	235	1	1	8	14	27	52	63
50-64	12	12.2	293	1	1	6	14	35	58	62
65+	8	26.5	1131	4	5	11	40	85	94	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.0	1	1	1	2	3	4	4	4
B. *Operated*	81	5.1	11	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	77	3.9	21	1	1	2	4	9	15	25
B. *Operated*	142	10.6	186	1	1	6	13	24	34	66
1. SINGLE DX	99	4.5	10	1	1	4	6	8	11	15
2. MULTIPLE DX	219	8.3	138	1	1	4	9	20	28	63
A. NOT OPERATED	95	3.5	18	1	1	2	4	8	13	23
B. OPERATED	223	8.6	129	1	2	5	9	17	28	63
TOTAL 0-19 YRS	211	6.1	53	1	1	4	7	14	22	35
20-34	45	7.1	43	1	1	5	9	14	22	30
35-49	26	9.5	159	1	1	6	12	15	35	63
50-64	16	9.9	233	1	1	5	8	23	50	62
65+	20	12.8	554	1	1	5	9	40	79	94
GRAND TOTAL	**318**	**7.1**	**101**	**1**	**1**	**4**	**8**	**15**	**24**	**62**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	1.4	5	<1	<1	<1	1	1	2	16
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	344	1.6	1	<1	<1	1	2	3	4	7
20-34	93	1.9	2	<1	<1	1	2	3	4	9
35-49	62	1.6	1	<1	<1	1	2	3	4	4
50-64	52	1.8	1	<1	<1	2	2	3	3	6
65+	33	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.6	2	<1	<1	1	2	3	5	7
20-34	6	4.0	8	<1	<1	4	6	8	8	8
35-49										
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	164	2.2	9	<1	1	1	2	4	6	12
20-34	38	1.7	1	<1	<1	1	2	3	4	5
35-49	29	1.9	2	<1	<1	2	2	3	4	7
50-64	51	2.4	10	<1	<1	2	2	4	5	23
65+	44	2.0	2	<1	<1	2	2	3	3	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	1.5	5	<1	<1	<1	1	2	3	16
B. *Operated*	584	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	47	1.9	3	<1	<1	1	2	5	6	8
B. *Operated*	326	2.1	6	<1	<1	2	2	3	5	10
1. SINGLE DX	655	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	373	2.1	6	<1	<1	2	2	4	5	9
A. NOT OPERATED	118	1.6	4	<1	<1	<1	1	3	5	12
B. OPERATED	910	1.8	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	615	1.7	4	<1	<1	1	2	3	5	9
20-34	139	1.9	3	<1	<1	1	2	4	6	8
35-49	91	1.7	1	<1	<1	1	2	3	4	6
50-64	105	2.1	5	<1	<1	2	2	3	4	14
65+	78	1.8	1	<1	<1	2	2	3	3	8
GRAND TOTAL	**1028**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.0	2	<1	<1	2	2	4	5	6
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	4.0	18	<1	<1	3	7	7	7	7
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	651	3.8	9	<1	1	2	6	8	9	13
20-34	104	3.4	9	<1	1	2	5	8	9	12
35-49	44	5.0	16	<1	1	4	7	10	13	18
50-64	27	3.5	9	1	1	2	5	8	9	12
65+	9	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	3.8	37	<1	<1	2	4	8	12	22
20-34	31	4.2	20	<1	<1	2	6	10	13	21
35-49	18	4.4	12	1	1	4	6	8	12	15
50-64	21	7.1	52	1	2	5	9	16	24	31
65+	30	5.8	12	2	2	5	7	10	14	17
B. *Operated*										
0-19 YRS	1180	6.5	63	1	1	4	9	15	21	47
20-34	130	6.9	42	1	1	6	9	15	22	32
35-49	82	7.4	46	1	1	7	10	17	24	78
50-64	111	7.3	46	1	1	7	10	16	18	33
65+	68	7.6	47	1	1	6	11	16	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.0	2	<1	<1	2	2	4	6	7
B. *Operated*	835	3.8	10	<1	1	2	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	299	4.3	33	<1	1	3	6	9	13	22
B. *Operated*	1571	6.7	59	1	1	5	9	15	21	42
1. SINGLE DX	874	3.7	9	<1	1	2	6	8	9	13
2. MULTIPLE DX	1870	6.3	55	1	1	4	9	14	19	38
A. NOT OPERATED	338	4.1	30	<1	<1	2	5	8	13	21
B. OPERATED	2406	5.7	44	1	1	4	8	12	17	33
TOTAL 0-19 YRS	2060	5.3	45	<1	1	3	7	11	16	33
20-34	267	5.1	29	<1	1	3	7	10	15	26
35-49	146	6.3	34	1	1	5	9	12	18	37
50-64	161	6.6	42	1	1	4	10	15	18	30
65+	110	6.5	35	1	1	5	9	14	17	34
GRAND TOTAL	**2744**	**5.5**	**42**	**<1**	**1**	**3**	**8**	**11**	**17**	**32**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	387	3.2	2	1	1	3	4	5	6	7
20-34	9	2.6	2	<1	<1	3	4	4	4	4
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	26	<1	<1	1	2	7	14	25
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	351	3.5	4	1	2	3	5	6	7	10
20-34	13	2.8	2	1	1	3	4	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*	400	3.2	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	28	2.8	24	<1	<1	1	2	6	12	25
B. *Operated*	372	3.4	3	1	1	3	4	6	7	10
1. SINGLE DX	402	3.2	2	1	1	3	4	5	6	7
2. MULTIPLE DX	400	3.4	5	1	1	3	4	6	7	11
A. NOT OPERATED	30	2.8	22	<1	<1	1	2	6	11	25
B. OPERATED	772	3.3	3	1	1	3	4	6	6	8
TOTAL 0-19 YRS	766	3.3	4	1	1	3	4	6	6	9
20-34	24	2.7	2	<1	1	3	4	4	5	5
35-49	5	2.4	2	1	1	2	4	4	4	4
50-64	4	2.3	4	1	1	2	3	5	5	5
65+	3	3.0	4	<1	<1	3	4	5	5	5
GRAND TOTAL	**802**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**6**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	1	1	2	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	337	3.1	3	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	127	4.0	6	2	2	4	5	7	8	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	1	1	2	2	3	3	3
B. *Operated*	337	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	1	1	1	2	3	4	4	4
B. *Operated*	127	4.0	6	2	2	4	5	7	8	14
1. SINGLE DX	346	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	139	3.9	5	1	2	3	4	6	8	14
A. NOT OPERATED	21	2.0	1	1	1	2	3	4	4	4
B. OPERATED	464	3.3	4	1	2	3	4	5	7	10
TOTAL 0-19 YRS	485	3.3	4	1	2	3	4	5	7	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**485**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.3	6	<1	<1	1	3	6	7	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	177	4.4	18	<1	<1	3	6	10	13	21
20-34	38	3.7	7	<1	<1	3	6	8	9	9
35-49	24	4.5	7	<1	1	5	6	8	9	9
50-64	14	5.0	12	<1	<1	5	8	11	11	11
65+	7	2.7	4	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.3	77	<1	<1	3	6	12	20	82
20-34	10	6.2	19	1	1	5	8	13	16	16
35-49	9	4.7	9	2	2	4	6	9	11	11
50-64	7	2.7	8	<1	<1	2	3	8	9	9
65+	10	6.2	34	<1	<1	5	6	15	21	21
B. *Operated*										
0-19 YRS	320	7.7	92	1	1	5	9	16	23	55
20-34	70	6.0	53	<1	<1	4	8	11	13	48
35-49	43	6.7	36	<1	1	6	9	13	16	34
50-64	49	8.0	26	1	1	8	10	14	17	25
65+	39	6.2	19	<1	<1	6	9	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	2.3	6	<1	<1	1	3	6	7	13
B. *Operated*	260	4.3	14	<1	<1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	137	5.3	61	<1	<1	3	6	12	18	69
B. *Operated*	521	7.3	71	<1	1	6	9	14	19	53
1. SINGLE DX	333	3.9	13	<1	<1	3	5	9	11	18
2. MULTIPLE DX	658	6.9	69	<1	1	5	8	13	19	53
A. NOT OPERATED	210	4.2	44	<1	<1	2	5	9	13	56
B. OPERATED	781	6.3	54	<1	1	5	8	12	17	45
TOTAL 0-19 YRS	664	5.9	65	<1	<1	4	7	13	19	53
20-34	119	5.3	36	<1	<1	4	7	10	12	36
35-49	79	5.6	24	<1	1	5	7	11	13	29
50-64	72	6.7	24	<1	1	7	9	12	17	24
65+	57	5.6	21	<1	<1	5	8	11	13	21
GRAND TOTAL	**991**	**5.9**	**53**	**<1**	**<1**	**4**	**8**	**12**	**17**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	535	1.4	1	<1	<1	1	2	2	3	5
20-34	45	1.8	1	<1	1	2	2	3	4	4
35-49	14	1.5	1	<1	<1	1	2	3	4	4
50-64	5	1.6		<1	<1	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	442	1.6	1	<1	<1	1	2	3	4	6
20-34	31	2.2	4	1	1	2	2	4	8	9
35-49	16	2.2	2	1	1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	600	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	20	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	489	1.6	1	<1	<1	1	2	3	4	6
1. SINGLE DX	603	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	509	1.6	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	23	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	1089	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	998	1.5	1	<1	<1	1	2	2	3	5
20-34	77	1.9	2	1	1	2	2	3	4	9
35-49	30	1.9	1	<1	1	1	2	4	5	5
50-64	6	1.5		<1	<1	1	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**1112**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	2	2
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	462	3.2	8	<1	<1	2	5	7	9	12
20-34	129	3.0	5	<1	<1	3	4	6	7	12
35-49	25	4.0	7	<1	1	4	5	7	9	10
50-64	14	5.8	16	1	1	5	7	12	15	16
65+	7	5.0	9	1	1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.2	4	<1	<1	1	3	4	5	12
20-34	12	3.6	14	<1	<1	2	4	10	13	13
35-49	16	4.9	6	1	2	6	7	8	8	8
50-64	9	3.8	11	<1	<1	2	5	9	11	11
65+	6	5.7	13	2	2	5	9	11	11	11
B. *Operated*										
0-19 YRS	417	5.1	30	<1	<1	3	7	11	13	27
20-34	180	4.7	13	<1	1	4	6	8	10	24
35-49	92	5.5	16	<1	1	5	7	9	12	23
50-64	54	9.0	120	<1	1	6	10	16	41	55
65+	44	8.0	36	1	2	7	10	15	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	637	3.3	8	<1	<1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	80	3.4	9	<1	<1	2	5	8	10	13
B. *Operated*	787	5.5	32	<1	1	4	7	11	14	30
1. SINGLE DX	653	3.3	8	<1	<1	2	5	7	8	12
2. MULTIPLE DX	867	5.3	30	<1	<1	4	7	10	13	29
A. NOT OPERATED	96	3.1	8	<1	<1	2	4	7	9	13
B. OPERATED	1424	4.5	22	<1	<1	3	6	9	11	24
TOTAL 0-19 YRS	926	4.0	19	<1	<1	3	5	8	11	20
20-34	324	4.0	11	<1	<1	4	5	7	9	15
35-49	135	5.1	13	<1	1	5	7	9	10	21
50-64	77	7.8	91	<1	1	5	9	14	28	52
65+	58	7.3	31	1	2	6	9	13	21	25
GRAND TOTAL	**1520**	**4.4**	**22**	**<1**	**<1**	**3**	**6**	**9**	**11**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	317	2.6	2	1	1	2	3	4	5	8
20-34	15	4.3	2	2	3	4	5	6	7	7
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	3	4.7	2	3	3	5	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.2		<1	<1	<1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	201	3.2	6	1	1	3	4	5	7	13
20-34	53	3.4	3	1	1	3	5	6	6	7
35-49	41	2.6	2	1	1	2	4	5	5	6
50-64	39	4.5	16	1	1	4	5	7	12	24
65+	19	3.3	2	1	2	3	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	340	2.8	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	13	1.2		<1	<1	<1	1	2	2	2
B. *Operated*	353	3.3	6	1	1	3	4	5	6	12
1. SINGLE DX	345	2.7	3	1	1	3	3	5	6	7
2. MULTIPLE DX	366	3.3	6	1	1	3	4	5	6	12
A. NOT OPERATED	18	1.2		<1	<1	<1	1	2	2	2
B. OPERATED	693	3.1	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	534	2.8	4	1	1	3	4	5	6	9
20-34	69	3.5	3	1	1	3	5	6	6	7
35-49	46	2.7	2	1	1	3	4	5	5	6
50-64	42	4.5	15	1	2	4	5	7	11	24
65+	20	3.3	2	1	2	3	4	5	6	6
GRAND TOTAL	**711**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.3	10	<1	<1	1	2	5	8	18
20-34	14	3.6	8	<1	<1	3	5	8	10	10
35-49	16	3.8	9	<1	<1	3	6	8	9	10
50-64	9	3.3	9	1	1	2	6	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	1115	3.1	9	<1	<1	2	4	6	8	15
20-34	334	2.9	10	<1	<1	2	3	7	10	15
35-49	160	3.7	12	<1	<1	2	5	8	10	18
50-64	81	4.1	23	1	1	3	6	8	10	31
65+	26	4.8	14	1	1	4	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	3.5	21	<1	<1	2	4	9	12	25
20-34	28	4.4	14	<1	1	3	6	10	11	15
35-49	41	5.3	13	<1	1	5	8	10	11	16
50-64	23	6.1	12	1	2	6	9	11	12	12
65+	34	6.5	11	2	3	6	8	11	13	15
B. *Operated*										
0-19 YRS	552	5.2	56	1	1	3	6	10	16	50
20-34	224	6.4	59	<1	1	4	8	14	20	51
35-49	177	6.7	43	1	1	5	9	14	16	37
50-64	120	7.2	33	1	1	6	10	15	19	27
65+	73	9.7	76	1	1	8	15	24	33	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.7	10	<1	<1	1	3	7	9	14
B. *Operated*	1716	3.2	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	257	4.5	18	<1	<1	3	7	10	12	23
B. *Operated*	1146	6.2	55	1	1	4	8	13	19	43
1. SINGLE DX	1860	3.2	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX	1403	5.9	48	<1	1	4	8	12	17	36
A. NOT OPERATED	401	3.9	16	<1	<1	2	6	9	11	20
B. OPERATED	2862	4.4	30	<1	1	3	5	9	13	29
TOTAL 0-19 YRS	1902	3.7	24	<1	<1	2	4	7	10	24
20-34	600	4.3	31	<1	<1	2	5	10	13	27
35-49	394	5.2	28	<1	1	4	8	11	14	26
50-64	233	5.9	28	1	1	4	8	12	16	26
65+	134	7.9	51	1	1	6	9	17	24	44
GRAND TOTAL	**3263**	**4.3**	**28**	**<1**	**<1**	**3**	**5**	**9**	**12**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3311	2.3	4	1	1	2	3	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	58	2.4	5	<1	<1	2	3	5	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1567	6.3	87	1	1	3	6	15	25	55
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	132	15.9	376	1	2	9	22	51	82	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3311	2.3	4	1	1	2	3	3	4	11
B. *Operated*	58	2.4	5	<1	<1	2	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*	1567	6.3	87	1	1	3	6	15	25	55
B. *Operated*	132	15.9	376	1	2	9	22	51	82	99+
1. SINGLE DX	3369	2.3	4	1	1	2	3	3	4	11
2. MULTIPLE DX	1699	7.1	116	1	1	3	7	18	29	66
A. NOT OPERATED	4878	3.6	34	1	1	2	3	6	11	31
B. OPERATED	190	11.8	301	<1	1	4	14	37	66	99+
TOTAL 0-19 YRS	5068	3.9	47	1	1	2	3	7	14	39
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**5068**	**3.9**	**47**	**1**	**1**	**2**	**3**	**7**	**14**	**39**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	784	2.0	3	<1	1	2	2	3	5	8
20-34	350	2.0	2	1	1	2	2	4	4	8
35-49	151	2.3	3	<1	1	2	3	5	5	8
50-64	117	2.5	4	<1	1	2	3	4	6	11
65+	83	2.7	3	<1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS	8	2.9	24	1	1	1	2	11	15	15
20-34	11	1.9	1	1	1	2	3	3	3	3
35-49	17	2.2	2	1	1	2	2	4	5	6
50-64	4	4.3	2	3	3	4	5	6	6	6
65+	15	2.9	3	<1	<1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1358	2.5	7	1	1	2	3	4	6	12
20-34	526	2.9	8	1	1	2	3	5	7	14
35-49	468	3.4	12	1	1	3	4	7	9	17
50-64	606	4.2	19	1	1	3	5	8	12	25
65+	1025	5.0	22	1	2	4	6	10	13	27
B. *Operated*										
0-19 YRS	37	5.1	48	1	1	3	4	15	23	33
20-34	36	7.0	260	1	1	3	6	10	22	97
35-49	51	7.4	71	1	2	4	10	18	22	48
50-64	68	6.9	39	2	3	5	8	18	27	99+
65+	96	9.4	67	1	2	7	12	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	2.1	3	<1	1	2	2	4	5	8
B. *Operated*	55	2.6	5	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	3983	3.6	15	1	1	2	4	7	10	20
B. *Operated*	288	7.6	84	1	2	5	9	18	24	77
1. SINGLE DX	1540	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX	4271	3.8	20	1	1	3	4	8	11	23
A. NOT OPERATED	5468	3.2	12	1	1	2	4	6	9	17
B. OPERATED	343	6.8	74	1	1	4	8	16	23	50
TOTAL 0-19 YRS	2187	2.3	7	<1	1	2	3	4	5	12
20-34	923	2.7	16	1	1	2	3	5	7	14
35-49	687	3.5	15	1	1	2	4	7	9	21
50-64	795	4.2	19	1	1	3	5	8	12	28
65+	1219	5.2	26	1	1	4	6	10	14	31
GRAND TOTAL	**5811**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**9**	**21**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	2.7	3	1	1	2	3	5	5	8
20-34	53	3.2	4	1	1	3	4	6	9	10
35-49	39	2.9	3	1	1	3	3	6	7	7
50-64	43	3.8	5	2	2	3	4	7	9	12
65+	45	3.5	7	1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	8	5.0	39	1	1	3	5	16	20	20
20-34	3	8.7	4	7	7	8	10	11	11	11
35-49	6	11.2	121	3	3	7	14	30	32	32
50-64	6	9.3	20	4	4	8	13	16	16	16
65+	6	9.8	16	4	4	10	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	599	3.4	10	1	1	3	4	6	9	17
20-34	244	3.6	5	1	1	3	5	7	8	10
35-49	221	4.4	8	1	2	4	6	8	9	17
50-64	322	5.3	13	1	2	4	7	10	13	18
65+	697	6.1	23	2	2	5	7	11	14	27
B. *Operated*										
0-19 YRS	38	7.1	69	1	2	5	8	12	25	45
20-34	48	8.7	76	1	2	6	10	23	30	37
35-49	70	10.2	70	1	2	9	13	21	26	44
50-64	77	10.5	63	2	3	9	15	20	26	41
65+	117	13.2	130	3	4	9	15	29	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.0	4	1	1	3	4	5	7	10
B. *Operated*	29	8.6	43	2	2	8	11	16	21	32
2. MULTIPLE DX										
A. *Not Operated*	2083	4.7	15	1	2	4	6	9	12	20
B. *Operated*	350	10.7	92	2	2	8	13	23	29	47
1. SINGLE DX	468	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	2433	5.6	31	1	2	4	7	11	15	29
A. NOT OPERATED	2522	4.4	14	1	1	3	5	8	11	18
B. OPERATED	379	10.6	89	2	2	8	13	22	29	46
TOTAL 0-19 YRS	904	3.4	12	1	1	3	4	6	8	18
20-34	348	4.3	17	1	1	3	5	8	10	25
35-49	336	5.6	29	1	2	4	7	11	16	29
50-64	448	6.1	25	2	2	5	8	12	16	25
65+	865	7.0	43	2	2	5	8	13	17	34
GRAND TOTAL	**2901**	**5.2**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.0	2	<1	1	1	3	5	5	5
20-34	141	2.3	2	1	1	2	3	5	6	7
35-49	97	3.5	19	<1	1	2	4	6	11	26
50-64	51	2.5	6	1	1	2	3	5	8	14
65+	13	3.0	5	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	7	1.3		1	1	1	2	2	2	2
20-34	32	3.2	9	1	1	2	4	9	11	11
35-49	30	2.9	11	1	1	2	3	6	8	18
50-64	16	3.4	8	1	1	2	5	9	10	10
65+	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.5	5	<1	1	2	3	5	7	12
20-34	312	3.5	11	1	1	3	4	7	9	19
35-49	261	4.3	31	1	1	3	5	8	12	36
50-64	198	3.4	7	1	1	3	4	7	8	14
65+	175	4.1	13	1	1	3	5	7	9	23
B. *Operated*										
0-19 YRS	7	4.0	12	1	1	3	7	9	9	9
20-34	40	3.4	9	<1	1	2	4	7	9	15
35-49	47	4.6	20	1	1	3	6	9	15	21
50-64	38	5.3	25	1	1	4	6	9	17	25
65+	34	7.6	52	1	2	6	9	18	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	2.6	8	<1	1	2	3	5	6	14
B. *Operated*	90	3.0	9	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1069	3.7	15	1	1	3	4	7	9	19
B. *Operated*	166	5.1	26	1	1	4	6	10	16	24
1. SINGLE DX	458	2.7	8	1	1	2	3	5	7	14
2. MULTIPLE DX	1235	3.8	17	1	1	3	5	7	10	20
A. NOT OPERATED	1437	3.4	13	1	1	2	4	7	9	19
B. OPERATED	256	4.3	21	1	1	3	6	9	13	21
TOTAL 0-19 YRS	203	2.3	4	<1	1	2	3	5	6	10
20-34	525	3.2	9	1	1	2	4	6	8	16
35-49	435	4.1	26	1	1	3	4	8	12	32
50-64	303	3.5	9	1	1	3	4	7	8	18
65+	227	4.5	20	1	1	3	5	9	11	28
GRAND TOTAL	**1693**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	2	<1	<1	1	2	4	5	5
20-34	24	3.3	4	<1	1	3	5	6	7	7
35-49	41	2.8	4	<1	<1	2	4	5	7	9
50-64	79	2.8	3	1	1	3	4	5	6	7
65+	74	2.5	3	<1	1	2	3	5	5	9
B. *Operated*										
0-19 YRS	31	1.9	3	<1	<1	1	3	5	6	6
20-34	33	3.6	4	<1	1	3	5	6	7	9
35-49	52	3.8	6	1	1	3	5	7	8	13
50-64	73	3.5	4	1	1	3	5	6	7	8
65+	89	3.9	4	1	1	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.8	1	1	1	2	2	3	4	5
20-34	42	3.7	9	<1	1	3	5	7	11	14
35-49	65	3.2	6	1	1	2	4	6	8	12
50-64	165	3.1	4	<1	1	3	4	6	7	9
65+	351	3.4	6	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS	18	3.9	8	1	1	3	6	8	10	11
20-34	27	3.9	6	1	1	4	5	8	9	9
35-49	68	4.4	7	1	1	4	6	8	9	12
50-64	179	4.8	21	1	2	4	6	8	10	30
65+	303	5.0	19	1	2	4	6	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	278	3.5	5	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	656	3.2	6	1	1	3	4	6	8	13
B. *Operated*	595	4.8	17	1	1	4	6	8	11	20
1. SINGLE DX	507	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	1251	4.0	12	1	1	3	5	7	9	15
A. NOT OPERATED	885	3.1	5	<1	1	3	4	6	7	12
B. OPERATED	873	4.4	14	1	1	4	6	8	9	16
TOTAL 0-19 YRS	93	2.2	3	<1	<1	1	3	5	6	10
20-34	126	3.6	6	<1	1	3	5	6	9	13
35-49	226	3.6	6	1	1	3	5	7	8	12
50-64	496	3.7	11	1	1	3	5	6	8	12
65+	817	4.0	11	1	1	3	5	7	9	15
GRAND TOTAL	**1758**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.9	5	<1	<1	2	3	8	8	9
20-34	12	2.5	1	1	1	2	3	4	5	5
35-49	12	1.8	1	<1	<1	2	2	3	3	3
50-64	14	1.6	3	<1	<1	1	2	3	6	7
65+	15	2.3	8	<1	1	2	2	3	10	12
B. *Operated*										
0-19 YRS	98	1.5	2	<1	<1	1	2	2	4	8
20-34	97	1.8	2	<1	<1	1	2	3	5	9
35-49	80	1.9	4	<1	<1	1	2	4	5	13
50-64	51	1.7	3	<1	<1	1	2	3	3	12
65+	20	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	12	1	1	3	4	6	8	20
20-34	44	4.0	17	1	1	2	5	9	12	22
35-49	63	4.0	28	<1	1	2	4	10	12	29
50-64	101	4.3	18	1	1	3	5	11	15	19
65+	245	5.6	21	1	1	4	8	12	16	20
B. *Operated*										
0-19 YRS	27	3.5	29	<1	1	2	4	7	19	24
20-34	57	4.0	48	<1	<1	2	4	8	10	48
35-49	66	3.1	15	<1	<1	2	3	6	10	23
50-64	79	7.2	122	<1	1	3	8	17	39	51
65+	135	10.6	141	<1	1	6	16	24	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.3	4	<1	<1	2	3	3	7	11
B. *Operated*	346	1.7	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	489	4.8	21	1	1	3	6	11	15	21
B. *Operated*	364	6.9	100	<1	1	3	9	18	25	52
1. SINGLE DX	424	1.8	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX	853	5.7	55	<1	1	3	7	14	19	48
A. NOT OPERATED	567	4.5	19	1	1	3	6	10	14	20
B. OPERATED	710	4.4	59	<1	<1	2	4	11	18	49
TOTAL 0-19 YRS	186	2.4	9	<1	<1	1	3	5	7	19
20-34	210	2.9	19	<1	<1	2	3	5	9	20
35-49	221	2.9	14	<1	<1	2	3	6	10	25
50-64	245	4.5	51	<1	1	2	4	10	16	48
65+	415	6.9	66	<1	1	4	9	17	21	50
GRAND TOTAL	**1277**	**4.4**	**41**	**<1**	**<1**	**2**	**5**	**10**	**16**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	6.5	30	1	1	6	11	13	13	13
B. *Operated*										
0-19 YRS	10	2.6	4	<1	<1	2	3	5	7	7
20-34	12	5.3	17	<1	1	4	7	12	13	13
35-49	8	4.9	9	1	2	4	6	10	11	11
50-64	17	5.8	41	<1	1	3	9	12	21	26
65+	29	9.4	92	1	2	6	11	17	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	7	6.6	10	4	4	5	10	11	11	11
50-64	27	7.1	31	2	2	7	7	11	24	25
65+	90	8.5	113	1	1	6	11	16	21	67
B. *Operated*										
0-19 YRS	13	7.2	68	<1	<1	2	14	21	23	23
20-34	54	9.8	143	1	1	5	13	25	38	57
35-49	56	12.7	156	1	1	9	17	32	47	97
50-64	198	14.8	172	2	3	12	18	31	42	62
65+	618	15.4	165	3	5	12	20	31	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.0	17	1	2	7	10	12	13	13
B. *Operated*	76	6.6	53	<1	1	5	8	13	17	44
2. MULTIPLE DX										
A. *Not Operated*	126	8.1	88	1	2	6	10	15	22	46
B. *Operated*	939	14.7	165	2	3	11	19	30	43	82
1. SINGLE DX	84	6.6	49	<1	1	5	8	13	16	42
2. MULTIPLE DX	1065	13.9	161	1	3	11	17	29	42	82
A. NOT OPERATED	134	8.0	83	1	2	6	10	14	21	41
B. OPERATED	1015	14.1	161	1	3	11	18	29	43	81
TOTAL 0-19 YRS	23	5.2	44	<1	<1	2	6	17	21	23
20-34	69	8.8	118	1	1	5	10	23	32	55
35-49	73	11.1	129	1	2	8	14	25	37	91
50-64	243	13.3	156	1	2	10	17	30	37	59
65+	741	14.3	161	2	4	11	18	28	43	84
GRAND TOTAL	**1149**	**13.4**	**156**	**1**	**2**	**10**	**17**	**28**	**40**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	1	2	2	3	4	4
20-34	310	1.9	2	<1	1	2	2	3	4	7
35-49	1251	2.0	2	1	1	2	2	3	4	7
50-64	1049	2.2	2	1	1	2	3	4	5	7
65+	405	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	54	2.0	4	<1	1	1	2	4	7	9
35-49	298	2.0	2	<1	1	2	2	4	5	8
50-64	387	1.9	3	<1	1	2	2	3	5	9
65+	120	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.0	7	<1	1	2	3	6	9	14
20-34	609	2.3	3	<1	1	2	3	4	5	10
35-49	2867	2.5	3	1	1	2	3	4	5	8
50-64	4259	2.8	4	1	1	2	3	5	6	10
65+	3698	3.2	5	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	119	3.2	7	1	1	2	4	7	9	14
35-49	759	2.9	5	1	1	2	4	6	7	11
50-64	1321	3.0	7	1	1	2	4	6	8	13
65+	744	3.7	15	1	1	2	4	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3033	2.1	2	1	1	2	3	4	4	7
B. *Operated*	860	1.9	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	11476	2.8	4	1	1	2	3	5	6	10
B. *Operated*	2945	3.1	9	1	1	2	4	6	8	14
1. SINGLE DX	3893	2.0	2	1	1	2	2	4	4	7
2. MULTIPLE DX	14421	2.9	5	1	1	2	3	5	7	11
A. NOT OPERATED	14509	2.6	4	1	1	2	3	5	6	10
B. OPERATED	3805	2.9	8	1	1	2	3	6	8	13
TOTAL 0-19 YRS	64	2.6	5	<1	1	2	3	5	7	13
20-34	1092	2.3	3	<1	1	2	3	4	5	10
35-49	5175	2.4	3	1	1	2	3	4	5	9
50-64	7016	2.7	4	1	1	2	3	5	6	10
65+	4967	3.1	6	1	1	3	4	6	7	13
GRAND TOTAL	**18314**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	2.5	8	1	1	2	3	4	6	10
20-34	17	2.1	3	<1	<1	1	3	4	6	7
35-49	18	1.9	2	1	1	1	2	4	5	5
50-64	32	2.4	3	<1	1	2	3	5	7	7
65+	33	2.5	5	<1	<1	2	3	5	9	10
B. *Operated*										
0-19 YRS	21	2.1	3	<1	<1	1	3	5	6	6
20-34	19	2.2	2	<1	1	1	3	5	6	6
35-49	44	2.8	8	<1	<1	2	3	6	9	14
50-64	60	2.1	1	<1	1	2	3	4	4	6
65+	45	1.9	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	3.4	9	1	1	3	4	7	9	15
20-34	92	3.5	19	<1	1	2	4	6	9	27
35-49	159	3.2	8	1	1	2	4	6	9	14
50-64	376	4.7	20	1	1	3	6	9	12	21
65+	813	5.4	21	1	1	4	7	10	14	25
B. *Operated*										
0-19 YRS	38	4.2	17	1	1	2	6	10	12	19
20-34	29	3.5	8	<1	<1	2	5	8	9	13
35-49	81	4.7	85	1	1	3	5	8	11	62
50-64	199	4.6	20	1	1	3	6	10	14	23
65+	288	5.4	37	<1	1	3	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.4	6	<1	1	2	3	4	6	10
B. *Operated*	189	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1843	4.5	18	1	1	3	6	9	12	20
B. *Operated*	635	4.9	35	<1	1	3	6	10	14	28
1. SINGLE DX	540	2.3	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	2478	4.6	22	1	1	3	6	9	13	23
A. NOT OPERATED	2194	4.2	17	1	1	3	5	8	11	20
B. OPERATED	824	4.3	29	<1	1	3	5	9	12	25
TOTAL 0-19 YRS	713	3.1	9	1	1	2	4	6	9	15
20-34	157	3.2	13	<1	<1	2	4	6	8	18
35-49	302	3.5	29	<1	1	2	4	7	9	16
50-64	667	4.3	18	1	1	3	5	9	11	21
65+	1179	5.2	25	1	1	4	6	10	14	28
GRAND TOTAL	**3018**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	1	1	1	1	2	3	4	4
20-34	81	1.8	1	<1	<1	1	2	4	4	6
35-49	87	1.5	1	<1	<1	1	2	3	3	5
50-64	64	1.9	2	<1	<1	2	2	3	6	6
65+	37	1.7	2	<1	1	1	2	4	4	7
B. *Operated*										
0-19 YRS	26	2.0	4	<1	<1	<1	2	5	7	8
20-34	17	2.0	1	<1	<1	2	3	3	4	5
35-49	20	2.4	3	<1	<1	2	3	5	6	7
50-64	15	4.6	11	<1	<1	5	7	9	10	10
65+	18	4.3	7	1	1	4	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.1	10	<1	1	2	4	6	9	18
20-34	107	2.0	2	1	1	2	3	4	5	6
35-49	134	2.4	4	<1	1	2	3	5	6	9
50-64	165	3.4	13	1	1	2	4	7	9	23
65+	367	4.4	21	1	1	3	6	8	11	17
B. *Operated*										
0-19 YRS	50	2.4	10	<1	<1	1	2	5	11	16
20-34	43	4.4	15	<1	1	4	5	8	12	19
35-49	59	4.3	8	<1	1	4	6	8	10	13
50-64	107	5.6	18	1	2	4	7	12	15	21
65+	390	6.7	22	2	2	6	8	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	96	2.9	6	<1	<1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	814	3.5	14	1	1	2	4	7	9	16
B. *Operated*	649	5.8	20	1	1	5	7	11	14	21
1. SINGLE DX	378	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	1463	4.5	18	1	1	3	6	9	12	19
A. NOT OPERATED	1096	3.0	12	<1	1	2	4	6	8	15
B. OPERATED	745	5.4	19	<1	1	4	7	11	13	21
TOTAL 0-19 YRS	130	2.5	8	<1	<1	1	3	5	8	16
20-34	248	2.4	5	<1	1	2	3	4	6	10
35-49	300	2.5	5	<1	<1	2	3	5	7	11
50-64	351	3.9	14	1	1	3	5	8	12	19
65+	812	5.4	22	1	1	4	7	10	13	21
GRAND TOTAL	**1841**	**4.0**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	979	1.7	1	<1	<1	1	2	3	4	7
20-34	1236	2.1	3	<1	1	2	3	4	5	8
35-49	694	2.4	5	<1	1	2	3	4	6	8
50-64	364	2.4	3	<1	1	2	3	4	6	8
65+	238	2.6	13	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS	178	2.9	3	1	1	3	3	5	6	10
20-34	298	3.3	7	1	1	3	4	6	7	12
35-49	129	3.5	6	1	1	3	5	7	8	12
50-64	50	3.4	6	<1	<1	3	5	7	8	11
65+	24	3.8	17	<1	1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	849	2.2	5	<1	1	2	3	4	5	9
20-34	1606	2.9	7	<1	1	2	4	6	7	12
35-49	1105	3.4	7	1	1	3	4	6	8	13
50-64	1105	3.5	10	1	1	3	4	7	9	16
65+	1752	4.1	12	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	152	3.7	7	1	1	3	4	7	8	13
20-34	400	4.9	19	1	1	4	6	9	13	21
35-49	283	6.3	29	1	1	5	8	13	18	29
50-64	205	5.9	22	1	1	5	8	12	15	25
65+	245	8.0	51	2	2	6	11	16	20	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3511	2.1	3	<1	1	2	3	4	5	8
B. *Operated*	679	3.3	6	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	6417	3.3	9	1	1	3	4	6	8	14
B. *Operated*	1285	5.8	28	1	1	4	7	12	15	28
1. SINGLE DX	4190	2.3	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	7702	3.7	13	1	1	3	5	7	10	18
A. NOT OPERATED	9928	2.9	8	<1	1	2	4	6	7	13
B. OPERATED	1964	4.9	22	1	1	4	6	10	13	25
TOTAL 0-19 YRS	2158	2.1	4	<1	1	2	3	4	5	9
20-34	3540	2.9	8	<1	1	2	4	5	7	13
35-49	2211	3.5	10	1	1	3	4	7	9	17
50-64	1724	3.6	11	1	1	3	4	7	9	16
65+	2259	4.4	18	1	1	3	5	9	11	20
GRAND TOTAL	**11892**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**15**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.4	4	<1	1	2	3	4	6	12
20-34	46	2.6	3	<1	1	2	4	6	6	7
35-49	41	2.9	4	<1	<1	3	4	6	7	8
50-64	40	3.1	6	<1	1	2	4	6	7	13
65+	45	2.8	7	<1	<1	2	3	6	8	14
B. *Operated*										
0-19 YRS	13	3.5	7	<1	<1	3	6	7	8	8
20-34	32	2.8	7	<1	<1	2	4	6	8	13
35-49	20	4.1	8	<1	<1	4	6	8	9	10
50-64	17	2.5	8	<1	<1	1	3	7	10	11
65+	18	2.8	4	<1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	2.9	30	1	1	2	3	5	7	17
20-34	289	3.3	14	1	1	2	4	7	9	14
35-49	269	3.7	9	1	1	3	4	8	10	14
50-64	429	4.6	18	1	1	4	6	9	11	20
65+	936	5.2	24	1	2	4	6	10	13	23
B. *Operated*										
0-19 YRS	32	5.4	87	1	1	4	5	7	12	55
20-34	95	5.6	16	1	1	5	7	12	14	18
35-49	121	7.0	40	1	1	5	8	14	23	31
50-64	142	8.9	102	1	1	7	9	20	28	52
65+	231	9.1	87	2	2	7	11	18	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	2.7	5	<1	1	2	4	5	7	13
B. *Operated*	100	3.1	7	<1	<1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2280	4.3	22	1	1	3	5	8	11	19
B. *Operated*	621	7.9	72	1	1	6	9	16	23	50
1. SINGLE DX	359	2.8	5	<1	1	2	4	6	7	13
2. MULTIPLE DX	2901	5.1	34	1	1	3	6	10	14	28
A. NOT OPERATED	2539	4.2	20	1	1	3	5	8	11	18
B. OPERATED	721	7.2	66	1	1	5	8	15	22	49
TOTAL 0-19 YRS	489	3.0	29	1	1	2	3	5	7	16
20-34	462	3.7	14	1	1	3	5	7	11	17
35-49	451	4.5	19	1	1	3	6	9	12	25
50-64	628	5.4	39	1	1	4	7	10	15	36
65+	1230	5.8	37	1	2	4	7	12	15	30
GRAND TOTAL	**3260**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**13**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	557	2.8	8	1	1	2	3	5	7	14
20-34	245	2.2	3	<1	<1	2	3	4	5	7
35-49	224	2.5	16	<1	1	2	3	4	5	28
50-64	329	2.2	3	<1	1	2	3	4	5	8
65+	452	3.2	30	1	1	2	3	5	9	20
B. *Operated*										
0-19 YRS	68	2.1	3	<1	<1	2	3	4	5	11
20-34	110	2.5	10	<1	<1	2	3	5	6	19
35-49	133	1.7	2	<1	<1	1	2	3	5	8
50-64	146	2.0	2	<1	<1	1	2	4	5	7
65+	85	2.3	5	<1	<1	2	2	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1080	4.4	29	1	1	3	5	9	13	27
20-34	826	3.4	23	1	1	2	4	6	9	22
35-49	1094	3.9	21	1	1	3	4	7	11	22
50-64	2748	4.5	23	1	1	3	6	9	13	24
65+	7880	5.4	29	1	1	4	7	11	14	26
B. *Operated*										
0-19 YRS	143	7.7	107	<1	1	3	10	20	26	56
20-34	223	4.7	58	1	1	3	5	8	14	44
35-49	281	4.9	37	1	1	3	6	11	17	33
50-64	622	7.2	109	1	1	3	8	18	25	76
65+	1179	9.8	146	1	2	6	11	21	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1807	2.7	13	<1	1	2	3	5	6	14
B. *Operated*	542	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	13628	4.9	27	1	1	3	6	10	13	25
B. *Operatad*	2448	8.0	117	1	1	4	9	18	28	67
1. SINGLE DX	2349	2.5	11	<1	1	2	3	5	6	13
2. MULTIPLE DX	16076	5.4	42	1	1	4	6	11	15	32
A. NOT OPERATED	15435	4.6	26	1	1	3	6	9	13	24
B. OPERATED	2990	6.9	102	<1	1	3	8	16	25	59
TOTAL 0-19 YRS	1848	4.1	30	<1	1	2	5	8	13	27
20-34	1404	3.3	24	<1	1	2	4	6	8	22
35-49	1732	3.7	23	1	1	2	4	7	11	27
50-64	3845	4.7	36	1	1	3	5	10	15	30
65+	9596	5.8	46	1	1	4	7	12	16	32
GRAND TOTAL	**18425**	**5.0**	**39**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	1.7	2	<1	1	1	2	3	4	7
20-34	20	2.3	2	<1	1	2	3	4	5	7
35-49	12	2.7	5	<1	<1	2	4	6	8	8
50-64	8	3.1	8	1	1	2	4	8	9	9
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	85	5.0	17	1	2	4	6	9	11	25
20-34	15	5.4	15	1	1	4	7	11	14	15
35-49	5	5.4	9	2	2	5	7	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	2.7	7	1	1	2	3	6	8	13
20-34	75	4.5	27	<1	1	3	5	10	17	28
35-49	30	4.3	10	1	1	3	6	10	11	12
50-64	29	7.1	113	1	1	4	7	13	27	56
65+	34	6.1	17	1	1	6	9	10	13	20
B. *Operated*										
0-19 YRS	111	10.4	150	1	1	6	13	21	36	60
20-34	111	11.9	195	1	2	8	16	34	76	99+
35-49	38	12.1	253	1	2	8	16	51	89	99+
50-64	19	17.5	264	1	2	15	29	35	51	62
65+	16	20.1	839	2	2	7	19	81	93	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	108	5.2	17	1	2	4	6	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	415	3.7	21	1	1	2	4	9	11	20
B. *Operated*	295	12.2	227	1	2	7	15	33	58	99+
1. SINGLE DX	418	2.7	8	1	1	2	3	6	8	14
2. MULTIPLE DX	710	7.2	123	1	1	4	8	18	30	97
A. NOT OPERATED	725	2.9	14	1	1	2	3	6	9	19
B. OPERATED	403	10.3	180	1	2	6	12	24	50	99+
TOTAL 0-19 YRS	712	3.8	37	1	1	2	4	8	12	33
20-34	221	8.1	123	1	1	4	10	20	37	99+
35-49	85	7.6	133	1	1	4	9	17	50	99+
50-64	57	9.9	173	1	1	4	10	29	36	62
65+	53	10.7	296	1	2	6	9	19	33	96
GRAND TOTAL	**1128**	**5.6**	**85**	**1**	**1**	**3**	**6**	**12**	**20**	**74**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	1.9	3	1	1	1	2	4	5	10
20-34	64	3.3	11	<1	1	2	3	8	12	15
35-49	16	2.8	4	1	1	2	3	4	8	10
50-64	9	3.1	7	<1	<1	3	4	7	9	9
65+	6	8.5	60	<1	<1	8	13	19	20	20
B. *Operated*										
0-19 YRS	24	4.5	14	1	2	3	5	9	15	17
20-34	12	3.0	5	1	1	2	4	7	8	8
35-49	6	4.7	9	<1	<1	5	7	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.8	78	1	1	2	4	9	15	54
20-34	155	5.0	22	1	1	4	6	12	14	21
35-49	63	5.0	18	1	1	4	6	12	15	20
50-64	37	8.8	134	1	2	5	11	19	36	58
65+	67	7.5	54	1	1	6	10	15	20	41
B. *Operated*										
0-19 YRS	101	11.0	195	1	2	6	13	38	47	84
20-34	130	12.8	240	1	1	6	17	36	61	99+
35-49	33	12.7	125	2	2	11	19	26	52	99+
50-64	30	10.6	77	1	2	9	15	23	30	37
65+	24	12.7	178	1	1	9	14	31	45	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.4	7	1	1	2	3	5	8	14
B. *Operated*	44	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	560	5.5	58	1	1	3	6	12	16	43
B. *Operated*	318	12.0	193	1	2	7	15	32	51	99+
1. SINGLE DX	342	2.6	7	1	1	2	3	6	9	14
2. MULTIPLE DX	878	7.8	116	1	1	4	9	19	31	64
A. NOT OPERATED	858	4.4	42	1	1	2	5	10	14	32
B. OPERATED	362	11.0	177	1	2	6	14	28	47	99+
TOTAL 0-19 YRS	566	4.9	79	1	1	2	5	10	17	57
20-34	361	7.4	114	1	1	4	8	18	28	85
35-49	118	6.8	59	1	1	4	8	16	21	70
50-64	77	8.8	99	1	1	6	11	20	29	54
65+	98	8.8	87	1	1	6	12	20	29	48
GRAND TOTAL	**1220**	**6.4**	**91**	**1**	**1**	**3**	**7**	**15**	**22**	**60**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.3		<1	<1	1	1	3	3	3
20-34	26	1.5	1	<1	<1	1	2	3	4	4
35-49	11	3.1	17	<1	<1	2	3	8	14	15
50-64	4	2.5	1	1	1	3	3	3	3	3
65+	5	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	504	1.6	1	<1	<1	1	2	3	3	7
20-34	663	1.9	2	<1	1	1	2	4	5	8
35-49	201	2.1	3	<1	1	2	3	4	5	9
50-64	64	2.1	3	<1	<1	2	3	4	6	8
65+	21	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	1.9	3	<1	<1	1	2	4	7	8
20-34	135	2.4	4	<1	<1	1	3	5	6	10
35-49	41	2.2	5	<1	<1	1	2	5	7	11
50-64	41	3.0	9	<1	1	2	4	5	6	19
65+	73	4.6	22	1	1	3	6	10	17	22
B. *Operated*										
0-19 YRS	587	3.3	18	<1	1	2	4	7	9	23
20-34	1024	3.9	27	1	1	2	5	8	10	25
35-49	379	4.8	42	1	1	3	6	10	14	30
50-64	170	6.4	132	1	1	3	6	13	20	74
65+	130	5.8	60	1	1	4	8	11	16	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.8	3	<1	<1	1	2	3	4	13
B. *Operated*	1453	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	355	2.8	9	<1	<1	2	3	6	8	18
B. *Operated*	2290	4.2	37	1	1	3	5	8	12	31
1. SINGLE DX	1521	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2645	4.0	34	1	1	2	4	8	12	27
A. NOT OPERATED	423	2.6	8	<1	<1	2	3	5	7	18
B. OPERATED	3743	3.3	25	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	1178	2.5	10	<1	<1	1	3	5	7	16
20-34	1848	3.0	17	<1	1	2	3	6	8	17
35-49	632	3.7	28	<1	1	2	4	8	11	26
50-64	279	4.9	86	<1	1	2	4	10	17	59
65+	229	5.0	42	1	1	3	6	11	15	47
GRAND TOTAL	**4166**	**3.2**	**23**	**<1**	**1**	**2**	**4**	**6**	**9**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	3.3	10	1	1	2	4	7	9	18
20-34	298	4.1	14	1	1	3	5	7	9	17
35-49	173	4.7	13	1	1	4	6	8	12	19
50-64	144	5.1	11	1	2	4	7	10	12	15
65+	206	6.0	13	2	2	5	8	12	13	18
B. *Operated*										
0-19 YRS	33	7.3	19	1	3	6	10	12	15	21
20-34	64	9.3	46	1	2	8	12	17	21	39
35-49	26	6.7	30	1	2	5	8	15	20	23
50-64	13	10.2	77	<1	2	8	12	27	29	29
65+	13	12.7	75	3	5	9	16	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	4.0	9	1	1	3	5	8	10	13
20-34	487	4.6	11	1	1	4	6	9	12	17
35-49	245	5.4	18	1	1	5	7	10	12	21
50-64	389	7.0	38	1	2	6	9	13	16	26
65+	1821	7.8	33	2	3	7	10	14	17	25
B. *Operated*										
0-19 YRS	66	10.0	90	1	2	7	13	17	24	56
20-34	267	10.6	83	2	2	8	15	21	26	56
35-49	131	11.3	132	1	2	8	13	25	37	75
50-64	100	12.1	127	2	3	8	14	24	38	58
65+	220	14.1	130	3	4	11	17	26	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	4.6	13	1	1	4	6	9	12	17
B. *Operated*	149	8.8	44	1	2	7	11	17	23	31
2. MULTIPLE DX										
A. *Not Operated*	3121	6.8	29	1	2	6	9	13	16	24
B. *Operated*	784	11.8	112	2	3	9	15	24	32	59
1. SINGLE DX	1101	5.2	19	1	1	4	6	10	13	22
2. MULTIPLE DX	3905	7.8	50	1	2	6	10	15	19	37
A. NOT OPERATED	4073	6.3	26	1	2	5	8	12	15	23
B. OPERATED	933	11.3	103	2	3	8	15	23	30	58
TOTAL 0-19 YRS	409	5.0	28	1	1	4	6	10	15	22
20-34	1116	6.2	39	1	1	4	8	13	18	31
35-49	575	6.6	49	1	1	5	8	13	19	43
50-64	646	7.4	51	1	2	6	9	14	18	39
65+	2260	8.3	45	2	3	7	10	15	18	32
GRAND TOTAL	**5006**	**7.2**	**44**	**1**	**2**	**6**	**9**	**14**	**18**	**33**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	8	6.5	11	2	3	6	9	11	12	12
35-49	3	2.7		2	2	3	3	3	3	3
50-64	2	4.0		4	4	4	4	4	4	4
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	6	12.2	97	4	4	9	15	28	30	30
20-34	15	13.9	55	3	4	14	20	23	24	25
35-49	6	13.3	37	4	5	13	18	21	21	21
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	8	1	1	4	6	8	8	8
20-34	9	10.8	205	2	2	7	10	33	48	48
35-49	13	9.5	131	2	3	7	9	22	41	45
50-64	9	3.6	6	<1	<1	4	5	7	7	7
65+	32	11.8	125	1	3	9	14	24	29	57
B. *Operated*										
0-19 YRS	33	26.3	272	6	9	24	34	48	62	74
20-34	76	26.2	413	6	7	22	38	67	87	99+
35-49	37	30.8	603	7	8	24	56	85	99+	99+
50-64	14	28.1	561	3	5	20	39	69	71	71
65+	12	33.2	580	8	11	20	46	68	86	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.1	8	2	2	4	6	10	11	12
B. *Operated*	28	13.0	58	3	4	13	19	23	25	30
2. MULTIPLE DX										
A. *Not Operated*	67	9.7	118	1	2	6	11	22	31	55
B. *Operated*	172	27.8	445	6	8	22	41	70	86	99+
1. SINGLE DX	45	10.0	53	2	3	7	15	21	23	30
2. MULTIPLE DX	239	22.7	419	3	4	16	31	62	75	99+
A. NOT OPERATED	84	8.7	98	1	2	6	10	19	28	54
B. OPERATED	200	25.8	417	5	7	20	37	67	80	99+
TOTAL 0-19 YRS	45	21.5	277	3	4	16	30	44	52	74
20-34	108	21.7	363	3	5	16	28	58	72	99+
35-49	59	22.9	515	3	3	15	38	74	94	99+
50-64	26	16.8	451	1	1	6	21	58	69	71
65+	46	17.0	324	2	3	10	20	44	57	89
GRAND TOTAL	**284**	**20.7**	**382**	**3**	**3**	**14**	**28**	**57**	**72**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	1	<1	<1	1	2	4	4	4
20-34	64	2.0	1	<1	1	2	3	4	4	5
35-49	61	2.3	4	<1	<1	2	3	4	6	12
50-64	48	2.6	3	1	1	2	3	5	7	8
65+	49	4.1	9	1	1	4	5	7	8	19
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	5	2.8	3	1	1	3	4	5	5	5
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.5	5	1	1	2	3	6	7	11
20-34	261	3.1	7	1	1	2	4	6	9	13
35-49	358	3.9	7	1	1	3	5	8	9	11
50-64	434	4.9	16	1	1	4	6	10	13	19
65+	929	5.9	24	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	35	8.3	172	1	2	4	11	17	22	77
20-34	131	6.2	34	1	2	5	8	11	17	31
35-49	105	7.2	41	1	2	5	9	14	22	34
50-64	100	11.5	219	2	2	7	12	25	33	87
65+	143	13.4	122	2	3	10	17	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.6	5	<1	1	2	3	5	7	10
B. *Operated*	15	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2040	4.9	18	1	1	4	6	10	12	19
B. *Operated*	514	9.6	113	1	2	6	11	19	28	61
1. SINGLE DX	255	2.6	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	2554	5.8	41	1	1	4	7	11	15	30
A. NOT OPERATED	2280	4.6	17	1	1	4	6	9	12	19
B. OPERATED	529	9.4	112	1	2	6	11	19	28	60
TOTAL 0-19 YRS	112	4.2	63	1	1	2	4	9	13	43
20-34	460	3.8	16	1	1	3	5	8	10	21
35-49	529	4.4	16	1	1	3	6	9	11	22
50-64	586	5.8	56	1	1	4	7	11	15	33
65+	1122	6.8	42	1	2	5	8	13	17	32
GRAND TOTAL	**2809**	**5.5**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.3	12	1	2	3	5	8	11	21
20-34	80	5.5	41	1	1	4	6	9	17	40
35-49	35	8.0	69	1	3	5	9	17	20	46
50-64	52	7.0	20	2	3	6	9	14	18	20
65+	164	7.5	26	2	2	7	10	13	16	26
B. *Operated*										
0-19 YRS	12	9.3	143	1	2	6	9	22	43	46
20-34	16	12.5	93	1	2	9	19	27	30	31
35-49	8	15.1	439	4	4	7	14	51	66	66
50-64	6	30.5	472	4	5	28	41	63	66	66
65+	3	20.3	292	9	9	12	33	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	6.5	32	1	2	5	8	13	17	32
20-34	192	8.6	47	2	3	7	11	16	20	39
35-49	107	8.6	41	2	3	7	11	16	21	36
50-64	157	10.0	85	2	3	8	12	18	23	50
65+	1191	9.6	39	3	4	8	12	17	22	33
B. *Operated*										
0-19 YRS	49	15.5	300	1	2	9	19	42	51	84
20-34	130	19.3	322	2	4	12	28	46	55	85
35-49	66	19.3	264	3	4	14	29	47	53	95
50-64	67	22.0	292	4	6	16	30	50	57	72
65+	144	19.3	213	5	6	14	28	43	52	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	6.6	31	1	2	5	8	12	17	26
B. *Operated*	45	15.0	250	2	3	8	19	40	51	66
2. MULTIPLE DX										
A. *Not Operated*	1757	9.2	44	2	3	8	12	17	21	38
B. *Operated*	456	19.3	273	3	4	13	27	45	53	83
1. SINGLE DX	430	7.5	60	1	2	5	9	14	21	46
2. MULTIPLE DX	2213	11.3	107	2	3	8	13	22	33	57
A. NOT OPERATED	2142	8.8	43	2	3	7	11	16	21	37
B. OPERATED	501	18.9	271	3	4	13	27	44	53	79
TOTAL 0-19 YRS	225	8.1	107	1	2	5	9	16	27	53
20-34	418	11.5	162	2	2	7	14	27	41	60
35-49	216	12.0	150	3	3	8	14	27	45	67
50-64	282	12.7	165	2	3	8	15	27	45	65
65+	1502	10.3	63	3	3	8	12	19	25	45
GRAND TOTAL	**2643**	**10.7**	**102**	**2**	**3**	**8**	**12**	**20**	**31**	**55**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.1	24	<1	1	1	2	10	16	24
20-34	40	2.7	10	<1	<1	2	3	5	6	20
35-49	12	4.4	28	1	1	3	5	11	19	20
50-64	36	2.2	2	1	1	2	3	4	5	7
65+	129	3.8	13	1	1	3	5	7	10	22
B. *Operated*										
0-19 YRS	1017	2.6	10	1	1	2	3	5	10	16
20-34	133	3.1	6	1	1	3	4	5	8	13
35-49	95	3.2	7	1	1	3	4	6	7	14
50-64	109	3.7	8	1	1	3	4	7	9	16
65+	158	5.1	19	1	2	4	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	11	<1	<1	2	3	7	11	16
20-34	46	3.2	9	<1	1	2	4	6	7	19
35-49	33	4.4	18	1	1	3	6	8	13	22
50-64	78	5.5	26	1	1	4	8	12	14	28
65+	612	6.1	32	1	2	5	7	11	15	30
B. *Operated*										
0-19 YRS	264	5.8	50	1	1	3	6	16	21	31
20-34	166	7.1	77	1	1	4	8	15	24	51
35-49	121	6.8	57	1	1	5	8	14	21	41
50-64	168	6.9	62	1	1	5	8	14	21	43
65+	480	8.4	62	2	2	7	10	16	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.3	15	1	1	2	4	7	11	21
B. *Operated*	1512	3.0	11	1	1	2	3	6	10	16
2. MULTIPLE DX										
A. *Not Operated*	807	5.7	29	1	1	4	7	11	14	29
B. *Operated*	1199	7.3	62	1	1	5	9	16	21	42
1. SINGLE DX	1814	3.1	12	1	1	2	4	6	10	17
2. MULTIPLE DX	2006	6.6	49	1	1	5	8	13	19	36
A. NOT OPERATED	1109	5.0	26	1	1	4	6	11	13	27
B. OPERATED	2711	4.9	38	1	1	3	6	11	16	30
TOTAL 0-19 YRS	1404	3.2	20	1	1	2	3	7	13	21
20-34	385	4.8	41	1	1	3	5	10	15	34
35-49	261	5.1	35	1	1	4	6	11	15	33
50-64	391	5.3	37	1	1	4	6	11	15	30
65+	1379	6.6	41	1	2	5	8	12	17	34
GRAND TOTAL	**3820**	**4.9**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.3	1	<1	<1	1	1	2	3	5
20-34	17	1.9	2	<1	<1	2	2	3	6	7
35-49	9	1.4		<1	<1	1	2	2	2	2
50-64	12	1.8	1	<1	<1	1	3	3	4	4
65+	21	2.0	2	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	1569	1.5	1	<1	<1	1	2	3	4	6
20-34	587	2.3	3	<1	1	2	3	4	5	9
35-49	401	2.4	3	<1	1	2	3	4	5	9
50-64	380	2.2	3	<1	1	2	3	4	5	10
65+	383	2.6	8	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.1	2	<1	1	1	3	4	6	6
20-34	42	2.4	5	<1	1	2	3	5	6	13
35-49	25	2.8	4	1	1	2	4	5	8	9
50-64	39	3.1	6	<1	1	3	4	7	9	9
65+	139	5.9	23	1	1	5	8	11	17	22
B. *Operated*										
0-19 YRS	365	2.8	8	1	1	2	3	6	8	18
20-34	431	4.9	25	1	1	3	6	10	15	29
35-49	276	5.2	36	1	1	3	6	11	14	28
50-64	296	4.4	21	1	1	3	5	9	13	23
65+	631	5.0	26	1	1	3	6	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	3320	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	290	4.2	16	1	1	3	5	9	11	19
B. *Operated*	1999	4.5	24	1	1	3	5	9	13	25
1. SINGLE DX	3414	2.0	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	2289	4.5	23	1	1	3	5	9	13	25
A. NOT OPERATED	384	3.5	13	<1	1	2	4	8	10	18
B. OPERATED	5319	2.9	12	<1	1	2	3	6	9	18
TOTAL 0-19 YRS	2014	1.8	3	<1	<1	1	2	3	5	8
20-34	1077	3.4	14	1	1	2	4	7	9	20
35-49	711	3.5	18	1	1	2	4	7	10	18
50-64	727	3.1	11	1	1	2	4	6	9	16
65+	1174	4.3	21	1	1	3	5	9	13	23
GRAND TOTAL	**5703**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	1	<1	<1	2	3	4	4	4
20-34	23	1.7	1	<1	<1	2	2	3	4	5
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64	4	5.5	38	1	1	4	10	14	14	14
65+	10	2.4	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	406	1.4	1	<1	<1	1	2	2	3	6
20-34	657	1.6	1	<1	<1	1	2	3	3	6
35-49	252	1.6	2	<1	<1	1	2	3	4	8
50-64	103	1.9	3	<1	<1	1	2	3	5	11
65+	41	1.9	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	4	4	5
20-34	38	2.2	4	<1	<1	2	2	5	7	8
35-49	19	3.1	6	<1	1	2	4	8	9	9
50-64	14	2.3	2	<1	<1	2	3	5	5	5
65+	34	5.8	30	<1	1	4	9	12	24	99+
B. *Operated*										
0-19 YRS	196	3.0	13	<1	1	2	3	6	8	21
20-34	434	2.8	13	<1	1	2	3	5	8	22
35-49	225	2.8	11	<1	<1	2	3	6	9	17
50-64	132	3.2	13	1	1	2	4	7	9	25
65+	84	3.3	12	<1	1	2	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.1	4	<1	<1	2	2	4	5	14
B. *Operated*	1459	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	126	3.3	13	<1	<1	2	4	8	10	43
B. *Operated*	1071	2.9	12	<1	1	2	3	6	8	22
1. SINGLE DX	1515	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1197	3.0	12	<1	1	2	3	6	8	22
A. NOT OPERATED	182	2.9	10	<1	<1	2	4	6	10	24
B. OPERATED	2530	2.1	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	635	1.9	5	<1	<1	1	2	4	5	10
20-34	1152	2.1	6	<1	<1	1	2	4	5	9
35-49	503	2.2	7	<1	<1	1	2	4	7	12
50-64	253	2.7	9	<1	<1	2	3	5	8	14
65+	169	3.4	14	<1	1	2	4	8	11	25
GRAND TOTAL	**2712**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	15.6	288	2	2	13	20	30	43	87
20-34	12	4.3	28	<1	<1	3	5	10	19	20
35-49	5	6.6	47	<1	<1	3	10	18	18	18
50-64	27	5.7	22	1	1	4	8	12	14	20
65+	112	6.6	45	1	1	5	8	13	16	42
B. Operated										
0-19 YRS	73	9.4	76	1	2	6	12	22	26	46
20-34	60	7.3	22	2	2	7	8	13	18	24
35-49	90	7.9	45	3	4	7	8	13	17	45
50-64	342	9.0	17	4	5	8	11	15	16	25
65+	1618	10.9	20	5	6	10	13	16	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	13.0	139	<1	<1	9	25	30	31	32
20-34	12	3.3	4	<1	1	3	5	6	7	7
35-49	21	14.1	293	2	3	7	12	40	55	67
50-64	64	8.6	41	2	3	7	11	15	21	39
65+	528	10.3	88	1	2	8	13	20	28	52
B. Operated										
0-19 YRS	88	14.3	125	3	5	10	18	32	35	51
20-34	140	14.2	125	4	5	11	17	26	40	58
35-49	159	12.4	120	4	5	9	13	23	36	60
50-64	706	13.0	67	5	6	11	15	21	28	47
65+	7795	14.0	65	6	7	12	16	22	28	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	7.6	86	1	1	5	9	16	21	45
B. Operated	2183	10.3	23	4	5	10	13	16	18	26
2. MULTIPLE DX										
A. Not Operated	645	10.2	91	1	2	8	13	21	30	52
B. Operated	8888	13.9	67	6	7	12	16	22	28	52
1. SINGLE DX	2366	10.1	29	3	5	9	13	16	18	26
2. MULTIPLE DX	9533	13.6	70	5	7	12	16	22	28	52
A. NOT OPERATED	828	9.6	91	1	2	7	12	19	28	50
B. OPERATED	11071	13.2	61	6	7	12	15	21	26	49
TOTAL 0-19 YRS	208	12.6	134	1	2	9	17	29	34	51
20-34	224	11.2	101	2	3	8	13	23	30	48
35-49	275	11.0	111	3	4	8	11	19	33	60
50-64	1139	11.4	54	4	5	10	14	19	25	42
65+	10053	13.2	61	5	7	12	15	21	26	49
GRAND TOTAL	**11899**	**12.9**	**64**	**5**	**6**	**11**	**15**	**21**	**26**	**49**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	326	15.6	105	1	2	16	22	28	34	45
20-34	12	16.8	324	1	1	6	31	44	49	50
35-49	6	9.7	70	1	1	8	14	23	24	24
50-64	8	14.5	731	<1	1	7	28	92	99+	99+
65+	40	14.4	229	1	2	9	18	41	48	63
B. Operated										
0-19 YRS	405	10.0	103	1	1	6	16	24	29	47
20-34	113	10.8	129	1	2	7	11	23	37	56
35-49	44	12.9	166	1	1	9	18	29	47	55
50-64	29	11.6	61	3	5	10	13	19	33	37
65+	79	11.5	36	4	6	10	13	18	23	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	16.0	119	2	2	16	23	32	38	43
20-34	30	26.8	534	2	3	17	49	55	58	88
35-49	25	21.7	525	3	3	11	32	56	69	85
50-64	41	16.6	311	1	2	8	21	46	57	67
65+	203	14.6	181	3	3	10	19	34	44	57
B. Operated										
0-19 YRS	423	16.7	165	2	4	14	22	32	43	67
20-34	364	15.8	200	1	4	12	18	31	45	78
35-49	112	16.9	235	1	2	14	21	37	65	99+
50-64	119	20.1	291	5	7	14	26	47	76	99+
65+	457	19.3	225	5	7	15	23	39	55	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	392	15.4	134	1	2	15	22	30	36	52
B. Operated	670	10.6	102	1	1	8	14	23	29	50
2. MULTIPLE DX										
A. Not Operated	445	16.5	223	2	3	12	23	38	48	64
B. Operated	1475	17.6	210	3	5	14	22	36	50	85
1. SINGLE DX	1062	12.4	119	1	1	10	18	26	33	50
2. MULTIPLE DX	1920	17.3	213	2	4	13	22	37	49	83
A. NOT OPERATED	837	16.0	181	1	2	14	22	34	44	60
B. OPERATED	2145	15.4	186	1	3	12	20	32	45	77
TOTAL 0-19 YRS	1300	14.3	133	1	2	12	21	28	36	53
20-34	519	15.4	217	1	3	11	18	33	49	76
35-49	187	16.4	257	1	2	12	21	38	55	94
50-64	197	17.9	283	3	5	12	22	45	65	99+
65+	779	17.0	202	3	5	13	21	36	48	78
GRAND TOTAL	**2982**	**15.6**	**185**	**1**	**3**	**12**	**21**	**33**	**45**	**75**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	173	1.7	1	<1	1	1	2	3	5	6
20-34	93	2.5	3	<1	1	2	3	5	6	8
35-49	78	3.0	6	<1	1	2	4	7	8	11
50-64	54	4.6	25	1	1	3	5	7	12	33
65+	79	5.3	13	1	2	4	7	10	12	19
B. Operated										
0-19 YRS	655	3.1	7	1	1	2	4	6	8	13
20-34	643	4.6	16	1	1	4	6	9	11	16
35-49	354	5.0	14	1	2	4	6	9	12	20
50-64	207	5.4	13	1	2	5	7	11	13	16
65+	94	7.2	20	2	2	7	9	12	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	3.2	15	1	1	2	4	7	9	24
20-34	94	4.1	15	<1	1	3	5	8	12	20
35-49	59	3.6	11	1	1	3	5	7	8	22
50-64	107	6.2	25	1	2	5	7	14	18	24
65+	257	6.7	34	1	2	5	8	11	16	40
B. Operated										
0-19 YRS	305	6.8	64	1	2	5	8	14	20	47
20-34	595	9.1	102	2	2	6	11	18	26	59
35-49	372	9.4	81	2	3	6	11	20	27	50
50-64	280	11.1	110	2	3	8	13	21	29	73
65+	251	12.2	108	3	4	9	15	22	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	477	3.0	9	1	1	2	4	6	8	14
B. Operated	1953	4.4	13	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. Not Operated	585	5.5	27	1	1	4	7	11	14	24
B. Operated	1803	9.5	96	2	2	7	12	19	27	53
1. SINGLE DX	2430	4.1	13	1	1	3	5	8	11	16
2. MULTIPLE DX	2388	8.5	82	1	2	6	10	17	24	49
A. NOT OPERATED	1062	4.4	20	1	1	3	6	9	12	21
B. OPERATED	3756	6.9	59	1	1	5	8	14	19	43
TOTAL 0-19 YRS	1201	3.9	24	1	1	2	4	8	11	24
20-34	1425	6.3	56	1	1	4	7	13	17	42
35-49	863	6.6	48	1	2	5	8	13	20	34
50-64	648	7.9	65	1	2	6	10	15	21	43
65+	681	8.6	64	2	2	7	10	16	21	43
GRAND TOTAL	**4818**	**6.3**	**52**	**1**	**1**	**4**	**8**	**13**	**18**	**38**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.7	2	<1	<1	1	2	3	4	7
20-34	121	2.7	5	<1	1	2	4	6	7	13
35-49	88	3.1	9	<1	1	2	4	5	10	16
50-64	59	2.7	5	<1	<1	2	3	7	8	9
65+	59	3.5	5	1	1	3	4	7	8	11
B. Operated										
0-19 YRS	829	2.6	4	1	1	2	3	5	6	9
20-34	1372	3.4	5	1	1	3	4	6	7	11
35-49	978	3.6	5	1	1	3	5	6	7	11
50-64	776	4.2	7	1	2	4	5	7	8	13
65+	387	5.1	9	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	2.7	4	1	1	2	3	5	7	9
20-34	128	4.0	21	<1	1	3	5	8	10	29
35-49	94	4.1	16	<1	1	3	6	7	11	24
50-64	135	4.6	11	1	1	4	6	10	12	16
65+	305	6.1	25	1	2	5	8	11	14	21
B. Operated										
0-19 YRS	456	4.5	30	1	1	3	5	8	13	33
20-34	1046	5.4	38	1	2	4	6	10	14	31
35-49	706	5.5	27	1	2	4	6	10	14	26
50-64	653	6.5	41	2	2	5	7	11	16	43
65+	776	8.3	57	2	3	6	10	14	19	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	395	2.7	6	<1	1	2	3	6	8	13
B. Operated	4342	3.6	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	711	5.0	20	1	1	4	6	10	12	20
B. Operated	3637	6.1	41	1	2	4	7	11	16	35
1. SINGLE DX	4737	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	4348	5.9	38	1	2	4	7	11	15	33
A. NOT OPERATED	1106	4.2	16	1	1	3	5	9	11	19
B. OPERATED	7979	4.7	23	1	1	4	6	9	11	23
TOTAL 0-19 YRS	1402	3.2	13	1	1	2	4	6	8	21
20-34	2667	4.1	20	1	1	3	5	7	10	21
35-49	1866	4.3	15	1	1	3	5	8	10	20
50-64	1623	5.1	22	1	2	4	6	9	11	22
65+	1527	6.9	38	2	2	5	8	12	16	27
GRAND TOTAL	**9085**	**4.7**	**23**	**1**	**1**	**4**	**6**	**9**	**11**	**23**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		1	1	1	1	2	3	3
20-34	13	1.9		<1	<1	2	2	3	3	3
35-49	7	2.0	3	1	1	1	2	5	6	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	9	2.4	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	4	5	8
20-34	42	2.2	1	<1	1	2	3	4	4	5
35-49	14	2.7	2	1	1	3	4	4	6	6
50-64	8	2.3	4	1	1	2	3	6	7	7
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	3	<1	1	2	3	4	6	8
20-34	134	2.8	6	<1	1	2	4	6	7	13
35-49	77	3.5	6	<1	1	3	5	7	8	13
50-64	78	4.7	17	<1	1	3	6	10	14	21
65+	117	6.0	22	1	2	5	7	11	15	24
B. *Operated*										
0-19 YRS	38	4.2	14	1	1	3	5	8	13	18
20-34	75	3.6	10	1	1	3	4	8	11	15
35-49	35	3.8	9	1	1	3	5	9	11	14
50-64	20	5.6	28	1	1	3	9	13	17	20
65+	21	6.8	24	1	2	7	9	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.9	1	<1	1	2	3	3	4	6
B. *Operated*	98	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	470	3.9	13	<1	1	3	5	8	11	17
B. *Operated*	189	4.3	15	1	1	3	6	10	13	18
1. SINGLE DX	140	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	659	4.1	14	1	1	3	5	8	12	17
A. NOT OPERATED	512	3.8	13	<1	1	3	5	8	10	17
B. OPERATED	287	3.6	11	1	1	2	4	8	11	17
TOTAL 0-19 YRS	145	2.6	6	<1	1	2	3	5	7	14
20-34	264	2.9	6	<1	1	2	3	6	8	13
35-49	133	3.4	7	1	1	3	4	7	8	14
50-64	109	4.6	18	1	1	3	6	11	14	21
65+	148	5.9	22	1	2	5	8	11	15	19
GRAND TOTAL	**799**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	1	1	2	3	4	4	4
20-34										
35-49										
50-64										
65+	2	13.0	128	5	5	13	21	21	21	21
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	3.3		3	3	3	4	4	4	4
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.9	25	<1	<1	2	4	13	16	16
20-34	5	5.0	17	1	1	5	8	10	10	10
35-49	4	4.3	21	1	1	2	7	11	11	11
50-64	8	8.3	68	2	2	5	11	22	26	26
65+	3	6.3		6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	8	20.0	696	3	3	12	21	66	82	82
20-34	20	15.7	123	<1	1	16	26	35	66	99+
35-49	9	21.4	202	4	5	21	27	43	50	50
50-64	4	12.0	107	2	2	10	19	26	26	26
65+	8	14.5	196	1	1	11	25	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.3	36	1	1	2	4	13	21	21
B. *Operated*	11	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	32	5.4	32	1	1	3	7	13	16	26
B. *Operated*	49	17.0	228	1	2	14	26	35	50	99+
1. SINGLE DX	21	3.1	18	1	1	2	3	5	12	21
2. MULTIPLE DX	81	12.4	181	1	1	9	17	30	37	94
A. NOT OPERATED	42	5.2	32	1	1	3	6	13	18	26
B. OPERATED	60	14.2	219	1	1	12	22	34	44	98
TOTAL 0-19 YRS	31	7.4	230	1	1	2	5	15	27	82
20-34	28	12.5	116	1	1	12	20	31	42	99+
35-49	18	12.1	192	1	1	5	21	31	43	50
50-64	12	9.5	76	2	2	6	13	26	26	26
65+	13	12.4	137	1	2	7	17	35	36	36
GRAND TOTAL	**102**	**10.5**	**161**	**1**	**1**	**5**	**15**	**27**	**35**	**90**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	3.9	63	<1	<1	1	2	16	25	25
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64										
65+	6	5.5	31	<1	<1	4	6	15	16	16
B. *Operated*										
0-19 YRS	88	1.9	1	<1	1	2	3	3	4	5
20-34	436	2.2	1	1	1	2	3	4	4	5
35-49	131	2.0	1	<1	1	2	3	3	4	5
50-64	41	2.7	9	<1	1	2	3	5	6	19
65+	42	1.7	2	1	1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	27	5.1	128	<1	<1	2	3	7	22	60
35-49	10	1.7		1	1	2	2	3	3	3
50-64	10	4.1	6	1	1	4	7	8	8	8
65+	20	5.7	30	2	2	4	6	11	20	25
B. *Operated*										
0-19 YRS	21	2.3	1	1	1	2	3	4	4	5
20-34	119	2.8	5	1	1	2	3	5	7	12
35-49	67	3.4	8	1	1	3	4	7	8	16
50-64	42	3.9	16	<1	1	2	5	11	13	17
65+	79	4.3	27	<1	1	3	5	9	14	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	37	<1	<1	1	3	11	20	25
B. *Operated*	736	2.1	2	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	70	4.6	59	1	1	3	4	8	15	53
B. *Operated*	328	3.4	12	1	1	2	4	7	9	19
1. SINGLE DX	758	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX	398	3.6	21	1	1	3	4	7	10	26
A. NOT OPERATED	90	4.4	54	<1	1	2	4	8	15	46
B. OPERATED	1066	2.5	5	1	1	2	3	4	5	12
TOTAL 0-19 YRS	113	2.0	1	<1	1	2	3	3	4	5
20-34	591	2.5	9	1	1	2	3	4	5	10
35-49	212	2.4	4	1	1	2	3	4	5	10
50-64	93	3.4	12	<1	1	2	4	8	12	18
65+	147	3.8	22	1	1	2	5	8	14	36
GRAND TOTAL	**1156**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	16	2.9	35	<1	<1	1	2	3	18	25
35-49	5	1.8	3	<1	<1	1	2	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	487	1.9	3	<1	<1	1	2	3	4	7
20-34	1172	1.9	3	<1	<1	1	2	4	5	7
35-49	632	1.9	3	<1	<1	1	2	4	5	7
50-64	314	1.8	1	<1	<1	1	2	3	4	6
65+	86	3.0	45	<1	<1	2	3	5	5	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.5	3	<1	<1	1	1	2	6	7
20-34	21	1.7	2	<1	<1	1	2	4	5	6
35-49	7	1.7	4	<1	<1	1	1	5	6	6
50-64	5	1.4	1	<1	<1	<1	1	3	3	3
65+	15	4.9	24	<1	<1	3	6	15	16	16
B. *Operated*										
0-19 YRS	414	2.4	3	<1	<1	2	3	5	6	9
20-34	1153	2.5	11	<1	<1	2	3	5	6	12
35-49	694	2.3	5	<1	<1	1	3	5	6	11
50-64	553	2.2	4	<1	<1	1	3	4	6	10
65+	297	2.9	9	<1	<1	2	3	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.3	20	<1	<1	1	2	3	6	25
B. *Operated*	2691	1.9	4	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	62	2.4	9	<1	<1	1	2	6	8	16
B. *Operated*	3111	2.4	7	<1	<1	2	3	5	6	11
1. SINGLE DX	2720	1.9	4	<1	<1	1	2	4	5	7
2. MULTIPLE DX	3173	2.4	7	<1	<1	2	3	5	6	11
A. NOT OPERATED	91	2.4	12	<1	<1	1	2	5	7	21
B. OPERATED	5802	2.2	6	<1	<1	1	3	4	5	10
TOTAL 0-19 YRS	919	2.1	3	<1	<1	1	3	4	5	8
20-34	2362	2.2	7	<1	<1	1	3	4	5	9
35-49	1338	2.1	4	<1	<1	1	3	4	5	9
50-64	874	2.0	3	<1	<1	1	2	4	5	9
65+	400	3.0	17	<1	<1	2	3	6	9	18
GRAND TOTAL	**5893**	**2.2**	**6**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	17	<1	<1	1	4	9	15	15
20-34	29	5.5	27	1	1	3	9	14	15	20
35-49	18	5.3	25	<1	1	3	6	15	15	15
50-64	10	5.2	34	<1	<1	3	8	14	20	20
65+	7	3.1	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	175	2.4	12	<1	<1	1	3	5	8	11
20-34	238	3.0	11	<1	<1	2	3	7	10	17
35-49	116	3.3	12	<1	1	2	4	7	11	18
50-64	63	3.0	17	<1	1	2	3	7	13	21
65+	29	2.9	8	<1	<1	1	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.3	28	<1	1	3	4	11	14	27
20-34	48	5.3	38	<1	1	4	6	12	19	33
35-49	32	6.3	106	1	1	4	7	11	17	58
50-64	25	6.4	24	1	1	5	9	15	16	18
65+	43	6.2	49	1	1	4	7	10	18	41
B. *Operated*										
0-19 YRS	127	6.2	105	<1	1	3	7	13	19	64
20-34	206	5.7	45	1	1	4	7	12	16	35
35-49	143	6.7	73	1	1	4	8	17	22	47
50-64	109	6.7	45	1	1	4	10	17	23	28
65+	96	8.4	83	1	1	5	12	22	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	4.7	23	<1	1	3	6	14	15	20
B. *Operated*	621	2.9	12	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	175	5.7	49	1	1	4	7	12	17	39
B. *Operated*	681	6.6	68	1	1	4	8	15	21	42
1. SINGLE DX	710	3.1	14	<1	1	2	3	7	11	18
2. MULTIPLE DX	856	6.4	64	1	1	4	8	15	21	41
A. NOT OPERATED	264	5.4	40	<1	1	4	7	12	15	32
B. OPERATED	1302	4.8	45	<1	1	2	5	11	17	32
TOTAL 0-19 YRS	354	4.0	50	<1	1	2	4	9	13	39
20-34	521	4.4	30	<1	1	3	5	10	14	27
35-49	309	5.3	53	1	1	3	6	13	18	42
50-64	207	5.4	36	<1	1	3	7	15	19	27
65+	175	6.8	63	1	1	4	8	17	24	41
GRAND TOTAL	**1566**	**4.9**	**44**	**<1**	**1**	**3**	**6**	**11**	**17**	**32**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.6	1	<1	<1	1	2	3	4	4
20-34	27	1.6	2	<1	<1	1	2	3	4	7
35-49	16	2.6	3	<1	<1	2	3	6	7	7
50-64	14	2.3	3	<1	1	2	3	5	7	7
65+	10	5.6	12	2	2	6	9	10	11	11
B. *Operated*										
0-19 YRS	377	2.6	3	<1	<1	2	4	5	6	7
20-34	734	2.9	3	<1	<1	3	4	5	6	7
35-49	218	3.0	3	<1	1	3	4	6	6	8
50-64	42	3.5	4	<1	1	4	5	6	7	7
65+	22	4.7	8	1	1	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	4	<1	<1	1	2	4	7	8
20-34	39	3.3	8	<1	<1	2	4	7	9	14
35-49	22	3.5	6	<1	1	3	5	7	9	10
50-64	34	3.4	10	1	1	3	4	6	11	16
65+	94	5.6	79	1	2	4	7	9	12	55
B. *Operated*										
0-19 YRS	458	3.4	5	<1	1	3	4	6	7	10
20-34	1075	3.8	5	1	1	4	5	6	7	11
35-49	441	4.0	8	1	1	4	5	7	8	15
50-64	99	4.8	9	1	1	4	7	9	11	14
65+	45	7.2	26	1	2	6	8	14	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.4	5	<1	<1	2	3	6	7	10
B. *Operated*	1393	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	204	4.3	42	<1	1	3	5	8	10	17
B. *Operated*	2118	3.9	7	1	1	4	5	6	8	14
1. SINGLE DX	1475	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	2322	3.9	10	1	1	4	5	7	8	14
A. NOT OPERATED	286	3.8	32	<1	1	2	5	7	9	15
B. OPERATED	3511	3.5	5	<1	1	3	5	6	7	12
TOTAL 0-19 YRS	865	3.0	4	<1	<1	3	4	5	6	9
20-34	1875	3.4	4	<1	1	3	4	6	7	10
35-49	697	3.7	6	<1	1	3	5	6	7	13
50-64	189	4.1	8	1	1	4	5	8	10	14
65+	171	5.9	52	1	2	5	7	10	13	25
GRAND TOTAL	**3797**	**3.5**	**7**	**<1**	**1**	**3**	**5**	**6**	**7**	**12**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.0	5	<1	1	3	4	6	6	11
20-34	445	4.3	7	1	1	4	6	8	9	13
35-49	422	5.2	8	1	2	5	7	9	11	13
50-64	179	4.9	7	2	2	5	6	9	10	14
65+	69	4.8	6	2	2	4	6	8	8	14
B. *Operated*										
0-19 YRS	3	5.7	17	1	1	7	8	9	9	9
20-34	93	4.4	17	1	1	2	8	11	13	16
35-49	71	5.2	33	1	1	3	7	13	17	29
50-64	17	3.0	10	1	1	2	3	9	10	11
65+	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	5	<1	1	3	4	6	7	9
20-34	451	5.3	12	1	2	5	7	10	12	18
35-49	541	5.7	15	2	2	5	7	10	12	18
50-64	398	5.6	13	1	2	5	7	9	11	18
65+	539	6.0	20	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	6	12.2	81	1	1	15	20	21	21	21
20-34	79	7.3	35	1	1	6	9	15	18	32
35-49	85	8.9	52	1	1	7	13	17	23	33
50-64	51	8.2	47	1	2	7	10	17	20	40
65+	34	8.8	35	2	3	8	13	14	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1164	4.7	7	1	2	4	6	8	10	14
B. *Operated*	186	4.7	23	1	1	2	7	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	1973	5.6	15	1	2	5	7	10	12	19
B. *Operated*	255	8.3	44	1	1	7	11	16	21	33
1. SINGLE DX	1350	4.7	9	1	1	4	6	8	10	15
2. MULTIPLE DX	2228	5.9	19	1	2	5	8	11	14	22
A. NOT OPERATED	3137	5.3	13	1	2	5	7	9	11	18
B. OPERATED	441	6.8	38	1	1	5	10	15	18	30
TOTAL 0-19 YRS	102	3.6	13	<1	1	3	4	7	10	20
20-34	1068	5.0	12	1	1	4	7	9	11	16
35-49	1119	5.7	17	1	2	5	7	10	13	19
50-64	645	5.6	15	1	2	5	7	10	12	20
65+	644	6.0	20	2	2	5	7	11	14	25
GRAND TOTAL	**3578**	**5.5**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.6	6	<1	1	2	3	6	7	13
20-34	419	4.2	10	1	1	3	5	8	10	15
35-49	373	4.7	9	1	1	4	6	8	10	15
50-64	136	4.8	8	1	1	4	6	9	10	14
65+	48	4.6	23	1	2	3	5	8	12	29
B. *Operated*										
0-19 YRS	6	6.5	31	1	1	6	8	15	16	16
20-34	126	2.7	5	1	1	2	4	6	8	10
35-49	106	4.0	15	1	1	2	6	10	12	17
50-64	29	3.0	7	1	1	2	4	7	9	9
65+	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.1	12	<1	1	2	4	7	9	19
20-34	704	4.4	11	1	1	4	6	8	11	17
35-49	692	5.4	15	1	2	5	7	10	12	19
50-64	442	5.3	12	1	2	5	7	10	11	15
65+	513	5.3	14	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	20	3.6	11	<1	1	2	5	7	11	15
20-34	175	5.3	25	1	1	3	8	12	16	22
35-49	151	5.6	31	1	1	4	8	13	19	21
50-64	61	4.9	18	1	1	3	7	11	15	18
65+	34	8.6	45	2	2	7	12	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1052	4.3	10	1	1	4	6	8	10	15
B. *Operated*	270	3.4	10	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	2460	5.0	13	1	1	4	7	9	12	17
B. *Operated*	441	5.5	28	1	1	4	8	13	16	21
1. SINGLE DX	1322	4.1	10	1	1	3	6	8	10	15
2. MULTIPLE DX	2901	5.1	15	1	1	4	7	10	12	20
A. NOT OPERATED	3512	4.8	12	1	1	4	6	9	11	16
B. OPERATED	711	4.7	22	1	1	3	6	11	15	21
TOTAL 0-19 YRS	211	3.0	10	<1	1	2	4	7	9	17
20-34	1424	4.3	12	1	1	3	6	9	11	17
35-49	1322	5.1	15	1	1	4	7	10	12	20
50-64	668	5.1	12	1	1	4	7	10	11	16
65+	598	5.4	17	1	2	4	7	10	13	22
GRAND TOTAL	**4223**	**4.8**	**14**	**1**	**1**	**4**	**6**	**9**	**12**	**18**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	6	<1	<1	2	3	4	6	13
20-34	56	2.4	5	1	1	2	3	4	7	13
35-49	42	3.3	7	<1	1	2	5	7	9	10
50-64	21	2.9	4	<1	<1	2	4	6	6	7
65+	28	3.6	8	<1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	138	1.7	1	<1	<1	1	2	3	4	5
20-34	532	2.1	2	<1	<1	2	3	4	4	6
35-49	482	2.5	2	<1	1	2	3	4	5	8
50-64	459	3.1	2	1	1	3	4	5	6	8
65+	193	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.2	5	<1	<1	2	2	4	9	10
20-34	95	3.1	10	<1	1	2	3	6	9	18
35-49	69	3.6	21	1	1	2	4	7	13	27
50-64	80	3.6	9	<1	1	3	4	8	11	15
65+	199	5.4	22	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	74	2.3	2	<1	1	2	3	4	4	8
20-34	178	2.7	6	<1	1	2	4	5	7	11
35-49	199	3.1	5	1	1	3	4	5	7	13
50-64	357	4.0	6	1	2	3	5	7	8	14
65+	228	5.0	11	2	2	4	6	8	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	2.8	6	<1	1	2	4	6	7	13
B. *Operated*	1804	2.6	3	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	471	4.2	17	1	1	3	5	9	12	21
B. *Operated*	1036	3.7	7	1	1	3	5	6	8	14
1. SINGLE DX	1979	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	1507	3.9	10	1	1	3	5	7	10	16
A. NOT OPERATED	646	3.8	15	1	1	3	4	8	12	21
B. OPERATED	2840	3.0	5	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	268	2.0	2	<1	<1	2	3	4	4	9
20-34	861	2.4	4	<1	1	2	3	4	5	9
35-49	792	2.8	5	<1	1	2	4	5	6	12
50-64	917	3.5	4	1	1	3	4	6	7	12
65+	648	4.7	13	1	2	4	6	8	12	18
GRAND TOTAL	**3486**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**13**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1217	1.2		<1	1	1	1	2	2	3
20-34	301	1.5	1	<1	1	1	2	3	3	5
35-49	98	1.9	2	<1	1	1	2	3	4	10
50-64	44	2.2	3	<1	1	2	3	4	6	8
65+	41	2.0	4	<1	<1	1	2	4	7	9
B. *Operated*										
0-19 YRS	9	2.3	11	1	1	1	2	7	11	11
20-34	6	3.7	10	<1	<1	2	6	9	9	9
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1446	1.7	3	<1	1	1	2	3	4	9
20-34	1197	2.2	4	<1	1	2	3	4	6	10
35-49	469	2.6	5	1	1	2	3	5	7	12
50-64	294	3.1	9	1	1	2	4	7	9	13
65+	424	3.8	19	1	1	3	5	7	12	21
B. *Operated*										
0-19 YRS	353	2.8	19	<1	1	1	3	6	8	22
20-34	473	3.7	34	<1	1	2	4	7	11	37
35-49	181	4.1	24	1	1	3	5	8	13	28
50-64	110	4.2	23	1	1	3	5	10	18	99+
65+	133	5.3	22	1	1	4	8	13	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1701	1.3	1	<1	1	1	1	2	3	5
B. *Operated*	20	2.5	8	<1	1	1	3	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	3830	2.3	6	<1	1	1	3	5	7	12
B. *Operated*	1250	3.7	27	<1	1	2	4	8	12	29
1. SINGLE DX	1721	1.3	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	5080	2.6	12	<1	1	2	3	5	8	16
A. NOT OPERATED	5531	2.0	5	<1	1	1	2	4	6	11
B. OPERATED	1270	3.7	26	<1	1	2	4	8	12	29
TOTAL 0-19 YRS	3025	1.6	4	<1	1	1	2	3	4	9
20-34	1977	2.4	11	<1	1	2	3	5	7	14
35-49	751	2.9	10	1	1	2	3	6	8	14
50-64	450	3.3	12	1	1	2	4	7	10	26
65+	598	4.0	19	1	1	3	5	9	13	20
GRAND TOTAL	**6801**	**2.3**	**9**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	453	1.5	3	<1	1	1	1	2	4	9
20-34	12[illegible]	2.4	7	<1	<1	1	3	5	9	13
35-49	[illegible]	1.8	2	<1	<1	1	2	4	5	7
50-64	[illegible]	2.2	2	<1	<1	2	3	5	5	6
65+	19	3.4	8	1	1	3	5	6	9	12
B. *Operated*										
0-19 YRS	36	6.6	21	1	2	5	8	13	14	22
20-34	33	9.6	163	1	2	7	12	18	20	74
35-49	22	9.6	48	2	4	7	12	21	26	30
50-64	21	9.8	285	1	2	7	8	13	45	82
65+	41	8.0	14	2	4	8	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	643	2.5	15	<1	1	1	2	5	8	17
20-34	447	3.9	31	<1	<1	2	4	10	14	29
35-49	191	4.6	48	<1	1	2	5	11	19	38
50-64	143	5.0	50	1	1	3	6	11	16	37
65+	308	6.5	61	1	1	4	8	13	21	51
B. *Operated*										
0-19 YRS	219	13.3	310	1	1	6	19	43	62	99+
20-34	311	14.6	366	1	1	7	23	58	93	99+
35-49	102	15.7	378	1	1	9	25	58	89	99+
50-64	87	15.0	231	1	2	11	19	33	45	95
65+	228	16.0	240	1	3	12	20	32	54	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	1.8	4	<1	1	1	2	3	5	10
B. *Operated*	153	8.5	89	1	2	7	10	14	19	73
2. MULTIPLE DX										
A. *Not Operated*	1732	4.0	36	<1	1	2	5	9	14	30
B. *Operated*	947	14.8	311	1	1	9	21	44	68	99+
1. SINGLE DX	804	3.0	27	<1	1	1	3	7	11	19
2. MULTIPLE DX	2679	7.8	160	<1	1	3	9	22	37	99+
A. NOT OPERATED	2383	3.4	28	<1	1	2	4	8	12	25
B. OPERATED	1100	13.9	285	1	1	8	19	39	65	99+
TOTAL 0-19 YRS	1351	4.0	76	<1	1	1	3	9	18	59
20-34	914	7.5	173	<1	1	3	8	22	43	99+
35-49	351	7.8	166	<1	1	3	8	23	40	99+
50-64	271	8.4	145	1	1	4	10	19	32	81
65+	596	10.1	146	1	1	7	12	23	31	62
GRAND TOTAL	**3483**	**6.7**	**133**	**<1**	**1**	**2**	**7**	**17**	**31**	**92**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.3	4	<1	1	2	3	4	7	9
20-34	31	2.2	2	<1	1	2	3	4	5	7
35-49	16	1.8	1	<1	<1	1	2	4	4	4
50-64	12	2.7	6	1	1	2	3	7	9	9
65+	5	3.6	5	2	2	2	5	7	7	7
B. *Operated*										
0-19 YRS	27	4.7	19	1	2	3	6	8	13	23
20-34	94	4.3	10	1	2	4	5	6	10	21
35-49	25	4.8	9	1	2	4	8	9	10	11
50-64	10	3.8	2	2	2	4	5	6	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.4	6	1	1	3	4	8	9	11
20-34	141	3.3	6	1	1	3	4	6	7	14
35-49	79	4.2	14	1	1	3	6	7	9	24
50-64	68	5.0	10	1	2	4	7	10	12	15
65+	110	6.2	17	2	2	5	8	12	16	19
B. *Operated*										
0-19 YRS	110	8.5	109	2	2	6	9	15	17	70
20-34	329	7.6	69	2	2	6	9	13	22	46
35-49	177	7.9	52	2	3	7	9	12	17	42
50-64	108	9.7	116	2	3	7	11	18	25	67
65+	121	12.3	128	4	4	9	14	23	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	157	4.4	11	1	2	4	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	466	4.4	12	1	1	4	6	8	11	17
B. *Operated*	845	8.7	87	2	3	6	10	16	24	52
1. SINGLE DX	241	3.7	9	1	1	3	4	7	9	15
2. MULTIPLE DX	1311	7.2	65	1	2	5	8	13	18	44
A. NOT OPERATED	550	4.1	11	1	1	3	5	8	10	16
B. OPERATED	1002	8.1	78	2	2	6	9	15	22	49
TOTAL 0-19 YRS	225	5.9	64	1	1	4	7	11	15	44
20-34	595	5.8	46	1	1	4	7	10	15	39
35-49	297	6.3	39	1	2	5	8	11	14	36
50-64	198	7.3	74	1	2	5	8	13	18	56
65+	237	9.3	83	2	3	7	11	17	23	45
GRAND TOTAL	**1552**	**6.6**	**58**	**1**	**2**	**5**	**8**	**12**	**17**	**41**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.7	5	1	1	2	3	6	8	11
20-34	86	2.9	5	1	1	2	5	6	8	10
35-49	21	3.8	9	1	1	2	6	8	10	12
50-64	13	1.9	2	1	1	2	2	4	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	113	5.2	4	2	3	5	6	8	8	12
20-34	113	5.4	5	2	3	5	7	8	9	12
35-49	37	5.4	8	1	2	6	7	8	10	13
50-64	12	7.2	15	1	3	6	9	12	15	16
65+	8	7.1	4	1	5	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	3.4	11	1	1	2	4	8	9	18
20-34	221	3.5	21	1	1	2	4	6	9	18
35-49	83	4.0	13	1	1	3	5	8	11	20
50-64	54	4.9	21	1	1	4	6	10	13	27
65+	66	5.7	17	1	1	5	7	10	13	21
B. *Operated*										
0-19 YRS	342	9.4	67	2	4	7	10	18	26	46
20-34	657	11.0	119	3	4	8	12	22	35	70
35-49	237	11.8	114	3	4	9	14	23	34	79
50-64	110	14.5	231	4	5	10	15	35	59	99+
65+	87	15.3	204	3	4	10	19	33	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	2.8	5	1	1	2	4	6	8	11
B. *Operated*	283	5.5	5	2	3	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	657	3.9	16	1	1	3	5	8	10	19
B. *Operated*	1433	11.3	122	3	4	8	12	23	34	71
1. SINGLE DX	568	4.1	7	1	1	4	6	8	8	12
2. MULTIPLE DX	2090	9.0	100	1	2	6	10	18	28	65
A. NOT OPERATED	942	3.5	13	1	1	2	5	8	9	18
B. OPERATED	1716	10.3	107	3	4	7	11	20	31	69
TOTAL 0-19 YRS	850	5.9	40	1	1	5	7	11	17	34
20-34	1077	8.3	90	1	1	6	9	16	25	59
35-49	378	9.0	88	1	2	7	10	18	27	66
50-64	189	10.4	165	1	1	7	12	21	42	99
65+	164	10.8	139	1	2	8	12	21	34	72
GRAND TOTAL	**2658**	**7.9**	**84**	**1**	**1**	**6**	**9**	**15**	**24**	**57**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	2	<1	1	2	3	4	5	5
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	154	2.2	2	<1	1	2	3	4	5	7
20-34	104	2.3	2	<1	1	2	3	4	5	6
35-49	40	2.3	3	<1	1	2	3	4	5	8
50-64	16	2.4	3	<1	<1	2	3	6	6	6
65+	13	2.4	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	3	<1	<1	2	2	4	6	7
20-34	11	4.0	13	<1	<1	3	6	10	11	11
35-49	5	5.0	11	1	1	4	7	10	10	10
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	192	3.4	8	1	1	3	5	7	9	12
20-34	194	3.4	9	1	1	3	5	6	8	12
35-49	82	2.9	4	1	1	3	4	5	6	12
50-64	40	4.4	32	1	1	3	5	6	11	36
65+	55	4.8	26	1	1	3	7	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.1	6	<1	1	3	4	5	7	12
B. *Operated*	327	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	36	3.1	7	<1	<1	2	4	7	10	11
B. *Operated*	563	3.6	11	1	1	3	4	7	9	16
1. SINGLE DX	351	2.3	2	<1	1	2	3	5	5	7
2. MULTIPLE DX	599	3.5	11	1	1	3	4	7	9	15
A. NOT OPERATED	60	3.1	7	<1	1	2	4	6	10	12
B. OPERATED	890	3.1	8	1	1	2	4	6	8	13
TOTAL 0-19 YRS	372	2.8	5	<1	1	2	4	6	7	10
20-34	315	3.1	7	1	1	2	4	5	7	11
35-49	129	2.8	4	1	1	2	4	5	6	11
50-64	61	3.7	22	<1	1	3	4	6	8	33
65+	73	4.4	22	1	1	3	6	9	14	26
GRAND TOTAL	**950**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	2	<1	<1	1	2	3	4	8
20-34	30	2.0	2	<1	<1	1	2	5	5	6
35-49	11	1.5	1	<1	<1	1	2	3	3	3
50-64	7	1.1		<1	<1	1	1	2	2	2
65+	5	2.4	7	1	1	1	3	7	7	7
B. *Operated*										
0-19 YRS	236	1.7	3	<1	<1	1	2	4	5	8
20-34	102	2.7	12	<1	1	2	3	5	8	22
35-49	50	1.9	4	<1	<1	1	2	4	5	13
50-64	15	2.2	2	<1	<1	2	3	4	5	6
65+	18	1.7	1	<1	1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	2.4	4	<1	1	2	3	5	7	11
20-34	170	2.5	11	<1	<1	2	3	5	6	14
35-49	92	2.3	6	<1	<1	2	3	4	6	15
50-64	61	2.8	6	<1	1	2	3	5	8	12
65+	103	3.8	9	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	489	2.5	12	<1	1	1	3	5	7	21
20-34	592	3.0	14	<1	1	2	4	6	9	19
35-49	234	3.5	23	<1	1	2	4	7	11	21
50-64	144	3.7	29	1	1	2	4	7	9	32
65+	225	4.6	38	1	1	3	6	9	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	421	2.0	5	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	546	2.7	8	<1	1	2	3	6	8	13
B. *Operated*	1684	3.2	19	<1	1	2	4	7	9	22
1. SINGLE DX	513	2.0	4	<1	<1	1	2	4	5	11
2. MULTIPLE DX	2230	3.1	17	<1	1	2	3	6	9	20
A. NOT OPERATED	638	2.6	7	<1	1	2	3	5	7	13
B. OPERATED	2105	3.0	17	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	884	2.3	8	<1	1	1	2	4	6	16
20-34	894	2.9	13	<1	1	2	3	6	8	19
35-49	387	2.9	16	<1	1	2	3	6	9	19
50-64	227	3.3	21	<1	1	2	4	6	9	19
65+	351	4.2	28	1	1	3	5	8	11	22
GRAND TOTAL	**2743**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.8	12	<1	<1	1	2	2	3	25
20-34	137	1.4	1	<1	<1	1	2	2	4	4
35-49	34	1.6	1	<1	<1	1	2	3	4	6
50-64	8	1.9	2	<1	<1	1	2	4	5	5
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	92	1.9	2	<1	1	1	3	4	4	7
20-34	151	2.5	3	<1	<1	2	3	5	6	7
35-49	44	2.3	4	<1	<1	1	3	5	6	9
50-64	7	2.4	4	1	1	2	4	6	6	6
65+	4	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	1.8	1	<1	1	1	2	4	4	4
20-34	117	2.4	15	<1	1	1	2	4	6	20
35-49	36	3.2	21	1	1	2	4	6	7	28
50-64	13	2.9	5	<1	1	2	4	5	8	9
65+	19	6.7	99	1	1	5	8	10	30	46
B. *Operated*										
0-19 YRS	120	5.0	63	<1	1	3	6	10	14	48
20-34	282	5.5	34	<1	1	4	7	11	16	29
35-49	90	6.4	66	1	1	5	7	11	15	51
50-64	35	7.2	55	1	1	4	11	20	24	27
65+	29	7.2	149	<1	1	4	7	13	22	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	1.6	4	<1	<1	1	2	3	4	5
B. *Operated*	298	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	233	2.8	20	<1	1	2	3	5	7	30
B. *Operated*	556	5.8	53	<1	1	4	7	12	17	42
1. SINGLE DX	551	2.0	3	<1	<1	1	2	4	5	7
2. MULTIPLE DX	789	4.9	45	<1	1	3	6	10	13	40
A. NOT OPERATED	486	2.1	12	<1	<1	1	2	4	5	10
B. OPERATED	854	4.5	38	<1	1	3	5	9	12	30
TOTAL 0-19 YRS	330	3.0	28	<1	1	2	3	6	9	31
20-34	687	3.5	21	<1	1	2	4	7	10	24
35-49	204	4.2	38	<1	1	2	5	8	11	35
50-64	63	5.1	37	<1	1	2	6	13	21	27
65+	56	6.3	112	<1	1	3	7	12	18	65
GRAND TOTAL	**1340**	**3.7**	**30**	**<1**	**1**	**2**	**4**	**8**	**11**	**28**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.4	2	<1	1	2	3	5	6	7
20-34	122	2.8	3	<1	1	2	4	5	7	9
35-49	54	3.3	4	<1	1	3	4	6	7	9
50-64	14	2.7	2	<1	1	3	4	5	5	5
65+	13	2.7	3	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	549	1.9	5	<1	<1	1	2	4	6	11
20-34	978	2.1	5	<1	<1	1	2	4	6	11
35-49	418	2.2	6	<1	<1	1	2	5	7	14
50-64	187	2.1	4	<1	<1	1	2	4	6	10
65+	77	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.3	14	<1	<1	2	4	5	10	23
20-34	174	3.5	16	<1	1	2	4	6	9	22
35-49	73	2.8	4	1	1	2	4	5	6	10
50-64	36	3.7	8	<1	1	3	5	7	10	14
65+	41	5.6	40	<1	1	4	7	10	17	37
B. *Operated*										
0-19 YRS	484	2.9	33	<1	1	2	3	6	8	26
20-34	1094	3.1	16	<1	1	2	4	7	9	19
35-49	393	3.4	24	<1	1	2	3	7	11	31
50-64	218	4.0	46	1	1	2	4	9	12	23
65+	147	4.3	28	<1	1	2	5	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	3	<1	1	2	4	5	6	9
B. *Operated*	2209	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	395	3.6	16	<1	1	3	4	7	9	22
B. *Operated*	2336	3.3	25	<1	1	2	4	7	10	23
1. SINGLE DX	2475	2.2	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2731	3.3	23	<1	1	2	4	7	10	23
A. NOT OPERATED	661	3.3	11	<1	1	2	4	6	8	20
B. OPERATED	4545	2.7	16	<1	<1	1	3	6	8	18
TOTAL 0-19 YRS	1167	2.4	17	<1	<1	1	2	5	7	15
20-34	2368	2.7	11	<1	<1	2	3	6	8	16
35-49	938	2.8	14	<1	<1	2	3	6	8	20
50-64	455	3.1	25	<1	1	2	3	7	10	22
65+	278	3.8	23	<1	1	2	4	8	12	28
GRAND TOTAL	**5206**	**2.8**	**15**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.1	2	<1	1	2	3	4	7	8
20-34	94	2.6	4	<1	<1	2	3	5	7	11
35-49	32	3.9	59	<1	<1	2	4	5	6	45
50-64	14	4.4	49	<1	<1	2	4	16	23	25
65+	8	3.3	3	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	367	2.9	7	<1	<1	2	4	6	8	11
20-34	373	3.6	19	1	1	2	4	7	11	28
35-49	115	3.0	8	1	1	2	4	6	10	15
50-64	56	2.9	4	<1	<1	2	4	6	8	9
65+	34	4.5	10	<1	1	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.7	7	<1	1	3	5	8	9	11
20-34	82	4.8	35	<1	1	3	5	10	14	37
35-49	34	6.5	128	<1	1	4	6	10	13	68
50-64	33	5.7	16	<1	2	4	8	11	12	19
65+	37	5.0	8	2	2	5	6	8	14	99+
B. *Operated*										
0-19 YRS	218	5.9	97	1	1	3	6	11	21	57
20-34	302	6.6	77	1	1	4	8	13	20	50
35-49	128	7.7	95	1	1	4	9	18	32	45
50-64	64	6.0	32	1	1	4	8	15	19	23
65+	90	10.4	80	1	2	8	14	25	29	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	2.8	15	<1	1	2	3	5	7	19
B. *Operated*	945	3.3	12	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	237	5.0	36	1	1	3	6	9	12	47
B. *Operated*	802	7.0	83	1	1	4	8	15	25	51
1. SINGLE DX	1158	3.2	13	<1	1	2	4	6	9	16
2. MULTIPLE DX	1039	6.5	73	1	1	4	7	14	21	50
A. NOT OPERATED	450	3.9	27	<1	1	3	5	8	11	25
B. OPERATED	1747	5.0	48	<1	1	3	5	11	15	38
TOTAL 0-19 YRS	701	3.9	36	<1	1	2	4	7	10	31
20-34	851	4.7	42	<1	1	3	5	9	14	38
35-49	309	5.4	67	1	1	3	5	12	17	43
50-64	16	4.8	23	<1	1	3	6	11	15	23
65+	165	7.7	55	1	2	5	10	19	26	89
GRAND TOTAL	**2197**	**4.8**	**44**	**<1**	**1**	**3**	**5**	**10**	**14**	**38**

373:- Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	4.8	11	1	1	5	7	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	4	1	1	4	5	6	6	6
20-34	21	5.6	29	<1	<1	5	7	12	18	23
35-49	6	3.8	11	<1	<1	2	8	8	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	6	3.2	7	1	1	2	4	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.7	37	1	1	9	12	13	13	13
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	48	5.8	29	1	1	4	8	12	17	25
20-34	127	7.8	126	1	1	4	9	18	43	82
35-49	49	9.3	103	1	1	5	13	27	32	41
50-64	17	9.2	95	1	1	4	12	27	30	32
65+	13	8.8	102	1	1	4	12	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	9	<1	<1	3	7	8	8	8
B. *Operated*	39	4.7	19	<1	1	4	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	14	1	1	3	7	9	12	13
B. *Operated*	254	7.8	100	1	1	4	9	18	30	51
1. SINGLE DX	46	4.6	18	<1	1	4	6	9	12	23
2. MULTIPLE DX	269	7.6	96	1	1	4	9	18	29	50
A. NOT OPERATED	22	4.1	12	<1	1	3	7	9	11	13
B. OPERATED	293	7.4	90	1	1	4	9	18	29	48
TOTAL 0-19 YRS	60	5.3	25	1	1	4	7	11	16	25
20-34	158	7.2	107	1	1	4	8	17	27	75
35-49	57	8.5	93	<1	1	5	11	24	32	41
50-64	22	8.3	81	1	1	4	12	26	29	32
65+	18	7.6	78	1	1	4	10	25	29	29
GRAND TOTAL	**315**	**7.2**	**85**	**1**	**1**	**4**	**8**	**17**	**28**	**47**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	18	1	1	2	6	10	10	10
20-34	14	3.5	14	<1	1	2	4	8	13	15
35-49	5	6.0	19	2	2	4	10	12	12	12
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	76	2.7	5	<1	<1	2	4	5	6	13
20-34	167	2.3	4	<1	<1	2	3	4	7	10
35-49	82	2.9	13	<1	<1	2	3	6	9	23
50-64	24	3.1	7	<1	<1	3	4	6	10	10
65+	13	3.9	13	<1	<1	3	5	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.4	124	<1	<1	3	6	13	37	45
20-34	31	8.1	128	<1	1	4	8	28	31	47
35-49	40	7.6	57	1	2	5	10	15	24	37
50-64	25	9.2	101	<1	1	6	10	27	31	39
65+	37	8.5	29	2	2	7	11	17	20	22
B. *Operated*										
0-19 YRS	72	3.3	18	1	1	2	4	6	10	28
20-34	188	5.2	47	<1	1	3	5	11	19	52
35-49	108	5.9	54	1	1	3	7	14	20	44
50-64	62	5.9	47	1	1	3	6	14	16	36
65+	59	8.4	62	<1	1	6	12	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.9	15	1	1	2	4	11	12	15
B *Operated*	362	2.6	7	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	148	8.1	77	1	1	5	10	18	28	45
B. *Operated*	489	5.5	47	<1	1	3	6	13	19	38
1. SINGLE DX	391	2.7	8	<1	<1	2	3	6	9	14
2. MULTIPLE DX	637	6.1	55	1	1	4	7	14	21	39
A. NOT OPERATED	177	7.4	69	1	1	5	9	17	27	43
B. OPERATED	851	4.3	32	<1	1	2	5	10	15	32
TOTAL 0-19 YRS	167	3.3	22	<1	1	2	4	6	9	29
20-34	400	4.1	37	<1	1	2	4	9	15	34
35-49	235	5.1	42	<1	1	3	6	12	16	38
50-64	116	5.9	52	<1	1	3	6	14	22	37
65+	110	7.9	46	1	1	6	11	17	21	31
GRAND TOTAL	**1028**	**4.8**	**40**	**<1**	**1**	**3**	**5**	**11**	**17**	**36**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	4.1	5	1	1	4	5	7	8	11
20-34	64	3.7	6	1	1	3	5	6	8	15
35-49	22	3.9	4	1	1	4	5	6	7	8
50-64	6	3.0	3	1	1	3	5	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	7.3	28	1	1	8	12	13	13	13
20-34	4	7.3	47	1	1	6	13	15	15	15
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.8	7	1	1	4	5	6	10	14
20-34	77	2.9	5	<1	1	2	4	5	7	13
35-49	28	3.3	3	<1	1	3	5	6	6	7
50-64	21	3.9	8	1	1	3	4	7	11	14
65+	22	4.2	6	1	1	4	6	7	9	11
B. *Operated*										
0-19 YRS	20	5.3	13	1	2	4	7	11	12	13
20-34	26	3.5	9	<1	1	2	6	6	11	11
35-49	11	3.8	11	<1	<1	2	6	9	11	11
50-64	4	2.5	4	1	1	2	4	5	5	5
65+	10	4.7	17	1	1	3	5	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	3.9	5	1	1	4	5	6	8	11
B. *Operated*	16	5.6	24	1	1	4	10	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	242	3.5	6	1	1	3	5	6	7	14
B. *Operated*	71	4.2	11	<1	1	3	6	10	11	14
1. SINGLE DX	260	4.0	6	1	1	4	5	7	9	13
2. MULTIPLE DX	313	3.7	7	1	1	3	5	6	10	14
A. NOT OPERATED	486	3.7	6	1	1	3	5	6	8	13
B. OPERATED	87	4.4	14	1	1	3	6	11	12	15
TOTAL 0-19 YRS	269	4.2	7	1	1	4	5	7	10	13
20-34	171	3.4	7	1	1	3	5	6	8	15
35-49	64	3.6	4	<1	1	3	5	6	7	11
50-64	33	3.5	7	1	1	3	4	6	8	14
65+	36	4.1	9	1	1	3	5	8	11	14
GRAND TOTAL	**573**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	1.5	1	<1	<1	1	2	3	4	6
20-34	316	2.0	2	<1	1	1	2	4	5	8
35-49	159	2.2	3	<1	1	2	2	5	6	9
50-64	81	2.5	4	<1	1	2	3	5	6	11
65+	101	3.1	8	1	1	2	4	7	10	13
B. *Operated*										
0-19 YRS	78	1.9	5	<1	<1	1	2	3	5	15
20-34	71	2.7	6	<1	<1	2	3	6	8	13
35-49	28	2.3	2	<1	<1	2	3	4	5	7
50-64	20	2.6	2	<1	1	2	3	4	5	6
65+	21	4.0	4	<1	1	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	652	1.7	1	<1	1	1	2	3	4	7
20-34	880	2.4	5	<1	<1	2	3	5	6	10
35-49	458	2.7	4	1	1	2	3	6	7	9
50-64	404	3.8	14	1	1	3	5	9	10	19
65+	1288	5.0	18	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	109	3.3	18	1	1	2	3	6	8	26
20-34	166	3.3	16	<1	1	2	4	7	12	22
35-49	95	5.3	25	<1	1	4	7	12	16	23
50-64	80	5.8	27	1	1	4	7	12	14	31
65+	142	7.8	87	1	2	5	9	16	23	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	2.0	3	<1	1	1	2	4	6	9
B. *Operated*	218	2.5	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	3682	3.4	12	<1	1	2	4	7	10	17
B. *Operated*	592	5.0	39	1	1	3	6	11	16	25
1. SINGLE DX	1194	2.1	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX	4274	3.6	16	<1	1	2	4	8	11	19
A. NOT OPERATED	4658	3.1	10	<1	1	2	4	7	9	15
B. OPERATED	810	4.4	31	<1	1	3	5	10	14	24
TOTAL 0-19 YRS	1158	1.8	3	<1	<1	1	2	3	4	8
20-34	1433	2.4	6	<1	1	2	3	5	6	12
35-49	740	2.9	7	<1	1	2	4	6	8	13
50-64	585	3.8	15	1	1	3	5	9	11	20
65+	1552	5.1	24	1	1	4	7	10	13	23
GRAND TOTAL	**5468**	**3.3**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.5	1	<1	1	1	2	3	4	4
20-34	39	1.8	2	<1	<1	1	2	3	5	7
35-49	15	2.7	3	<1	1	2	4	5	6	7
50-64	6	9.0	194	1	1	3	8	34	37	37
65+	3	3.7	9	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	23	5.4	96	1	1	2	4	14	28	46
20-34	50	3.3	9	<1	1	2	4	7	9	16
35-49	22	3.4	23	<1	<1	1	3	9	17	19
50-64	11	3.3	13	<1	1	2	3	8	13	14
65+	4	3.3	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	4	1	1	3	4	6	7	8
20-34	56	3.9	12	1	1	3	5	8	11	17
35-49	11	4.2	7	1	1	4	6	8	9	9
50-64	5	2.2	3	1	1	2	3	5	5	5
65+	6	4.2	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	57	6.3	50	<1	1	4	8	15	25	33
20-34	103	5.4	30	1	1	4	7	13	17	27
35-49	59	4.6	18	<1	1	3	6	11	14	21
50-64	25	4.7	41	1	1	3	4	10	18	32
65+	12	10.3	199	1	1	6	12	30	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.5	18	<1	1	2	3	4	7	29
B. *Operated*	110	3.7	30	<1	1	2	4	8	14	30
2. MULTIPLE DX										
A. *Not Operated*	98	3.7	9	1	1	3	5	7	9	16
B. *Operated*	256	5.6	41	1	1	3	7	13	18	32
1. SINGLE DX	189	3.2	25	<1	1	2	3	7	9	30
2. MULTIPLE DX	354	5.1	33	1	1	3	6	11	16	31
A. NOT OPERATED	177	3.2	13	1	1	2	4	6	8	16
B. OPERATED	366	5.0	38	<1	1	3	6	11	16	32
TOTAL 0-19 YRS	116	4.9	47	1	1	3	5	11	18	37
20-34	248	4.1	19	1	1	2	5	9	14	20
35-49	107	4.1	16	<1	<1	3	5	8	13	20
50-64	47	4.6	49	1	1	3	4	10	17	37
65+	25	6.9	105	1	1	4	7	14	29	50
GRAND TOTAL	**543**	**4.4**	**31**	**<1**	**1**	**3**	**5**	**9**	**15**	**31**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.3	1	<1	<1	<1	1	3	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	9	1	1	3	6	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.2		<1	<1	1	1	2	2	2
B. *Operated*	15	1.4	1	<1	<1	1	1	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	7	3.3	5	1	1	3	4	7	8	8
1. SINGLE DX	25	1.3	1	<1	<1	1	1	2	4	4
2. MULTIPLE DX	14	2.5	3	<1	1	2	3	4	7	8
A. NOT OPERATED	17	1.4		<1	<1	1	2	2	3	3
B. OPERATED	22	2.0	3	<1	<1	1	3	4	6	8
TOTAL 0-19 YRS	20	1.3	1	<1	<1	<1	1	2	3	4
20-34	12	2.5	4	<1	<1	2	3	5	8	8
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
GRAND TOTAL	**39**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**4**	**4**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	459	1.2		<1	<1	1	1	1	2	4
20-34	93	1.4	2	<1	<1	1	1	2	4	9
35-49	66	1.1		<1	<1	1	1	2	2	2
50-64	64	1.2	1	<1	<1	1	1	2	3	5
65+	58	1.5	4	<1	<1	1	1	2	3	14
B. *Operated*										
0-19 YRS	208	1.4	1	<1	<1	1	1	2	3	9
20-34	21	3.3	9	<1	<1	2	5	8	9	11
35-49	18	2.1	3	<1	1	1	2	5	7	7
50-64	6	2.8	6	<1	<1	2	4	7	7	7
65+	14	2.3	5	1	1	1	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	1.8	3	<1	<1	1	2	4	5	10
20-34	37	1.9	2	<1	<1	1	3	4	5	6
35-49	49	2.2	4	<1	<1	1	3	5	7	11
50-64	81	3.2	39	<1	1	1	3	6	9	42
65+	182	3.2	10	1	1	2	4	7	10	15
B. *Operated*										
0-19 YRS	64	2.7	7	<1	1	2	3	7	10	12
20-34	29	4.3	17	<1	<1	2	6	11	12	16
35-49	40	7.8	210	1	1	4	8	11	35	79
50-64	46	8.2	214	<1	1	3	10	15	28	94
65+	123	6.8	154	1	1	3	7	13	22	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	740	1.2	1	<1	<1	1	1	2	2	5
B. *Operated*	267	1.7	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	497	2.6	12	<1	1	1	3	5	8	14
B. *Operated*	302	6.1	129	<1	1	3	7	12	17	79
1. SINGLE DX	1007	1.3	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	799	3.9	59	<1	1	2	4	9	12	32
A. NOT OPERATED	1237	1.8	6	<1	<1	1	2	3	5	11
B. OPERATED	569	4.0	74	<1	1	1	4	9	12	51
TOTAL 0-19 YRS	879	1.5	2	<1	<1	1	1	2	3	9
20-34	180	2.2	6	<1	<1	1	2	5	8	12
35-49	173	3.1	56	<1	<1	1	2	7	10	46
50-64	197	3.7	72	<1	1	1	3	9	12	42
65+	377	4.1	60	1	1	2	4	9	13	33
GRAND TOTAL	**1806**	**2.5**	**28**	**<1**	**<1**	**1**	**2**	**5**	**8**	**17**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	16	1	1	2	8	10	11	11
20-34	11	6.5	49	1	1	4	12	18	20	20
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	5	7.6	47	1	1	7	10	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	54	5.7	39	1	1	4	8	10	14	41
20-34	67	6.2	56	<1	1	4	7	11	19	47
35-49	19	4.7	31	<1	<1	3	6	11	18	24
50-64	16	8.9	51	2	3	7	12	21	25	26
65+	10	4.7	6	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.5	87	<1	1	4	10	19	26	50
20-34	43	5.7	23	1	1	3	10	13	15	16
35-49	19	5.6	25	1	2	5	7	12	18	21
50-64	13	8.5	63	1	1	7	14	21	24	25
65+	19	10.7	35	4	4	10	12	17	24	29
B. *Operated*										
0-19 YRS	134	11.3	120	<1	1	8	15	26	38	50
20-34	164	15.6	215	1	2	12	21	41	48	99
35-49	88	21.6	346	2	5	17	31	50	73	99+
50-64	60	18.7	259	3	4	14	27	38	49	75
65+	74	26.6	514	5	6	18	37	56	79	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.3	29	1	1	4	7	15	19	20
B. *Operated*	166	6.0	44	1	1	4	8	12	17	39
2. MULTIPLE DX										
A. *Not Operated*	151	7.3	54	1	1	5	11	15	21	32
B. *Operated*	520	17.4	284	1	2	12	23	42	52	94
1. SINGLE DX	199	5.9	42	1	1	4	8	12	18	34
2. MULTIPLE DX	671	15.1	250	1	2	10	20	38	49	92
A. NOT OPERATED	184	6.9	50	1	1	4	10	15	20	31
B. OPERATED	686	14.7	250	1	2	9	19	37	49	91
TOTAL 0-19 YRS	256	9.0	97	1	1	6	12	22	30	49
20-34	285	11.5	164	1	1	8	15	28	44	83
35-49	131	16.1	303	1	2	10	23	43	64	99+
50-64	94	15.0	206	1	2	11	20	35	44	72
65+	104	21.4	441	3	4	13	29	49	71	94
GRAND TOTAL	**870**	**13.0**	**217**	**1**	**1**	**8**	**16**	**33**	**47**	**84**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.7	13	1	1	2	5	7	11	18
20-34	96	3.4	16	<1	1	2	4	10	11	21
35-49	40	3.7	24	1	1	2	3	10	14	24
50-64	20	4.8	41	<1	1	2	5	17	20	21
65+	6	8.0	23	<1	<1	9	12	13	13	13
B. *Operated*										
0-19 YRS	36	5.6	28	<1	<1	4	8	16	18	18
20-34	34	7.3	63	<1	1	5	9	19	24	37
35-49	20	6.4	33	1	1	3	9	17	18	18
50-64	12	3.4	6	<1	1	3	5	8	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	385	4.1	18	1	1	3	5	10	12	20
20-34	250	4.4	22	1	1	3	6	10	14	21
35-49	121	5.8	34	1	1	4	9	13	17	27
50-64	75	5.7	29	1	1	4	8	15	18	22
65+	70	8.6	178	1	2	5	8	16	23	89
B. *Operated*										
0-19 YRS	121	9.2	139	<1	1	6	11	19	29	67
20-34	85	9.2	73	1	1	7	13	19	21	48
35-49	60	15.8	209	2	3	12	22	32	44	82
50-64	46	12.7	142	1	2	9	17	27	42	50
65+	37	13.9	137	1	2	12	16	28	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.8	18	1	1	2	4	10	12	21
B. *Operated*	102	6.0	39	<1	1	4	8	16	18	31
2. MULTIPLE DX										
A. *Not Operated*	901	4.9	36	1	1	3	6	11	15	23
B. *Operated*	349	11.3	141	1	1	8	15	25	33	64
1. SINGLE DX	378	4.4	24	1	1	2	6	11	16	23
2. MULTIPLE DX	1250	6.7	73	1	1	4	8	15	21	44
A. NOT OPERATED	1177	4.6	32	1	1	3	6	11	15	23
B. OPERATED	451	10.1	122	1	1	7	14	22	29	56
TOTAL 0-19 YRS	656	5.0	43	1	1	3	6	11	15	32
20-34	465	5.3	37	1	1	3	7	12	18	28
35-49	241	8.0	96	1	1	4	11	19	25	45
50-64	153	7.5	74	1	1	4	10	19	24	43
65+	113	10.3	161	1	2	7	13	21	28	77
GRAND TOTAL	**1628**	**6.2**	**63**	**1**	**1**	**4**	**8**	**14**	**19**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.0	94	<1	<1	2	5	11	29	43
20-34	39	3.7	8	<1	<1	3	5	8	10	11
35-49	14	1.9	2	<1	1	1	3	4	4	4
50-64	12	4.3	11	1	1	3	5	10	12	12
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	53	1.6	1	<1	<1	1	2	3	4	7
20-34	102	2.4	9	<1	<1	1	2	4	9	16
35-49	45	2.7	11	<1	<1	2	3	7	10	15
50-64	27	2.1	5	<1	<1	2	2	3	5	13
65+	7	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	10	<1	<1	2	3	7	10	14
20-34	55	4.4	37	<1	<1	2	5	10	16	35
35-49	38	4.5	23	<1	1	3	5	11	15	22
50-64	27	4.8	42	<1	<1	2	5	11	17	32
65+	33	8.3	63	1	2	6	10	18	28	36
B. *Operated*										
0-19 YRS	98	3.3	40	<1	<1	1	2	7	12	38
20-34	190	3.2	17	<1	1	2	3	7	10	19
35-49	73	6.2	177	<1	1	2	6	11	18	86
50-64	49	10.5	418	<1	<1	3	10	36	67	85
65+	27	14.3	386	1	1	4	17	52	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.7	26	<1	1	2	4	7	11	32
B. *Operated*	234	2.2	7	<1	<1	1	2	4	8	15
2. MULTIPLE DX										
A. *Not Operated*	176	5.0	38	<1	1	3	6	12	17	35
B. *Operated*	437	5.2	126	<1	1	2	4	10	18	61
1. SINGLE DX	320	2.6	12	<1	<1	2	3	5	9	15
2. MULTIPLE DX	613	5.2	100	<1	1	2	5	10	18	60
A. NOT OPERATED	262	4.6	34	<1	1	3	5	10	14	35
B. OPERATED	671	4.2	86	<1	<1	2	3	8	13	58
TOTAL 0-19 YRS	193	3.0	32	<1	<1	1	2	5	10	38
20-34	386	3.2	17	<1	<1	2	3	7	11	19
35-49	170	4.5	86	<1	1	2	4	10	15	46
50-64	115	6.5	200	<1	<1	2	5	10	31	83
65+	69	9.8	195	1	1	4	10	31	46	60
GRAND TOTAL	**933**	**4.3**	**72**	**<1**	**<1**	**2**	**4**	**9**	**14**	**46**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.7	1	<1	1	1	2	3	4	7
20-34	175	2.3	6	<1	1	2	3	4	6	17
35-49	62	2.2	3	<1	1	2	3	4	7	7
50-64	27	3.0	10	<1	1	2	3	8	10	13
65+	31	3.3	4	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	41	2.0	3	<1	<1	1	3	4	5	9
20-34	104	3.8	14	<1	1	2	4	8	12	18
35-49	24	5.1	31	1	1	4	6	9	16	28
50-64	12	4.1	11	<1	1	3	6	8	12	13
65+	10	6.9	21	1	1	6	11	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	2.6	10	<1	1	2	3	5	7	17
20-34	286	2.8	7	<1	1	2	3	6	7	16
35-49	151	3.4	11	1	1	2	5	7	8	10
50-64	106	3.9	7	1	1	3	5	7	9	13
65+	219	5.9	28	1	1	5	7	12	16	28
B. *Operated*										
0-19 YRS	83	5.5	62	1	1	3	6	11	17	50
20-34	178	7.4	88	1	1	5	9	17	22	33
35-49	90	7.7	81	1	1	4	9	19	24	48
50-64	64	10.4	244	1	1	5	10	24	45	80
65+	68	11.3	141	2	2	7	16	22	33	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	2.2	4	<1	1	2	3	4	6	12
B. *Operated*	191	3.8	15	<1	1	2	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	943	3.7	15	1	1	3	5	7	10	18
B. *Operated*	483	8.1	113	1	1	5	10	18	25	59
1. SINGLE DX	631	2.7	8	<1	1	2	3	6	8	15
2. MULTIPLE DX	1426	5.2	52	1	1	3	6	11	17	33
A. NOT OPERATED	1383	3.2	12	<1	1	2	4	7	9	18
B. OPERATED	674	6.9	89	1	1	4	8	16	21	52
TOTAL 0-19 YRS	450	2.8	18	<1	1	2	3	5	8	19
20-34	743	3.9	31	<1	1	2	4	8	13	25
35-49	327	4.5	34	1	1	3	5	9	15	29
50-64	209	5.8	89	1	1	4	6	10	14	65
65+	328	6.8	54	1	1	5	8	15	18	35
GRAND TOTAL	**2057**	**4.4**	**40**	**<1**	**1**	**2**	**5**	**9**	**14**	**31**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1149	1.3	1	<1	<1	1	1	2	3	4
20-34	458	1.6	1	<1	<1	1	2	3	4	6
35-49	206	1.7	2	<1	<1	1	2	3	4	9
50-64	57	1.8	2	<1	<1	1	2	3	4	7
65+	58	2.6	4	<1	1	2	4	5	7	10
B. *Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	6	4.2	13	1	1	4	7	9	9	9
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1507	2.7	23	<1	1	1	3	4	7	25
20-34	2535	2.9	19	<1	<1	2	3	6	9	24
35-49	1417	3.2	19	<1	1	2	3	7	10	23
50-64	700	4.4	25	1	1	3	5	9	13	29
65+	1158	5.0	16	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	36	7.6	141	1	1	4	9	26	51	99+
20-34	100	8.8	248	1	1	4	8	19	25	90
35-49	69	9.0	85	1	2	5	13	21	26	41
50-64	52	10.1	84	1	2	7	13	22	33	41
65+	89	10.1	66	2	3	8	14	19	29	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1928	1.5	1	<1	<1	1	2	3	3	6
B. *Operated*	17	3.8	11	<1	1	2	5	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	7317	3.4	21	<1	1	2	4	7	11	24
B. *Operated*	346	9.2	132	1	1	6	12	21	29	82
1. SINGLE DX	1945	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	7663	3.7	27	<1	1	2	4	8	12	27
A. NOT OPERATED	9245	3.0	17	<1	1	2	3	6	9	22
B. OPERATED	363	9.0	128	1	1	5	11	20	28	81
TOTAL 0-19 YRS	2697	2.2	16	<1	<1	1	2	4	5	20
20-34	3099	2.9	25	<1	<1	2	3	6	9	24
35-49	1695	3.3	22	<1	1	2	3	7	11	24
50-64	811	4.5	30	1	1	3	5	10	15	30
65+	1306	5.2	21	1	1	4	6	11	14	25
GRAND TOTAL	**9608**	**3.2**	**23**	**<1**	**1**	**2**	**3**	**7**	**10**	**24**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	1.3	1	<1	<1	1	1	2	3	4
20-34	257	1.6	1	<1	1	1	2	3	4	6
35-49	135	1.6	1	<1	1	1	2	3	4	6
50-64	63	1.5	1	<1	1	1	2	3	4	4
65+	31	2.1	9	<1	1	1	1	7	12	12
B. *Operated*										
0-19 YRS	7	3.4	6	1	1	3	5	7	8	8
20-34	10	3.4	4	1	1	3	4	6	8	8
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	2.1	19	<1	1	1	2	3	5	11
20-34	325	2.8	15	<1	1	2	3	6	9	25
35-49	202	2.5	8	<1	1	2	3	5	7	16
50-64	138	3.0	11	<1	1	2	4	6	9	21
65+	156	4.2	49	1	1	2	4	9	15	18
B. *Operated*										
0-19 YRS	18	6.2	34	1	1	4	8	12	19	24
20-34	21	8.1	244	<1	1	3	7	16	47	72
35-49	20	5.9	22	<1	1	4	8	13	16	17
50-64	17	14.8	537	1	2	7	17	40	77	94
65+	11	10.5	122	2	3	8	10	26	41	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	946	1.5	1	<1	1	1	2	3	4	6
B. *Operated*	21	4.9	46	1	1	3	5	8	19	33
2. MULTIPLE DX										
A. *Not Operated*	1084	2.8	19	<1	1	2	3	6	8	17
B. *Operated*	87	8.8	193	1	1	4	9	17	28	86
1. SINGLE DX	967	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	1171	3.2	35	<1	1	2	3	6	10	25
A. NOT OPERATED	2030	2.2	11	<1	1	1	2	4	6	15
B. OPERATED	108	8.0	166	1	1	4	8	16	27	81
TOTAL 0-19 YRS	748	1.7	8	<1	<1	1	2	3	4	8
20-34	613	2.5	18	<1	1	1	3	5	7	19
35-49	359	2.4	7	<1	1	1	3	4	7	16
50-64	219	3.5	58	1	1	2	3	6	10	31
65+	199	4.4	53	1	1	2	4	10	15	38
GRAND TOTAL	**2138**	**2.5**	**21**	**<1**	**1**	**1**	**2**	**5**	**7**	**17**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	1.5	3	<1	<1	1	2	2	3	6
20-34	134	1.6	1	<1	<1	1	2	3	3	6
35-49	102	1.8	1	<1	1	1	2	4	5	6
50-64	86	1.9	3	<1	<1	1	2	3	5	10
65+	56	2.1	3	1	1	2	3	3	5	11
B. *Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	13	8.2	146	1	1	2	10	29	38	40
35-49	7	2.7	7	1	1	2	4	7	8	8
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	2.5	9	1	1	2	3	5	6	16
20-34	309	3.0	11	<1	1	2	3	6	9	19
35-49	277	3.4	17	1	1	2	4	8	11	22
50-64	394	3.8	15	1	1	3	5	8	10	18
65+	879	4.4	13	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	24	8.4	174	<1	1	5	8	54	99+	99+
20-34	29	14.2	425	1	1	9	19	47	97	99+
35-49	29	7.2	52	1	1	6	10	22	29	99+
50-64	67	11.2	196	1	1	5	14	31	41	69
65+	102	11.6	224	1	2	7	13	28	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	29	5.5	72	1	1	2	6	12	27	40
2. MULTIPLE DX										
A. *Not Operated*	2169	3.7	13	1	1	3	5	8	11	18
B. *Operated*	251	11.0	215	1	1	6	13	29	54	99+
1. SINGLE DX	622	1.9	6	<1	1	1	2	3	4	10
2. MULTIPLE DX	2420	4.5	39	1	1	3	5	9	14	33
A. NOT OPERATED	2762	3.3	12	1	1	2	4	7	10	17
B. OPERATED	280	10.4	203	1	1	6	13	29	50	99+
TOTAL 0-19 YRS	552	2.4	16	<1	1	1	2	4	6	25
20-34	485	3.4	44	<1	1	2	3	7	13	34
35-49	415	3.3	17	<1	1	2	4	8	11	25
50-64	550	4.4	41	1	1	3	5	9	14	36
65+	1040	5.0	38	1	1	3	6	10	13	28
GRAND TOTAL	**3042**	**3.9**	**33**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.1	2	<1	<1	2	3	4	5	6
20-34	46	3.8	21	<1	<1	2	4	9	16	19
35-49	37	3.6	7	<1	1	3	5	8	10	11
50-64	37	5.1	26	<1	1	3	6	12	15	25
65+	59	4.3	14	<1	1	3	6	10	13	15
B. *Operated*										
0-19 YRS	214	3.4	11	<1	<1	2	4	8	10	15
20-34	423	3.7	22	<1	<1	2	4	8	12	23
35-49	378	4.5	21	<1	<1	3	6	11	13	20
50-64	525	5.8	36	<1	1	4	9	12	16	31
65+	881	5.6	33	1	1	3	8	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.3	19	1	1	3	6	9	13	24
20-34	139	5.2	40	<1	1	3	6	12	16	35
35-49	147	4.7	16	1	1	3	7	11	12	17
50-64	248	5.9	31	<1	1	5	7	11	16	31
65+	460	6.2	35	1	1	4	8	14	19	30
B. *Operated*										
0-19 YRS	622	6.9	76	<1	1	4	8	15	24	56
20-34	969	6.5	71	1	1	4	8	14	18	43
35-49	1274	7.2	90	1	1	4	9	15	21	50
50-64	2241	8.3	92	1	1	5	11	19	27	49
65+	3761	9.1	108	1	1	6	12	20	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.8	15	<1	1	2	5	9	12	18
B. *Operated*	2421	4.9	29	<1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	1123	5.6	31	1	1	4	7	12	16	29
B. *Operated*	8867	8.2	96	1	1	5	10	18	26	53
1. SINGLE DX	2638	4.9	28	<1	1	3	7	11	14	24
2. MULTIPLE DX	9990	7.9	89	1	1	5	10	17	25	51
A. NOT OPERATED	1340	5.3	29	1	1	4	7	12	15	27
B. OPERATED	11288	7.5	83	1	1	4	10	17	24	49
TOTAL 0-19 YRS	1003	5.7	55	<1	1	3	7	12	18	48
20-34	1577	5.6	55	<1	1	3	7	12	17	35
35-49	1836	6.3	70	1	1	4	8	13	18	42
50-64	3051	7.6	78	1	1	5	10	17	24	46
65+	5161	8.2	90	1	1	5	11	18	26	52
GRAND TOTAL	**12628**	**7.3**	**78**	**1**	**1**	**4**	**9**	**16**	**23**	**47**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	1.5	2	<1	<1	1	1	3	4	9
20-34	156	2.1	3	<1	1	2	3	4	5	10
35-49	88	2.3	3	1	1	2	3	4	6	9
50-64	109	2.7	4	1	1	2	4	5	6	49
65+	133	2.8	3	1	1	3	4	5	6	9
B. *Operated*										
0-19 YRS	149	1.6	2	<1	<1	1	2	3	5	6
20-34	198	2.1	6	<1	1	1	3	4	5	12
35-49	115	2.4	3	<1	1	2	3	5	6	9
50-64	67	3.0	7	<1	1	2	4	6	9	15
65+	70	3.7	10	<1	1	3	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.0	3	<1	1	1	2	4	6	10
20-34	98	3.1	5	1	1	3	4	6	7	13
35-49	95	3.4	6	1	1	3	5	6	8	12
50-64	151	3.3	8	1	1	3	4	6	7	19
65+	312	3.8	9	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	37	2.6	9	<1	<1	2	3	5	10	15
20-34	127	4.1	18	1	1	3	5	8	12	23
35-49	102	5.8	51	1	1	3	7	12	17	43
50-64	129	5.1	24	1	1	4	7	12	15	23
65+	235	6.3	59	1	1	4	8	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	2.3	3	<1	1	2	3	4	6	10
B. *Operated*	599	2.3	5	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	697	3.4	8	1	1	3	4	7	8	14
B. *Operated*	630	5.3	40	1	1	3	6	12	15	29
1. SINGLE DX	1178	2.3	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	1327	4.3	24	1	1	3	5	9	13	24
A. NOT OPERATED	1276	2.9	6	1	1	2	4	6	7	13
B. OPERATED	1229	3.9	26	<1	1	2	4	8	13	25
TOTAL 0-19 YRS	320	1.7	3	<1	<1	1	2	3	5	10
20-34	579	2.7	8	<1	1	2	3	5	7	14
35-49	400	3.5	18	1	1	2	4	7	10	19
50-64	456	3.6	12	1	1	3	4	7	11	19
65+	750	4.4	25	1	1	3	5	9	13	25
GRAND TOTAL	**2505**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	4.0	6	1	2	3	5	8	9	12
20-34	126	4.7	11	1	2	4	6	8	10	19
35-49	103	5.1	9	2	2	4	6	8	11	17
50-64	63	5.9	14	1	2	5	8	12	13	16
65+	51	5.8	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	53	5.8	15	<1	1	5	8	10	14	19
20-34	114	6.0	19	1	1	5	8	12	17	19
35-49	98	6.4	19	1	2	6	9	13	15	20
50-64	64	7.8	83	1	1	5	9	17	25	48
65+	53	7.7	53	1	1	6	10	18	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.7	11	1	2	4	6	9	10	20
20-34	184	5.3	13	2	2	4	7	10	14	17
35-49	204	6.6	29	2	2	5	8	13	18	29
50-64	225	8.0	41	2	3	7	10	15	18	43
65+	366	8.1	41	2	3	6	10	15	18	33
B. *Operated*										
0-19 YRS	90	9.9	87	1	2	8	13	19	22	56
20-34	244	11.5	115	2	3	9	15	26	32	70
35-49	243	11.3	117	2	3	8	14	24	34	70
50-64	318	13.7	146	2	3	10	18	30	41	72
65+	376	14.3	131	2	3	12	18	29	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	5.0	11	1	2	4	6	9	12	17
B. *Operated*	382	6.6	34	1	1	5	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	1059	7.1	33	2	2	5	9	14	17	31
B. *Operated*	1271	12.8	128	2	3	10	16	27	37	68
1. SINGLE DX	786	5.8	23	1	2	4	7	11	14	23
2. MULTIPLE DX	2330	10.2	93	2	2	7	13	21	30	59
A. NOT OPERATED	1463	6.5	28	2	2	5	8	13	15	28
B. OPERATED	1653	11.3	113	1	2	8	15	24	33	63
TOTAL 0-19 YRS	284	6.4	41	1	2	5	8	13	17	27
20-34	668	7.6	60	1	2	5	9	16	21	50
35-49	648	8.1	64	2	2	6	9	16	21	41
50-64	670	10.5	102	2	2	7	13	22	32	61
65+	846	10.7	91	2	3	8	14	22	29	52
GRAND TOTAL	**3116**	**9.1**	**79**	**2**	**2**	**6**	**11**	**19**	**27**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	3	<1	1	2	3	5	6	7
20-34	94	3.3	8	1	1	2	5	8	9	11
35-49	98	4.6	15	1	1	3	7	10	13	17
50-64	86	4.0	12	<1	1	3	6	8	11	17
65+	65	3.9	8	1	1	3	5	8	10	12
B. *Operated*										
0-19 YRS	44	3.4	13	<1	<1	2	4	7	11	18
20-34	136	4.7	78	<1	<1	2	5	10	13	38
35-49	151	4.7	26	<1	1	3	5	10	15	25
50-64	117	5.2	35	<1	1	3	7	11	18	29
65+	126	4.3	30	<1	<1	2	5	9	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	2.2	4	<1	1	1	3	5	7	10
20-34	281	3.5	11	1	1	2	4	8	11	17
35-49	280	4.4	21	1	1	3	6	9	14	28
50-64	354	5.5	29	1	1	4	7	11	16	27
65+	529	6.0	46	1	1	4	8	11	16	38
B. *Operated*										
0-19 YRS	146	6.5	119	<1	1	3	8	14	27	95
20-34	334	7.2	83	1	1	5	9	15	22	51
35-49	425	8.6	77	1	1	7	10	18	27	50
50-64	596	9.0	90	1	1	6	11	21	29	47
65+	887	8.8	85	1	1	6	12	19	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	3.8	10	1	1	3	5	8	10	14
B. *Operated*	574	4.6	40	<1	<1	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	1571	4.8	29	1	1	3	6	10	14	30
B. *Operated*	2388	8.5	87	1	1	6	11	19	27	49
1. SINGLE DX	964	4.3	28	<1	1	3	5	9	12	23
2. MULTIPLE DX	3959	7.0	67	1	1	5	9	15	23	43
A. NOT OPERATED	1961	4.6	26	1	1	3	6	10	13	25
B. OPERATED	2962	7.7	80	1	1	5	10	17	25	46
TOTAL 0-19 YRS	364	4.1	55	<1	1	2	4	9	13	39
20-34	845	5.1	53	1	1	3	6	11	15	35
35-49	954	6.4	50	1	1	4	8	14	19	40
50-64	1153	7.2	63	1	1	5	9	16	23	42
65+	1607	7.3	67	1	1	5	9	16	23	40
GRAND TOTAL	**4923**	**6.5**	**61**	**1**	**1**	**4**	**8**	**14**	**21**	**39**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	1	1	2	2	3	3	3
20-34	8	1.9	1	1	1	2	3	3	3	3
35-49	7	2.0	2	1	1	1	3	4	4	4
50-64	9	4.6	14	1	1	5	5	10	13	13
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	5	5.0	9	1	1	4	8	8	8	8
35-49	3	7.0	39	2	2	5	12	14	14	14
50-64	3	5.0	13	2	2	4	8	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	6	<1	1	3	4	7	9	12
20-34	25	3.5	7	<1	1	3	4	7	9	13
35-49	21	4.6	17	1	1	3	8	11	13	14
50-64	32	3.6	6	1	1	3	4	8	9	10
65+	62	4.5	27	1	1	3	6	9	14	30
B. *Operated*										
0-19 YRS	3	11.0	169	3	3	4	20	26	26	26
20-34	10	11.8	214	1	1	6	12	36	49	49
35-49	8	10.8	359	1	1	3	9	43	57	57
50-64	11	5.6	46	<1	<1	2	7	18	21	21
65+	14	10.1	79	1	1	8	12	22	31	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.5	5	1	1	2	3	5	6	13
B. *Operated*	14	4.8	14	<1	1	4	8	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	165	4.1	15	1	1	3	5	9	11	18
B. *Operated*	46	9.6	145	1	1	5	12	23	37	57
1. SINGLE DX	52	3.1	8	1	1	2	4	7	9	14
2. MULTIPLE DX	211	5.3	48	1	1	3	6	11	16	40
A. NOT OPERATED	203	3.8	14	1	1	3	5	8	11	17
B. OPERATED	60	8.5	117	1	1	4	10	21	30	56
TOTAL 0-19 YRS	43	3.4	17	<1	1	2	4	5	9	26
20-34	48	5.1	58	1	1	3	5	10	14	49
35-49	39	5.6	86	1	1	3	7	11	14	57
50-64	55	4.3	15	1	1	3	5	9	12	21
65+	78	5.5	40	1	1	3	7	12	18	33
GRAND TOTAL	**263**	**4.8**	**41**	**1**	**1**	**3**	**5**	**10**	**14**	**34**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.1		<1	<1	<1	<1	2	2	2
20-34	1715	1.2		<1	<1	<1	1	2	2	4
35-49	905	1.2		<1	<1	<1	1	2	2	3
50-64	4	1.0		1	1	1	1	1	1	1
65+	3	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	1.3	1	<1	<1	<1	1	2	4	4
35-49	7	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.0	3	<1	<1	3	4	5	5	5
20-34	745	1.6	2	<1	<1	1	2	3	4	6
35-49	449	1.6	2	<1	<1	1	2	3	4	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	2635	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	31	1.2	1	<1	<1	<1	1	2	4	4
B. *Operated*	1207	1.6	2	<1	<1	1	2	3	4	6
1. SINGLE DX	2642	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	1238	1.6	2	<1	<1	1	2	3	4	6
A. NOT OPERATED	38	1.2		<1	<1	<1	1	1	3	4
B. OPERATED	3842	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	20	2.3	3	<1	<1	1	4	5	5	5
20-34	2487	1.3	1	<1	<1	1	1	2	3	5
35-49	1365	1.3	1	<1	<1	1	1	2	3	4
50-64	5	1.0		1	1	1	1	1	1	1
65+	3	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**3880**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	8.0		8	8	8	8	8	8	8
1000-1499	1	30.0		30	30	30	30	30	30	30
1500-1749	3	11.3	10	9	9	10	14	15	15	15
1750-2499	1600	2.2	2	1	1	2	3	4	4	6
2500+	117000	2.1	1	1	1	2	3	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	19.5	61	14	14	19	25	25	25	25
2500+	26	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	14	73.6	339	37	60	76	90	98	99+	99+
1000-1499	160	37.2	287	12	17	35	49	62	68	99
1500-1749	252	23.7	138	9	11	22	29	37	44	64
1750-2499	4989	6.0	34	1	2	4	7	14	18	28
2500+	70462	3.0	3	1	1	3	4	5	6	9
B. *Operated*										
1-999 G	60	71.4	358	53	59	93	99+	99+	99+	99+
1000-1499	276	50.3	323	25	30	50	65	90	99+	99+
1500-1749	188	32.5	214	13	18	30	39	55	75	99+
1750-2499	748	15.3	143	2	4	13	20	28	36	76
2500+	2048	6.9	60	1	2	5	8	13	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118605	2.1	1	1	1	2	3	4	4	5
B. *Operated*	28	3.8	24	1	1	2	4	7	15	25
2. MULTIPLE DX										
A. *Not Operated*	75877	3.3	12	1	1	3	4	5	7	16
B. *Operated*	3320	15.0	333	1	2	8	20	47	71	99+
1. SINGLE DX	118633	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX	79197	3.8	31	1	1	3	4	6	8	30
A. NOT OPERATED	194482	2.6	6	1	1	2	3	4	5	10
B. OPERATED	3348	14.9	332	1	2	8	20	47	71	99+
TOTAL 1-999 G	75	71.0	400	39	59	88	99+	99+	99+	99+
1000-1499	437	45.5	349	17	24	45	61	79	99	99+
1500-1749	443	27.3	190	10	12	25	34	46	55	99+
1750-2499	7339	6.1	50	1	1	4	7	15	20	32
2500+	189536	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**197830**	**2.8**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	14.5	5	13	13	14	16	16	16	16
1500-1749	2	10.5	13	8	8	10	13	13	13	13
1750-2499	187	4.0	4	2	2	4	5	6	8	13
2500+	980	3.3	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	56.5	1513	29	29	84	96	99+	99+	99+
1000-1499	38	39.6	229	15	22	40	49	59	66	75
1500-1749	69	22.8	73	9	13	23	29	34	36	50
1750-2499	930	7.6	28	2	3	6	10	15	18	27
2500+	940	4.5	6	2	2	4	5	7	8	14
B. *Operated*										
1-999 G	8	69.4	290	47	55	99+	99+	99+	99+	99+
1000-1499	53	48.1	327	22	26	48	62	76	85	99+
1500-1749	50	33.5	147	15	18	32	39	47	53	75
1750-2499	170	17.5	127	3	5	15	24	33	38	50
2500+	36	9.3	90	2	2	7	10	17	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	3.5	3	1	2	3	4	5	6	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1979	7.3	58	2	2	5	8	15	21	44
B. *Operated*	317	25.5	370	4	6	22	38	59	78	99+
1. SINGLE DX	1172	3.5	3	1	2	3	4	5	6	10
2. MULTIPLE DX	2296	9.8	141	2	3	5	11	24	36	71
A. NOT OPERATED	3150	5.9	41	2	2	4	6	12	17	35
B. OPERATED	318	25.5	370	4	5	22	38	59	78	99+
TOTAL 1-999 G	10	66.8	423	36	48	96	99+	99+	99+	99+
1000-1499	93	43.9	313	16	23	44	56	68	78	99
1500-1749	121	27.0	134	10	13	26	34	41	48	64
1750-2499	1287	8.4	52	2	3	6	11	17	23	35
2500+	1957	4.0	6	1	2	4	5	6	7	13
GRAND TOTAL	**3468**	**7.7**	**103**	**2**	**2**	**4**	**7**	**17**	**29**	**61**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	**Title**
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	9	1.8	2	1	1	1	2	4	5	5
2500+	303	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	3	54.3	1436	30	30	35	82	98	98	98
1500-1749	3	28.3	20	24	24	28	32	33	33	33
1750-2499	48	5.7	25	1	1	4	8	12	16	22
2500+	172	2.6	4	1	1	2	3	5	7	10
B. *Operated*										
1-999 G	1	65.0		65	65	65	65	65	65	65
1000-1499	2	64.5	1741	35	35	64	94	94	94	94
1500-1749	3	20.7	17	16	16	22	23	24	24	24
1750-2499	12	16.0	271	1	4	8	23	41	56	59
2500+	20	6.5	34	1	1	5	9	15	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	1.8	1	<1	<1	1	2	3	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	226	4.3	65	1	1	2	4	8	13	33
B. *Operated*	38	15.2	388	1	1	7	21	34	63	94
1. SINGLE DX	312	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	264	5.9	125	1	1	2	5	12	23	64
A. NOT OPERATED	538	2.8	29	<1	<1	2	3	5	7	24
B. OPERATED	38	15.2	388	1	1	7	21	34	63	94
TOTAL 1-999 G	1	65.0		65	65	65	65	65	65	65
1000-1499	5	58.4	1184	30	30	35	95	98	98	98
1500-1749	6	24.5	33	16	17	24	28	32	33	33
1750-2499	69	7.0	81	1	1	4	8	15	22	54
2500+	495	2.2	4	<1	<1	2	3	4	6	11
GRAND TOTAL	**576**	**3.6**	**62**	**<1**	**1**	**2**	**3**	**6**	**11**	**34**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	2	<1	<1	1	3	4	4	4
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	547	1.6	1	<1	<1	1	2	3	4	6
20-34	906	1.8	2	<1	<1	1	2	3	4	6
35-49	412	1.8	2	<1	<1	1	2	3	5	8
50-64	289	1.9	2	<1	<1	1	2	4	5	7
65+	157	2.5	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	2	<1	<1	1	1	4	5	5
20-34	9	1.3	1	<1	<1	<1	1	3	3	3
35-49	5	1.4	1	<1	<1	<1	1	3	3	3
50-64	8	2.3	6	1	1	2	2	6	8	8
65+	6	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	185	2.4	10	<1	<1	2	2	4	7	15
20-34	259	3.1	19	<1	<1	2	3	6	9	24
35-49	149	3.3	15	<1	<1	2	4	6	10	23
50-64	122	2.9	6	<1	<1	2	4	6	8	12
65+	130	4.2	19	<1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	2311	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	35	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*	845	3.1	15	<1	<1	2	3	6	9	17
1. SINGLE DX	2336	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	880	3.1	14	<1	<1	2	3	6	9	17
A. NOT OPERATED	60	1.6	2	<1	<1	1	2	3	4	8
B. OPERATED	3156	2.2	6	<1	<1	1	2	4	5	11
TOTAL 0-19 YRS	746	1.8	4	<1	<1	1	2	3	4	8
20-34	1182	2.0	6	<1	<1	1	2	4	5	9
35-49	571	2.2	6	<1	<1	1	3	4	6	11
50-64	421	2.2	3	<1	<1	2	3	4	6	10
65+	296	3.3	12	<1	<1	2	4	7	10	17
GRAND TOTAL	**3216**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	4	5.0	12	2	2	5	8	8	8	8
50-64	4	3.5	25	<1	<1	1	6	11	11	11
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	5	4.0	12	2	2	3	5	10	10	10
20-34	16	4.4	14	<1	<1	3	8	10	11	11
35-49	18	2.8	14	<1	<1	2	3	4	12	17
50-64	36	4.8	83	<1	<1	1	5	7	24	49
65+	24	3.9	27	<1	<1	1	6	8	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	14	3.2	11	<1	<1	1	4	9	10	11
B. *Operated*	99	4.1	42	<1	<1	2	4	10	14	38
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	113	4.0	38	<1	<1	2	4	10	11	35
A. NOT OPERATED	14	3.2	11	<1	<1	1	4	9	10	11
B. OPERATED	100	4.1	41	<1	<1	2	4	10	14	38
TOTAL 0-19 YRS	9	3.0	8	<1	<1	2	3	7	10	10
20-34	18	4.2	13	<1	<1	3	6	10	11	11
35-49	22	3.2	14	<1	<1	2	4	8	12	17
50-64	40	4.7	77	<1	<1	1	5	9	22	49
65+	25	3.8	26	<1	<1	1	6	8	13	24
GRAND TOTAL	**114**	**4.0**	**38**	**<1**	**<1**	**2**	**4**	**10**	**11**	**35**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	556	2.0	14	<1	<1	1	2	4	5	16
20-34	1023	2.4	22	<1	<1	1	2	3	5	36
35-49	385	2.1	17	<1	<1	1	2	3	5	15
50-64	372	2.1	10	<1	1	1	2	4	5	15
65+	298	2.4	11	<1	<1	1	2	4	7	22
B. *Operated*										
0-19 YRS	331	2.6	7	<1	<1	1	3	7	9	12
20-34	841	2.9	7	<1	<1	2	4	7	8	11
35-49	612	3.2	10	<1	<1	2	4	8	9	13
50-64	383	3.6	10	<1	<1	2	5	9	10	12
65+	246	3.9	12	<1	<1	2	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1801	3.8	82	<1	1	2	4	5	10	72
20-34	1815	4.6	80	<1	1	2	4	7	21	53
35-49	2413	4.1	54	1	1	2	4	7	17	41
50-64	5378	3.6	34	1	1	2	4	6	11	32
65+	5950	5.8	95	1	1	2	5	15	26	55
B. *Operated*										
0-19 YRS	595	5.1	83	<1	<1	2	6	10	19	84
20-34	1127	4.6	58	<1	<1	3	5	9	15	59
35-49	1341	5.1	48	1	1	3	6	10	14	38
50-64	1746	5.6	54	1	1	4	7	11	16	39
65+	1720	7.2	78	1	1	5	9	15	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2634	2.2	16	<1	<1	1	2	4	5	22
B. *Operated*	2413	3.2	9	<1	<1	2	4	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	17357	4.6	68	1	1	2	4	9	20	48
B. *Operated*	6529	5.7	63	<1	1	3	7	12	18	48
1. SINGLE DX	5047	2.7	13	<1	<1	1	3	6	8	15
2. MULTIPLE DX	23886	4.9	67	1	1	2	5	10	19	48
A. NOT OPERATED	19991	4.3	62	<1	1	2	4	8	17	45
B. OPERATED	8942	5.0	50	<1	1	3	6	10	15	40
TOTAL 0-19 YRS	3283	3.6	64	<1	<1	2	3	6	10	61
20-34	4806	3.9	51	<1	<1	2	4	7	11	42
35-49	4751	4.1	44	<1	1	2	4	8	13	38
50-64	7879	4.0	37	1	1	2	5	8	12	32
65+	8214	6.0	87	1	1	3	6	14	25	51
GRAND TOTAL	**28933**	**4.5**	**58**	**<1**	**1**	**2**	**5**	**9**	**16**	**44**

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever